

EAST Search History

10/059,345

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 2 | "20030145001" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 14:15 |
| L2 | 1 | ("20030145010").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2006/08/16 15:36 |
| L3 | 1 | ("20030145001").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2006/08/16 15:36 |
| L4 | 1 | ("20020103728").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2006/08/16 15:36 |
| L5 | 6 | ((report or ((web or content) adj page) or document) same database same (web adj server) same connection same retriev\$4 same stor\$4) and (internet adj explorer) same navigator | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L6 | 2 | (boolean adj expression) same response same query same receiv\$4 same user | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L7 | 11 | (boolean adj expression) same query same receiv\$4 same user | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L8 | 1 | (boolean adj expression) same query same match same calculat\$4 same quality | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L9 | 1 | (boolean adj expression) same query same match same calculat\$4 | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L10 | 24 | (boolean adj expression) same query same match | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L11 | 24 | (boolean adj expression) same query same match | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L12 | 7 | 707/5.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|----------------------------|----|-----|------------------|
| L13 | 2 | 707/2.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L14 | 13 | 707/3.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L15 | 0 | query same response same boolean same expression same match same associate | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L16 | 0 | (query same response) and (boolean same expression) same match same associate | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L17 | 119 | (query same response) and (boolean same expression) and match and associate | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L18 | 36 | (query same response) and (boolean same expression) and match and associate and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L19 | 24 | (query same response) and (boolean adj expression) and match and associate and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L20 | 0 | (query same response) and ((boolean adj expression) near3 associat\$4 near2 (reponse or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L21 | 2 | (query same response) and ((boolean adj expression) near3 associat\$4 near2 (response or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L22 | 2 | ((boolean adj expression) near2 associat\$4 near2 (response or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L23 | 2 | ((boolean adj expression) near1 associat\$4 near2 (response or result or string or text)) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L24 | 1 | "6341277".pn. | USPAT | OR | OFF | 2006/08/16 15:36 |
| L25 | 24 | (query same response) and (boolean same expression) and match and associate and "natural language" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:38 |
| L26 | 6 | (query same response) and (boolean same expression) and match and associate and "natural language" and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |

EAST Search History

| | | | | | | |
|-----|-----|--|----------------------------|----|-----|------------------|
| L27 | 5 | ((boolean adj expression) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L28 | 8 | ((boolean with expression) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L29 | 20 | ((question with analysis) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L30 | 183 | (question with (answer or response) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L31 | 11 | (question with (answer or response) with stor\$5 with database) and boolean and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L32 | 0 | (boolean with expression) same response | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L33 | 86 | (boolean with expression) same response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L34 | 40 | (boolean with expression) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L35 | 4 | (boolean adj expression) with response same stor\$4 and database and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L36 | 26 | (boolean adj expression) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L37 | 1 | (stor\$4 with (boolean adj expression)) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L38 | 2 | (stor\$4 with (boolean adj expression)) same response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L39 | 53 | (stor\$4 with (boolean adj expression)) and response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L40 | 2 | (stor\$4 with (boolean adj expression)) same (answer or response) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L41 | 53 | (stor\$4 with (boolean adj expression)) and (answer or response) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L42 | 14 | (stor\$4 with (boolean adj expression)) and (answer or response) and @ad < "20020131" and "707"/\$.cls. | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:36 |
| L43 | 11 | (boolean adj expression) with (retriev\$4 or stor\$5) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L44 | 3 | (boolean adj expression) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L45 | 0 | (boolean adj condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L46 | 681 | (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L47 | 0 | boolean with (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L48 | 0 | boolean same (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L49 | 14 | expression with (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L50 | 18 | (query adj expression) with (retriev\$4 or stor\$5) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L51 | 11 | question with answer with expression same database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L52 | 0 | (question with answer) same (expression near2 stor\$4 near2 database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L53 | 0 | (question with answer) same (expression with stor\$4 near2 database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L54 | 1 | (question with answer) same (expression with stor\$4 with database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L55 | 89 | (boolean adj expression) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L56 | 16 | (boolean adj expression) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L57 | 5 | "6732094".pn. or "20020177991" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 15:36 |
| L58 | 0 | 704/9.ccls. and (query same response) and (boolean same expression) and match and associate and "natural language" | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:39 |
| L59 | 14 | 704/9.ccls. and (query same response) and match and associate and (natural adj language) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:39 |
| L60 | 9 | 707/6.ccls. and (query same response) and match and associate and (natural adj language) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:40 |
| L61 | 264 | (query same response) and match and associate and (natural adj language) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:39 |
| L62 | 30 | 707/5.ccls. and (query same response) and match and associate and (natural adj language) | US-PGPUB; USPAT; JPO | OR | OFF | 2006/08/16 15:40 |

EAST Search History

| | | | | | | |
|-----|----|--|--------------------------------------|----|-----|------------------|
| S1 | 1 | ("20030145010").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2005/02/24 10:33 |
| S2 | 1 | ("20030145001").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2005/12/16 17:53 |
| S3 | 1 | ("20020103728").PN. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2004/05/30 09:12 |
| S4 | 5 | ((report or ((web or content) adj page) or document) same database same (web adj server) same connection same retriev\$4 same stor\$4) and (internet adj explorer) same navigator | US-PGPUB; USPAT; JPO | OR | OFF | 2004/05/30 10:32 |
| S5 | 2 | (boolean adj expression) same response same query same receiv\$4 same user | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/04 12:28 |
| S6 | 9 | (boolean adj expression) same query same receiv\$4 same user | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/05 12:42 |
| S7 | 1 | (boolean adj expression) same query same match same calculat\$4 same quality | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 17:42 |
| S8 | 1 | (boolean adj expression) same query same match same calculat\$4 | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/05 12:42 |
| S9 | 18 | (boolean adj expression) same query same match | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/08 10:56 |
| S10 | 19 | (boolean adj expression) same query same match | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:30 |
| S11 | 7 | 707/5.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/08 11:07 |
| S12 | 2 | 707/2.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/08 11:07 |
| S13 | 9 | 707/3.ccls. and ((boolean adj expression) same query same match) | US-PGPUB; USPAT; JPO | OR | OFF | 2004/06/08 11:07 |
| S14 | 0 | query same response same boolean same expression same match same associate | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:31 |

EAST Search History

| | | | | | | |
|-----|----|---|----------------------------|----|-----|------------------|
| S15 | 0 | (query same response) and (boolean same expression) same match same associate | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:31 |
| S16 | 64 | (query same response) and (boolean same expression) and match and associate | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/24 13:57 |
| S17 | 30 | (query same response) and (boolean same expression) and match and associate and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:44 |
| S18 | 19 | (query same response) and (boolean adj expression) and match and associate and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:48 |
| S19 | 0 | (query same response) and ((boolean adj expression) near3 associat\$4 near2 (reponse or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:50 |
| S20 | 2 | (query same response) and ((boolean adj expression) near3 associat\$4 near2 (response or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:57 |
| S21 | 2 | ((boolean adj expression) near2 associat\$4 near2 (response or result)) | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:59 |
| S22 | 2 | ((boolean adj expression) near1 associat\$4 near2 (response or result or string or text)) | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/23 16:59 |
| S23 | 1 | "6341277".pn. | USPAT | OR | OFF | 2005/02/24 10:33 |
| S24 | 11 | (query same response) and (boolean same expression) and match and associate and "natural language" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/24 13:58 |
| S25 | 5 | (query same response) and (boolean same expression) and match and associate and "natural language" and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/02/24 13:58 |
| S26 | 5 | ((boolean adj expression) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 18:19 |
| S27 | 8 | ((boolean with expression) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 18:25 |
| S28 | 20 | ((question with analysis) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 18:41 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S29 | 172 | (question with (answer or response) with stor\$5 with database) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 18:42 |
| S30 | 10 | (question with (answer or response) with stor\$5 with database) and boolean and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/16 18:42 |
| S31 | 0 | (boolean with expression) same response | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:02 |
| S32 | 84 | (boolean with expression) same response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:02 |
| S33 | 39 | (boolean with expression) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:03 |
| S34 | 25 | (boolean adj expression) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:40 |
| S35 | 4 | (boolean adj expression) with response same stor\$4 and database and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:03 |
| S36 | 1 | (stor\$4 with (boolean adj expression)) with response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:41 |
| S37 | 1 | (stor\$4 with (boolean adj expression)) same response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:41 |
| S38 | 52 | (stor\$4 with (boolean adj expression)) and response and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:42 |
| S39 | 1 | (stor\$4 with (boolean adj expression)) same (answer or response) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:42 |
| S40 | 52 | (stor\$4 with (boolean adj expression)) and (answer or response) and @ad < "20020131" | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:46 |
| S41 | 13 | (stor\$4 with (boolean adj expression)) and (answer or response) and @ad < "20020131" and "707"/\$.ccls. | US-PGPUB; USPAT; JPO | OR | OFF | 2005/12/17 13:50 |
| S42 | 11 | (boolean adj expression) with (retriev\$4 or stor\$5) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 15:09 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S43 | 3 | (boolean adj expression) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:46 |
| S44 | 0 | (boolean adj condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:46 |
| S45 | 663 | (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:47 |
| S46 | 0 | boolean with (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:47 |
| S47 | 0 | boolean same (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:47 |
| S48 | 12 | expression with (condition) near2 (retriev\$4 or stor\$5) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:47 |
| S49 | 17 | (query adj expression) with (retriev\$4 or stor\$5) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 14:59 |
| S50 | 11 | question with answer with expression same database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/16 14:15 |
| S51 | 0 | (question with answer) same (expression near2 stor\$4 near2 database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 15:07 |
| S52 | 0 | (question with answer) same (expression with stor\$4 near2 database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 15:08 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S53 | 1 | (question with answer) same (expression with stor\$4 with database) and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 15:08 |
| S54 | 86 | (boolean adj expression) with database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 15:09 |
| S55 | 16 | (boolean adj expression) near2 database and @ad < "20020131" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 16:27 |
| S56 | 4 | "6732094".pn. or "20020177991" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/17 16:27 |


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+stored +Boolean +expressions +reponse +answers



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used stored Boolean expressions reponse answers

Found 4 of 184,245

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 4 of 4

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Special issue on knowledge representation](#)


 Ronald J. Brachman, Brian C. Smith
 February 1980 **ACM SIGART Bulletin**, Issue 70

Publisher: ACM Press

 Full text available: [pdf\(13.13 MB\)](#) Additional Information: [full citation](#), [abstract](#)

In the fall of 1978 we decided to produce a special issue of the SIGART Newsletter devoted to a survey of current knowledge representation research. We felt that there were two useful functions such an issue could serve. First, we hoped to elicit a clear picture of how people working in this subdiscipline understand knowledge representation research, to illuminate the issues on which current research is focused, and to catalogue what approaches and techniques are currently being developed. Secon ...

2 [Session 8B: The invasiveness of off-line memory checking](#)


 Miklós Ajtai
 May 2002 **Proceedings of the thirty-fourth annual ACM symposium on Theory of computing**

Publisher: ACM Press

 Full text available: [pdf\(274.43 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Memory checking is the task of checking the correctness of a sequence of "store" and "retrieve" operations. The operations are performed in a large unreliable memory. A checker using a much smaller but completely reliable memory tries to decide whether they were executed correctly. M. Blum, W. Evans, P. Gemmel, S. Kannan and M. Naor, has shown in 1991 that the off-line checking of a sequence of memory operations concerning a RAM consisting of n registers can be done, in a probabilistic se ...

3 [A hybrid oriented interactive language](#)


 Martin L. Cramer, Jon C. Strauss
 January 1966 **Proceedings of the 1966 21st national conference**

Publisher: ACM Press

 Full text available: [pdf\(643.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents an on-line, inter-active language system created specifically for scientists and engineers engaged in preparation, setup, control, and monitoring of hybrid computations. Through a special console or a generalized input/output device, the user is afforded immediate access to both a computational process (software), and computation equipment (hardware). The language combines a complete algebraic interpreter with an

expandable command and control repertoire. Through the lat ...


4 Technical reports



SIGACT News Staff

April 1981 **ACM SIGACT News**, Volume 13 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(2.64 MB\)](#) Additional Information: [full citation](#)



Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((boolean expressions stored)<in>metadata)"

☒ e-mailYour search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by
 Inspect[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((storing boolean expressions)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard


No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

[Sign in](#)



Web Results 1 - 4 of about 29 for **condition satisfied natural language associated responses text query da**

Scholarly articles for condition satisfied natural language associated responses text query database stored "Boolean expression is stored"



[Summarizing natural language database responses - Kalita - Cited by 7](#)
[Retrieval activities in a database consisting of ... - Burkowski - Cited by 37](#)
[Design of an integrated information retrieval/database ... - Saxton - Cited by 11](#)

General Introduction *** This file documents `awk ...**

In this case, the **text** of the line is **stored** in 'lines[count]'. ... If the **condition** is **satisfied**, the pattern is said to "match" the input record. ...

www.gnu.org/software/gawk/manual/gawk.txt - 937k - [Cached](#) - [Similar pages](#)

The GNU Awk User's Guide

While Statement: Loop until some **condition** is **satisfied**. ... play if the result of the **Boolean expression is stored** in a variable or used in arithmetic. ...

gnu.paracoda.com/software/gawk/manual/gawk.html - 977k - [Cached](#) - [Similar pages](#)

The GNU Awk User's Guide

While Statement: Loop until some **condition** is **satisfied**. ... the **language** used to read **responses**, and information related to how numerical and monetary ...

computing.ee.ethz.ch/sepp/gawk-3.1.1-to/ - [Similar pages](#)

[PDF] GAWK: Effective AWK Programming

File Format: PDF/Adobe Acrobat

that come into play if the result of the **Boolean expression is stored** in ... If the **condition** is **satisfied**, the pattern is said to match the input record. ...


www.uni-koeln.de/math-nat-fak/tcchem/mitarbeiter/weber/weber/gawk.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.

If you like, you can repeat the search with the omitted results included.

Try your search again on [Google Book Search](#)

See all your photos right in your Sidebar.
Free! [Download Google Desktop](#).



[Sign in](#)

Google™ [Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web


Results **1 - 1** of **1** for **"stored Boolean expressions"**. (0.53 seconds)

Tip: Try removing quotes from your search to get more results.

Comparison and verification system for logic circuits and method ...
extracting Boolean expressions by converting said stored first and second logics to Boolean
expressions based on said **stored Boolean expressions** of ...
www.freepatentsonline.com/5243538.html - 54k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

See all your photos right in your Sidebar.
Free! [Download Google Desktop](#).



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google [Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 1 of 1 for **associated responses text query database stored "Boolean expressions are stc**

Tip: Try removing quotes from your search to get more results.

[PDF] [C# CESOCLV 2.0](#)

File Format: PDF/Adobe Acrobat

The OCL can be used to define **query** operations. The OCL expression is ... The **boolean expressions are stored**, as a list at the class or structure level. ...

www.scs.carleton.ca/~jeanpier/techReports/OCL-CSharp.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

Free! Speed up the web. [Download the Google Web Accelerator](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google [Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 19 of about 154 for "**Boolean expression is stored**". (0.60 seconds)

Boolean Ops - The GNU Awk User's Guide

They have numeric values (one if true, zero if false) that come into play if the result of the **Boolean expression is stored** in a variable or used in ...

www.gnu.org/software/gawk/manual/html_node/Boolean-Ops.html - 10k -

[Cached](#) - [Similar pages](#)

Element-by-element Boolean Operators - Untitled

... has a numeric value (1 if true, 0 if false) that comes into play if the result of the **boolean expression is stored** in a variable, or used in arithmetic. ...

www.gnu.org/software/octave/doc/interpreter/Element_002dby_002delement-Boolean-Operators.html - 7k - [Cached](#) - [Similar pages](#)

Boolean Expression Evaluation

The **Boolean expression is stored** in two arrays: RPArray contains the format of the expression and varArray contains the variables. The RPArray contains the ...

members.verizon.net/~vze3psh8/Boolean%20Expression%20Evaluation.htm - 15k -

[Cached](#) - [Similar pages](#)

The AWK Manual - Boolean Ops

They have numeric values (1 if true, 0 if false), which come into play if the result of the **boolean expression is stored** in a variable, ...

www.cs.uu.nl/docs/vakken/st/nawk/nawk_62.html - 5k - [Cached](#) - [Similar pages](#)

[PDF] The AWK Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

false), which come into play if the result of the **boolean expression is stored** in a variable, or used. in arithmetic. In addition, every boolean expression ...

www.cs.uu.nl/~piet/docs/nawk/nawkA4.pdf - [Similar pages](#)

The GNU Awk User's Guide - Boolean Ops

They have numeric values (one if true, zero if false), that come into play if the result of the **Boolean expression is stored** in a variable or used in ...

serghei.net/docs/programming/gawk/gawk_90.html - 7k - [Cached](#) - [Similar pages](#)

The GAWK Manual - Actions: Expressions

They have numeric values (1 if true, 0 if false), which come into place if the result of the **boolean expression is stored** in a variable, ...

www.cs.utah.edu/dept/old/texinfo/gawk/gawk_10.html - 37k - [Cached](#) - [Similar pages](#)

General Description

To provide interactive real time work with this module **boolean expression is stored** as a tree, so only paths are affected by user operations on result ...

www.cs.technion.ac.il/Labs/IsI/Project/Projects_done/IB/index.htm - 6k -

[Cached](#) - [Similar pages](#)

Method for generating logic circuit data - Patent 4758953

The **boolean expression is stored** in a work area (not shown). Next, a pin number is indexed by use of the same link information 605, then a signal name is ...

www.freepatentsonline.com/4758953.html - 49k - [Cached](#) - [Similar pages](#)

System and method for optimizing message flows between agents in ...

The method of claim 1, wherein each of said conditions represented in said local knowledge database as a **boolean expression is stored** in said local ...

www.freepatentsonline.com/5499364.html - 90k - [Cached](#) - [Similar pages](#)

[PDF] The Transmogrifier C Hardware Description Language and Compiler ...

File Format: PDF/Adobe Acrobat

contains a boolean expression. that describes the combinational function generating the. bit.

The **boolean expression is stored** as a tree in which ...

ieeexplore.ieee.org/iel2/3466/10212/00477419.pdf?arnumber=477419 - [Similar pages](#)

This is octave.info, produced by makeinfo version 4.5 from octave ...

... of the **boolean expression is stored** in a variable, or used in arithmetic. Here are descriptions of the three element-by-element boolean operators. ...

stuff.mit.edu/afs/athena/software/octave_v2.1.71/info/octave.info-3 - 51k -

[Cached](#) - [Similar pages](#)

[PDF] ATL: Atlas Transformation Language Specification of the ATL ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

boolean expression is stored within local variable 1, it is loaded on top of the operand stack (instruction 0). The integral constant that constitutes the ...

www.eclipse.org/gmt/atl/doc/ATL_VMSpecification%5Bv00.01%5D.pdf - [Similar pages](#)

[PDF] GNU Octave

File Format: PDF/Adobe Acrobat - [View as HTML](#)

into play if the result of the **boolean expression is stored** in a variable, or. used in arithmetic. Here are descriptions of the three element-by-element ...

web.math.hr/nastava/ppm1/octave.pdf - [Similar pages](#)

[PDF] The AWK Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

if true, 0 if false), which come into play if the result of the **boolean expression is stored** in. a variable, or used in arithmetic. ...

atc1.aut.uah.es/~labso/doc/nawkUS.pdf - [Similar pages](#)

[PDF] Diane Barlow Close Arnold D. Robbins Paul H. Rubin Richard Stallman

File Format: PDF/Adobe Acrobat

if true, 0 if false , which come into play if the result of the **boolean expression is stored** in. a variable, or used in arithmetic. ...

docs.freebsd.org/info/gawk/gawk.pdf - [Similar pages](#)

[PDF] Effective AWK Programming

File Format: PDF/Adobe Acrobat

the **boolean expression is stored** in a variable, or used in arithmetic. In addition, every boolean expression is also a valid pattern, so you can ...

optics.szfk.kfki.hu/~kmatyas/meresiadatcd/dokumentacio/gawk.pdf - [Similar pages](#)

[PDF] GAWK: Effective AWK Programming

File Format: PDF/Adobe Acrobat

that come into play if the result of the **Boolean expression is stored** in a variable or used in. arithmetic. In addition, every Boolean expression is also a ...

www.uni-koeln.de/math-nat-fak/tcchem/mitarbeiter/weber/weber/gawk.pdf - [Similar pages](#)

[PS] GAWK: Eective AWK Programming

File Format: Adobe PostScript

come into play if the result of the **Boolean expression is stored** in a variable or used in. arithmetic. In addition, every Boolean expression is also a valid ...

<ftp.gnu.org/gnu/Manuals/gawk-3.1.1/ps/gawk.ps.gz> - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 19 already displayed.

If you like, you can repeat the search with the omitted results included.

Try your search again on [Google Book Search](#)

Free! Speed up the web. [Download the Google Web Accelerator](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google [Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for **"store Boolean expression "**. (0.51 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [Microsoft PowerPoint - CS004-04-2006.ppt](#)


File Format: PDF/Adobe Acrobat - [View as HTML](#)

store Boolean expression */. isNumberPositive = number>0;. [...] /* stored condition is tested here */. if (isNumberPositive). printf("Number was positive. ...

www.cs.brown.edu/courses/cs004/lectures/CS004-04-2006.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

See all your photos right in your Sidebar.
Free! [Download Google Desktop](#).




[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



Web

Tip: Try removing quotes from your search to get more results.

Your search - **associated responses text query database stored "storing Boolean expressions"** - did not match any documents.


Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



Web

Tip: Try removing quotes from your search to get more results.

Your search - **associated responses text query database "stored Boolean expressions"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((boolean expressions)<in>metadata)"

Your search matched 124 of 1392165 documents.

☒ e-mail

A maximum of 500 results are displayed, 100 to a page, sorted by Relevance in Descending order.

Modify Search

((boolean expressions)<in>metadata)

☐ Check to search only within this results set

» Search Options

Display Format: ☒ Citation ☐ Citation & Abstract
[View Session History](#)
[New Search](#)
 [Select All](#) [Deselect All](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Efficient symbolic simulation-based verification using the parametric form expressions**
 Jain, P.; Gopalakrishnan, G.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction: Volume 13, Issue 8, Aug. 1994 Page\(s\):1005 - 1015](#)
 Digital Object Identifier 10.1109/43.298036
[AbstractPlus](#) | Full Text: [PDF](#)(1096 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Programming Boolean expressions for testability**
 White, A.L.;
[Aerospace Conference, 2004. Proceedings. 2004 IEEE Volume 5, 6-13 March 2004 Page\(s\):3110 - 3122 Vol.5](#)
[AbstractPlus](#) | Full Text: [PDF](#)(725 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Test generation for Boolean expressions**
 Paradkar, A.; Tai, K.C.;
[Software Reliability Engineering, 1995. Proceedings., Sixth International Symp 24-27 Oct. 1995 Page\(s\):106 - 115](#)
 Digital Object Identifier 10.1109/ISSRE.1995.497649
[AbstractPlus](#) | Full Text: [PDF](#)(724 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Correctness verification of VLSI modules supported by a very efficient B**
 Lammens, P.; Claesen, L.; De Man, H.;
[Computer Design: VLSI in Computers and Processors, 1989. ICCD '89. Proceedings of the IEEE International Conference on 2-4 Oct. 1989 Page\(s\):266 - 269](#)
 Digital Object Identifier 10.1109/ICCD.1989.63368
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **A composite mapping technique for simplification of multi-variable Boole**
 Shafiqui Khalid, A.T.M.; Ahmed, F.; Karim, M.A.;
[Aerospace and Electronics Conference, 1995. NAECON 1995., Proceedings of the National Volume 1, 22-26 May 1995 Page\(s\):256 - 262 vol.1](#)

Digital Object Identifier 10.1109/NAECON.1995.521948

[AbstractPlus](#) | [Full Text: PDF\(440 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. Equivalence checking of combinational circuits using Boolean expressio**
Hulgaard, H.; Williams, P.F.; Andersen, H.R.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction: Volume 18, Issue 7, July 1999 Page\(s\):903 - 917](#)
Digital Object Identifier 10.1109/43.771175
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(424 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. Analysis and implementation of public-key cryptosystem based on the B satisfiability problem**
Singh, S.;
[Networks, 2005. Jointly held with the 2005 IEEE 7th Malaysia International Communication., 2005 13th IEEE International Conference on Volume 2, 16-18 Nov. 2005 Page\(s\):6 pp.](#)
Digital Object Identifier 10.1109/ICON.2005.1635594
[AbstractPlus](#) | [Full Text: PDF\(1208 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. Rewrite systems for symbolic evaluation of C-like preprocessing**
Latendresse, M.;
[Software Maintenance and Reengineering, 2004. CSMR 2004. Proceedings. E Conference on 2004 Page\(s\):165 - 173](#)
Digital Object Identifier 10.1109/CSMR.2004.1281417
[AbstractPlus](#) | [Full Text: PDF\(407 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Beat: Boolean expression fault-based test case generator**
Chen, T.Y.; Grant, D.D.; Lau, M.F.; Ng, S.P.; Vasa, V.R.;
[Information Technology: Research and Education, 2003. Proceedings. ITRE2C Conference on 11-13 Aug. 2003 Page\(s\):625 - 629](#)
Digital Object Identifier 10.1109/ITRE.2003.1270695
[AbstractPlus](#) | [Full Text: PDF\(526 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. On implicate discovery and query optimization**
Vorwerk, K.; Paulley, G.N.;
[Database Engineering and Applications Symposium, 2002. Proceedings. Inter 17-19 July 2002 Page\(s\):2 - 11](#)
Digital Object Identifier 10.1109/IDEAS.2002.1029651
[AbstractPlus](#) | [Full Text: PDF\(330 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. On the relationships of faults for Boolean specification based testing**
Lau, M.F.; Yu, Y.T.;
[Software Engineering Conference, 2001. Proceedings. 2001 Australian 27-28 Aug. 2001 Page\(s\):21 - 28](#)
Digital Object Identifier 10.1109/ASWEC.2001.948494
[AbstractPlus](#) | [Full Text: PDF\(632 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. Tabular and textual methods for selecting objects from a group**
Pane, J.F.; Myers, B.A.;
[Visual Languages, 2000. Proceedings. 2000 IEEE International Symposium on](#)

10-13 Sept. 2000 Page(s):157 - 164

Digital Object Identifier 10.1109/VL.2000.874379

[AbstractPlus](#) | Full Text: [PDF](#)(736 KB) IEEE CNF
[Rights and Permissions](#)

☐ **13. PowerShake: a low power driven clustering and factoring methodology for expressions**

Roy, S.; Arts, H.; Banerjee, P.;

[Design, Automation and Test in Europe, 1998., Proceedings](#)

23-26 Feb. 1998 Page(s):967 - 968

Digital Object Identifier 10.1109/DATE.1998.655992

[AbstractPlus](#) | Full Text: [PDF](#)(48 KB) IEEE CNF
[Rights and Permissions](#)

☐ **14. Boolean expression diagrams**

Andersen, H.R.; Hulgaard, H.;

[Logic in Computer Science, 1997. LICS '97. Proceedings., 12th Annual IEEE](#)

29 June-2 July 1997 Page(s):88 - 98

Digital Object Identifier 10.1109/LICS.1997.614938

[AbstractPlus](#) | Full Text: [PDF](#)(892 KB) IEEE CNF
[Rights and Permissions](#)

☐ **15. Access control by Boolean expression evaluation**

Miller, D.V.; Baldwin, R.W.;

[Computer Security Applications Conference, 1989., Fifth Annual](#)

4-8 Dec. 1989 Page(s):131 - 139

Digital Object Identifier 10.1109/CSAC.1989.81042

[AbstractPlus](#) | Full Text: [PDF](#)(508 KB) IEEE CNF
[Rights and Permissions](#)

☐ **16. A minterm-ring algorithm for simplifying Boolean expressions**

McCalla, T.R.;

[Circuits and Systems, 1990., Proceedings of the 33rd Midwest Symposium on](#)

12-14 Aug. 1990 Page(s):1127 - 1130 vol.2

Digital Object Identifier 10.1109/MWSCAS.1990.140924

[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF
[Rights and Permissions](#)

☐ **17. A mixed-level MOS logic simulator utilizing a new continuous strength al**

Kong, J.-H.; Szygenda, S.A.;

[Computers and Communications, 1990. Conference Proceedings., Ninth Annu](#)

[Phoenix Conference on](#)

21-23 March 1990 Page(s):614 - 621

Digital Object Identifier 10.1109/PCCC.1990.101677

[AbstractPlus](#) | Full Text: [PDF](#)(756 KB) IEEE CNF
[Rights and Permissions](#)

☐ **18. Massively parallel switch-level simulation: a feasibility study**

Kravitz, S.A.; Bryant, R.E.; Rutenbar, R.A.;

[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)

Volume 10, Issue 7, July 1991 Page(s):871 - 894

Digital Object Identifier 10.1109/43.87598

[AbstractPlus](#) | Full Text: [PDF](#)(2368 KB) IEEE JNL
[Rights and Permissions](#)

☐ **19. A Boolean expression-based approach for maximum incomplete subcube in faulty hypercubes**

Hsing-Lung Chen; Nian-Feng Tzeng;

[Parallel and Distributed Systems, IEEE Transactions on](#)

Volume 8, Issue 11, Nov. 1997 Page(s):1171 - 1183
Digital Object Identifier 10.1109/71.642951

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(260 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **20. Fast, Small, and Static Combinatorial CMOS Circuits**
Serlet, B.P.;
[Design Automation, 1987. 24th Conference on](#)
28-1 June 1987 Page(s):451 - 458
[AbstractPlus](#) | Full Text: [PDF](#)(1072 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **21. A tree-based statistical language model for natural language speech recognition**
Bahl, L.R.; Brown, P.F.; de Souza, P.V.; Mercer, R.L.;
[Acoustics, Speech, and Signal Processing \[see also IEEE Transactions on Signal Processing\]](#)
Volume 37, Issue 7, July 1989 Page(s):1001 - 1008
Digital Object Identifier 10.1109/29.32278
[AbstractPlus](#) | Full Text: [PDF](#)(708 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **22. The testability-preserving concurrent decomposition and factorization of expressions**
Rajski, J.; Vasudevamurthy, J.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 11, Issue 6, June 1992 Page(s):778 - 793
Digital Object Identifier 10.1109/43.137523
[AbstractPlus](#) | Full Text: [PDF](#)(1324 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **23. Control unit synthesis from a high-level language**
Rotman, A.; Ginosar, R.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 12, Issue 1, Jan. 1993 Page(s):162 - 167
Digital Object Identifier 10.1109/43.184853
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **24. A knowledge representation for constraint satisfaction problems**
Croker, A.E.; Dhar, V.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 5, Issue 5, Oct. 1993 Page(s):740 - 752
Digital Object Identifier 10.1109/69.243506
[AbstractPlus](#) | Full Text: [PDF](#)(1236 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **25. Theory of fault-based predicate testing for computer programs**
Kuo-Chung Tai;
[Software Engineering, IEEE Transactions on](#)
Volume 22, Issue 8, Aug. 1996 Page(s):552 - 562
Digital Object Identifier 10.1109/32.536956
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1124 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **26. A note on "On the VLSI implementation of real-time order statistic filters"**
Lin, C.C.; Kuo, C.J.;
[Signal Processing, IEEE Transactions on \[see also Acoustics, Speech, and Signal Processing\]](#)
Volume 44, Issue 5, May 1996 Page(s):1314 - 1315

Digital Object Identifier 10.1109/78.502353

[AbstractPlus](#) | [Full Text: PDF\(156 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **27. IrDA-VFIR (16 Mb/s): modulation code and system design**
Hirt, W.; Hassner, M.; Heise, N.;
[Personal Communications, IEEE \[see also IEEE Wireless Communications\]](#)
Volume 8, Issue 1, Feb. 2001 Page(s):58 - 71
Digital Object Identifier 10.1109/98.904900
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(236 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **28. Boolean expression of LUM smoothers**
Lukac, R.; Marchevsky, S.;
[Signal Processing Letters, IEEE](#)
Volume 8, Issue 11, Nov. 2001 Page(s):292 - 294
Digital Object Identifier 10.1109/97.969447
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(106 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **29. Efficient event-driven simulation by exploiting the output observability of**
Maurer, P.M.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 22, Issue 11, Nov. 2003 Page(s):1471 - 1486
Digital Object Identifier 10.1109/TCAD.2003.818305
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1397 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **30. A general framework for learning rules from data**
Apolloni, B.; Esposito, A.; Malchiodi, D.; Orovas, C.; Palmas, G.; Taylor, J.G.;
[Neural Networks, IEEE Transactions on](#)
Volume 15, Issue 6, Nov. 2004 Page(s):1333 - 1349
Digital Object Identifier 10.1109/TNN.2004.836249
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1056 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **31. A unified framework for generating all propagation functions for logic err**
Michael, M.K.; Haniotakis, T.; Tragoudas, S.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 23, Issue 6, June 2004 Page(s):980 - 986
Digital Object Identifier 10.1109/TCAD.2004.828112
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(320 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **32. Compiler generation tools for C#**
Woss, A.; Loberbauer, M.; Mossenbock, H.;
[Software, IEE Proceedings- \[see also Software Engineering, IEE Proceedings\]](#)
Volume 150, Issue 5, 27 Oct. 2003 Page(s):323 - 327
Digital Object Identifier 10.1049/ip-sen:20030984
[AbstractPlus](#) | [Full Text: PDF\(227 KB\)](#) [IEE JNL](#)
- ☐ **33. Applicability of modified condition/decision coverage to software testing**
Chilenski, J.J.; Miller, S.P.;
[Software Engineering Journal](#)
Volume 9, Issue 5, Sept. 1994 Page(s):193 - 200
[AbstractPlus](#) | [Full Text: PDF\(504 KB\)](#) [IEE JNL](#)
- 34. Categorizing and extracting information from multilingual HTML docume**

- ☐ SeungJin Lim; Yiu-Kai Ng;
Database Engineering and Application Symposium, 2005. IDEAS 2005. 9th Int
25-27 July 2005 Page(s):415 - 422
Digital Object Identifier 10.1109/IDEAS.2005.15
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **35. Circuit schematic generation and optimization in VLSI circuits**
Wei-Ting Chen; Wen-Tsong Shiue;
Circuits and Systems, 2004. Proceedings. The 2004 IEEE Asia-Pacific Confer
Volume 1, 6-9 Dec. 2004 Page(s):553 - 556 vol.1
Digital Object Identifier 10.1109/APCCAS.2004.1412821
[AbstractPlus](#) | Full Text: [PDF](#)(569 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **36. Towards a modal logic for /spl pi/-calculus**
Taolue Chen; Tingting Han; Jian Lu;
Computer Software and Applications Conference, 2004. COMPSAC 2004. Proc
28th Annual International
2004 Page(s):330 - 335 vol.1
Digital Object Identifier 10.1109/CMPSAC.2004.1342854
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **37. Function abstraction for sequential CMOS standard cell**
Gao Ting; He Xiangqing;
ASIC, 2003. Proceedings. 5th International Conference on
Volume 1, 21-24 Oct. 2003 Page(s):360 - 364 Vol.1
Digital Object Identifier 10.1109/ICASIC.2003.1277562
[AbstractPlus](#) | Full Text: [PDF](#)(290 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **38. Reusing mechanical engineering design**
Lacroix, Z.;
Information Reuse and Integration, 2003. IRI 2003. IEEE International Confere
2003 Page(s):299 - 304
Digital Object Identifier 10.1109/IRI.2003.1251429
[AbstractPlus](#) | Full Text: [PDF](#)(557 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **39. An algebra for inductive query evaluation**
Lee, S.D.; De Raedt, L.;
Data Mining, 2003. ICDM 2003. Third IEEE International Conference on
19-22 Nov. 2003 Page(s):147 - 154
[AbstractPlus](#) | Full Text: [PDF](#)(339 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **40. Fast design approach for implementing the approximate squaring functio**
Ming-Hwa Sheu; Su-Hon Lin;
Circuits and Systems, 2002. APCCAS '02. 2002 Asia-Pacific Conference on
Volume 2, 28-31 Oct. 2002 Page(s):25 - 29 vol.2
Digital Object Identifier 10.1109/APCCAS.2002.1115101
[AbstractPlus](#) | Full Text: [PDF](#)(347 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **41. Scenario-based unit testing for reliability**
Kuball, S.; Hughes, G.; Gilchrist, I.;
Reliability and Maintainability Symposium, 2002. Proceedings. Annual
28-31 Jan. 2002 Page(s):222 - 227

[AbstractPlus](#) | [Full Text: PDF\(496 KB\)](#) [IEEE CNF Rights and Permissions](#)

- <http://ieeexplore.ieee.org/search/searchresult.jsp?query1=&scope1=metadata&op1=and&query2=&...> 8/16/06

Digital Object Identifier 10.1109/ICVD.1999.745188

[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **49. Hardware/software co-design language compatible with VHDL**
Wong, S.Y.;
[WESCON/98](#)
15-17 Sept. 1998 Page(s):78 - 83
Digital Object Identifier 10.1109/WESCON.1998.716424
[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **50. On-line testable logic design for FPGA implementation**
Burruss, A.L.; Lala, P.K.;
[Test Conference, 1997. Proceedings., International](#)
1-6 Nov. 1997 Page(s):471 - 478
Digital Object Identifier 10.1109/TEST.1997.639653
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **51. A NN algorithm for Boolean satisfiability problems**
Spears, W.M.;
[Neural Networks, 1996., IEEE International Conference on](#)
Volume 2, 3-6 June 1996 Page(s):1121 - 1126 vol.2
Digital Object Identifier 10.1109/ICNN.1996.549055
[AbstractPlus](#) | Full Text: [PDF\(428 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **52. Enforcing complex security policies for commercial applications**
I-Lung Kao; Chow, R.;
[Computer Software and Applications Conference, 1995. COMPSAC 95. Proceedings of the](#)
[Nineteenth Annual International](#)
9-11 Aug. 1995 Page(s):402 - 408
Digital Object Identifier 10.1109/CMPSAC.1995.524807
[AbstractPlus](#) | Full Text: [PDF\(604 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **53. Modeling complex access control policies in distributed systems**
Chow, R.; I-Lung Kao;
[Distributed Computing Systems, 1995., Proceedings of the Fifth IEEE Comput](#)
[Workshop on Future Trends of](#)
28-30 Aug. 1995 Page(s):404 - 411
Digital Object Identifier 10.1109/FTDCS.1995.525010
[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **54. Rule-based formal specification and implementation of logic controllers**
Adamski, M.A.; Monteiro, J.L.;
[Industrial Electronics, 1995. ISIE '95., Proceedings of the IEEE International S](#)
Volume 2, 10-14 July 1995 Page(s):700 - 705 vol.2
Digital Object Identifier 10.1109/ISIE.1995.497271
[AbstractPlus](#) | Full Text: [PDF\(456 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **55. A practical method for software quality control via program mutation**
Wu, D.; Hennell, M.A.; Hedley, D.; Riddell, I.J.;
[Software Testing, Verification, and Analysis, 1988., Proceedings of the Second](#)
19-21 July 1988 Page(s):159 - 170
Digital Object Identifier 10.1109/WST.1988.5371

[AbstractPlus](#) | Full Text: [PDF\(904 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **56. A channelless layout for multilevel synthesis with compiled cells**
 Saucier, G.; Leveugle, R.; Abouzeid, P.;
[Computer Design: VLSI in Computers and Processors, 1989. ICCD '89. Proceedings of the IEEE International Conference on](#)
 2-4 Oct. 1989 Page(s):35 - 38
 Digital Object Identifier 10.1109/ICCD.1989.63323
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **57. Trace based verification of parallel programs with shared variables**
 Gjessing, S.; Munthe-Kaas, E.;
[System Sciences, 1989. Vol.II: Software Track, Proceedings of the Twenty-Seventh Hawaii International Conference on](#)
 Volume 2, 3-6 Jan. 1989 Page(s):305 - 311 vol.2
 Digital Object Identifier 10.1109/HICSS.1989.48005
[AbstractPlus](#) | Full Text: [PDF\(472 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **58. A multiple-valued algebra for modeling MOS VLSI circuits at switch-level**
 Mou Hu;
[Multiple-Valued Logic, 1989. Proceedings., Nineteenth International Symposium on](#)
 29-31 May 1989 Page(s):329 - 336
 Digital Object Identifier 10.1109/ISMVL.1989.37803
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **59. A vital digital control system with a calculable probability of an unsafe failure**
 Rutherford, D.;
[Computer Assurance, 1990. COMPASS '90. 'Systems Integrity, Software Safety, Security', Proceedings of the Fifth Annual Conference on](#)
 25-28 June 1990 Page(s):1 - 11
 Digital Object Identifier 10.1109/CMPASS.1990.175397
[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **60. Logic optimization on a concurrent processing computer**
 Theeuwes, F.;
[Design Automation Conference, 1990. EDAC. Proceedings of the European](#)
 12-15 March 1990 Page(s):429 - 433
 Digital Object Identifier 10.1109/EDAC.1990.136686
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **61. A method for concurrent decomposition and factorization of Boolean expressions**
 Vasudevamurthy, J.; Rajski, J.;
[Computer-Aided Design, 1990. ICCAD-90. Digest of Technical Papers., 1990. Proceedings of the IEEE International Conference on](#)
 11-15 Nov. 1990 Page(s):510 - 513
 Digital Object Identifier 10.1109/ICCAD.1990.129967
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **62. Testability preserving transformations in multi-level logic synthesis**
 Rajski, J.; Vasudevamurthy, J.;
[Test Conference, 1990. Proceedings., International](#)
 10-14 Sept. 1990 Page(s):265 - 273

Digital Object Identifier 10.1109/TEST.1990.114032

[AbstractPlus](#) | Full Text: [PDF\(604 KB\)](#) IEEE CNF
[Rights and Permissions](#)



63. PALACE: a layout generator for SCVS logic blocks

Just, K.M.; Auer, E.; Schiele, W.L.; Schwaferts, A.;
[Design Automation Conference, 1990. Proceedings. 27th ACM/IEEE](#)
24-28 June 1990 Page(s):468 - 473

Digital Object Identifier 10.1109/DAC.1990.114901

[AbstractPlus](#) | Full Text: [PDF\(536 KB\)](#) IEEE CNF
[Rights and Permissions](#)



64. A temporal model and query language for ER databases

Elmasri, R.; Wu, G.T.J.;
[Data Engineering, 1990. Proceedings. Sixth International Conference on](#)
5-9 Feb. 1990 Page(s):76 - 83

Digital Object Identifier 10.1109/ICDE.1990.113456

[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) IEEE CNF
[Rights and Permissions](#)



65. Boolean factoring with kernels and rectangle covering

Berman, C.L.; Maeda, N.; Malik, S.;
[Circuits and Systems, 1990., IEEE International Symposium on](#)
1-3 May 1990 Page(s):2646 - 2649 vol.4

Digital Object Identifier 10.1109/ISCAS.1990.112552

[AbstractPlus](#) | Full Text: [PDF\(420 KB\)](#) IEEE CNF
[Rights and Permissions](#)



66. Petri net approach for determining the paths and terminal reliability of a network

Kim, J.; Patel, J.; Singh, H.; Anneberg, L.;
[TENCON '92. Technology Enabling Tomorrow : Computers, Communications,](#)
[towards the 21st Century. 1992 IEEE Region 10 International Conference.](#)
11-13 Nov. 1992 Page(s):928 - 932 vol.2

Digital Object Identifier 10.1109/TENCON.1992.271834

[AbstractPlus](#) | Full Text: [PDF\(148 KB\)](#) IEEE CNF
[Rights and Permissions](#)



67. Delay fault test generation for scan/hold circuits using Boolean expressions

Bhattacharya, D.; Agrawal, P.; Agrawal, V.D.;
[Design Automation Conference, 1992. Proceedings., 29th ACM/IEEE](#)
8-12 June 1992 Page(s):159 - 164

Digital Object Identifier 10.1109/DAC.1992.227843

[AbstractPlus](#) | Full Text: [PDF\(468 KB\)](#) IEEE CNF
[Rights and Permissions](#)



68. A framework for determining the satisfiability of general Boolean expressions

Holman, C.S.;
[Circuits and Systems, 1994., Proceedings of the 37th Midwest Symposium on](#)
Volume 1, 3-5 Aug. 1994 Page(s):381 - 384 vol.1

Digital Object Identifier 10.1109/MWSCAS.1994.519261

[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)



69. Delay-fault testability preservation of the concurrent decomposition and transformations

El-Maleh, A.; Rajski, J.;
[VLSI Test Symposium, 1994. Proceedings., 12th IEEE](#)
25-28 April 1994 Page(s):15 - 21

Digital Object Identifier 10.1109/VTEST.1994.292340

[AbstractPlus](#) | [Full Text: PDF\(580 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **70. Empirical studies of predicate-based software testing**
Vouk, M.A.; Tai, K.C.; Paradkar, A.;
[Software Reliability Engineering, 1994. Proceedings., 5th International Sympo:](#)
6-9 Nov. 1994 Page(s):55 - 64
Digital Object Identifier 10.1109/ISSRE.1994.341348
[AbstractPlus](#) | [Full Text: PDF\(788 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **71. A Method for Generating Prime Implicants of a Boolean Expression**
Hwa, H.R.;
[Computers, IEEE Transactions on](#)
Volume C-23, Issue 6, June 1974 Page(s):637 - 641
[AbstractPlus](#) | [Full Text: PDF\(728 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **72. A Method for Obtaining SPOOF's**
Siu-Chong Si; Susskind, A.K.;
[Computers, IEEE Transactions on](#)
Volume C-24, Issue 5, May 1975 Page(s):560 - 562
[AbstractPlus](#) | [Full Text: PDF\(696 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **73. Synthesis Algorithms for 2-level MOS Networks**
Tso-Kai Liu;
[Computers, IEEE Transactions on](#)
Volume C-24, Issue 1, Jan. 1975 Page(s):72 - 79
[AbstractPlus](#) | [Full Text: PDF\(2344 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **74. On the complexity of computing tests for CMOS gates**
Chakravarty, S.K.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 8, Issue 9, Sept. 1989 Page(s):973 - 980
Digital Object Identifier 10.1109/43.35549
[AbstractPlus](#) | [Full Text: PDF\(692 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **75. Iterative algorithms for computing aliasing probabilities**
Ivanov, A.; Starke, C.W.; Agarwal, V.K.; Daehn, W.; Gruetzner, M.; Williams, T
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 10, Issue 2, Feb. 1991 Page(s):260 - 265
Digital Object Identifier 10.1109/43.68413
[AbstractPlus](#) | [Full Text: PDF\(540 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **76. SKOL: a system for logic synthesis and technology mapping**
Bergamaschi, R.A.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 10, Issue 11, Nov. 1991 Page(s):1342 - 1355
Digital Object Identifier 10.1109/43.97614
[AbstractPlus](#) | [Full Text: PDF\(1176 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

77. Some representation properties of stack filters

- ☐ Yu, P.-T.;
[Signal Processing, IEEE Transactions on \[see also Acoustics, Speech, and Signal Processing, IEEE Transactions on\]](#)
Volume 40, Issue 9, Sept. 1992 Page(s):2261 - 2266
Digital Object Identifier 10.1109/78.157225
[AbstractPlus](#) | [Full Text: PDF\(468 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **78. Timed Boolean calculus and its applications in timing analysis**
Shiang-Tang Huang; Tai-Ming Parng; Jyuo-Min Shyu;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 13, Issue 3, March 1994 Page(s):318 - 337
Digital Object Identifier 10.1109/43.265674
[AbstractPlus](#) | [Full Text: PDF\(1548 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **79. A polynomial-time heuristic approach to solving the false path problem**
Shiang-Tang Huang; Tai-Ming Parng; Jyuo-Min Shyu;
[Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on](#)
[Circuits and Systems I: Regular Papers, IEEE Transactions on\]](#)
Volume 43, Issue 5, May 1996 Page(s):386
Digital Object Identifier 10.1109/81.502207
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(880 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **80. Algebraic identities and query optimization in a parametric model for relational databases**
Gadia, S.K.; Nair, S.S.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 10, Issue 5, Sept.-Oct. 1998 Page(s):793 - 807
Digital Object Identifier 10.1109/69.729733
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(304 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **81. Extracting Boolean rules from CA patterns**
Yang, Y.; Billings, S.A.;
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)
Volume 30, Issue 4, Aug. 2000 Page(s):573 - 580
Digital Object Identifier 10.1109/3477.865174
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(552 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **82. Identification of the neighborhood and CA rules from spatio-temporal CA**
Billings, S.A.; Yingxu Yang;
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)
Volume 33, Issue 2, April 2003 Page(s):332 - 339
Digital Object Identifier 10.1109/TSMCB.2003.810438
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(434 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **83. A robust testing framework for verifying Web services by completeness analysis**
Tsai, W.T.; Wei, X.; Chen, Y.; Paul, R.;
[Service-Oriented System Engineering, 2005. SOSE 2005, IEEE International Conference on](#)
20-21 Oct. 2005 Page(s):151 - 158
Digital Object Identifier 10.1109/SOSE.2005.2
[AbstractPlus](#) | [Full Text: PDF\(280 KB\)](#) IEEE CNF
[Rights and Permissions](#)


- ☐ **84. A Polynomial-Time Heuristic Approach to Approximate a Solution to the Problem**
Shiang-Tang Huang; Tai-Ming Parn; Jyuo-Min Shyu;
[Design Automation, 1993. 30th Conference on](#)
14-18 June 1993 Page(s):118 - 122
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **85. Electrical Debugging of Synchronous MOS VLSI Circuits Exploiting Anal: Intended Logic Behaviour**
Bolsens, I.; De Rammelaer, W.; Claesen, L.; De Man, H.;
[Design Automation, 1989. 26th Conference on](#)
25-29 June 1989 Page(s):513 - 518
[AbstractPlus](#) | Full Text: [PDF\(728 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **86. POLARIS: Polarity Propagation Algorithm for Combinational Logic Synth**
Shinsha, T.; Kubo, T.; Ishihara, K.; Hikosaka, M.; Akiyama, K.;
[Design Automation, 1984. 21st Conference on](#)
25-27 June 1984 Page(s):322 - 328
[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **87. TED+: a data structure for microprocessor verification**
Lotfi-Kamran, P.; Hosseinabady, M.; Shojaei, H.; Massoumi, M.; Navabi, Z.;
[Design Automation Conference, 2005. Proceedings of the ASP-DAC 2005. As Pacific](#)
Volume 1, 18-21 Jan. 2005 Page(s):567 - 572 Vol. 1
Digital Object Identifier 10.1109/ASPDAC.2005.1466228
[AbstractPlus](#) | Full Text: [PDF\(327 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **88. A Survey of the Graphic Alternate Method for Boolean Functions Simplifi**
Romero-Aguirre, E.; Murrieta-Lee, J.C.;
[Electronics, Communications and Computers, 2005. CONIELECOMP 2005. P: International Conference on](#)
28-02 Feb. 2005 Page(s):328 - 334
Digital Object Identifier 10.1109/CONIEL.2005.12
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **89. Programming techniques for PA³ architectures**
Venkateswaran, N.; Prabhu, K.;
[Acoustics, Speech, and Signal Processing, IEEE International Conference on](#)
Volume 10, Apr 1985 Page(s):1376 - 1379
[AbstractPlus](#) | Full Text: [PDF\(128 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **90. A theory of inductive query answering**
De Raedt, L.; Jaeger, M.; Sau Dan Lee; Mannila, H.;
[Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Confer](#)
9-12 Dec. 2002 Page(s):123 - 130
Digital Object Identifier 10.1109/ICDM.2002.1183894
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **91. A new kind of shadow detector based on CNN-UBN**
Hai-Ming Wang; Jian-Ye Zhao; Shi-De Guo; Dao-Heng Yu;
[Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Co](#)

Volume 1, 4-5 Nov. 2002 Page(s):69 - 72 vol.1
Digital Object Identifier 10.1109/ICMLC.2002.1176711
[AbstractPlus](#) | Full Text: [PDF](#)(332 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **92. Colored Petri net control of OR-logic**
Weimin Wu; Hongye Su; Jian Chu; Wonham, W.M.;
[Intelligent Control, 2002. Proceedings of the 2002 IEEE International Symposium](#)
27-30 Oct. 2002 Page(s):795 - 800
Digital Object Identifier 10.1109/ISIC.2002.1157863
[AbstractPlus](#) | Full Text: [PDF](#)(653 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **93. The application of constrained mathematics in probabilistic uncertainty :**
Cooper, J.A.;
[Fuzzy Information Processing Society, 1999. NAFIPS. 18th International Conf](#)
[North American](#)
10-12 June 1999 Page(s):95 - 99
Digital Object Identifier 10.1109/NAFIPS.1999.781661
[AbstractPlus](#) | Full Text: [PDF](#)(308 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **94. Query by templates: a generalized approach for visual query formulation dominated databases**
Sengupta, A.; Dillon, A.;
[Research and Technology Advances in Digital Libraries, 1997. ADL '97. Proce](#)
[International Forum on](#)
7-9 May 1997 Page(s):36 - 47
Digital Object Identifier 10.1109/ADL.1997.601198
[AbstractPlus](#) | Full Text: [PDF](#)(1580 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **95. Analysis techniques for predicated code**
Johnson, R.; Schlansker, M.;
[Microarchitecture, 1996. MICRO-29. Proceedings of the 29th Annual IEEE/AC](#)
[Symposium on](#)
2-4 Dec. 1996 Page(s):100 - 113
Digital Object Identifier 10.1109/MICRO.1996.566454
[AbstractPlus](#) | Full Text: [PDF](#)(1184 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **96. An algorithm for the algebraic factorization of Boolean functions**
Caruso, G.;
[CompEuro '91. 'Advanced Computer Technology, Reliable Systems and Appli](#)
[Annual European Computer Conference. Proceedings.](#)
13-16 May 1991 Page(s):587 - 590
Digital Object Identifier 10.1109/CMPEUR.1991.257454
[AbstractPlus](#) | Full Text: [PDF](#)(336 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **97. Synthesis of hazard-free asynchronous circuits from graphical specificat**
Moon, C.W.; Stephan, P.R.; Brayton, R.K.;
[Computer-Aided Design, 1991. ICCAD-91. Digest of Technical Papers., 1991 I](#)
[Conference on](#)
11-14 Nov. 1991 Page(s):322 - 325
Digital Object Identifier 10.1109/ICCAD.1991.185265
[AbstractPlus](#) | Full Text: [PDF](#)(364 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **98. Some representation properties of stack filters**
Pao-Ta Yu;
Circuits and Systems, 1991., IEEE International Symposium on
11-14 June 1991 Page(s):208 - 211 vol.1
Digital Object Identifier 10.1109/ISCAS.1991.176310
[AbstractPlus](#) | Full Text: [PDF\(268 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **99. 3-dimensional median filters for image sequence processing**
Alp, M.B.; Neuvo, Y.;
Acoustics, Speech, and Signal Processing, 1991. ICASSP-91., 1991 Internatic
on
14-17 April 1991 Page(s):2917 - 2920 vol.4
Digital Object Identifier 10.1109/ICASSP.1991.151013
[AbstractPlus](#) | Full Text: [PDF\(332 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **100. A new mechanism for achieving inter-stream synchronization in multime communication systems**
Courtat, J.-P.; Rust da Costa Carmo, L.F.; Cruz de Oliveira, R.;
Multimedia Computing and Systems, 1994., Proceedings of the International
15-19 May 1994 Page(s):173 - 182
Digital Object Identifier 10.1109/MMCS.1994.292450
[AbstractPlus](#) | Full Text: [PDF\(880 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((boolean expressions)<in>metadata)"

Your search matched 124 of 1392165 documents.

A maximum of 124 results are displayed, 100 to a page, sorted by Relevance in Descending order.

☐ e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ **101. New gate operations of fuzzy fault tree analysis**
 Fujino, T.; Hadipriono, F.C.;
Fuzzy Systems, 1994. IEEE World Congress on Computational Intelligence, the Third IEEE Conference on
 26-29 June 1994 Page(s):1246 - 1251 vol.2
 Digital Object Identifier 10.1109/FUZZY.1994.343643
[AbstractPlus](#) | Full Text: [PDF](#)(364 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **102. Gate level optimisation of primitive operator digital filters using a carry s decomposition**
 Bull, D.R.; Wacey, G.;
Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium
 Volume 2, 30 May-2 June 1994 Page(s):93 - 96 vol.2
 Digital Object Identifier 10.1109/ISCAS.1994.408913
[AbstractPlus](#) | Full Text: [PDF](#)(248 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **103. Associative positive Boolean functions and their maximum stacking vec representations**
 Rong-Chung Chen; Pao-Ta Yu;
Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium
 Volume 2, 30 May-2 June 1994 Page(s):361 - 364 vol.2
 Digital Object Identifier 10.1109/ISCAS.1994.408979
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **104. A distributed specification model and its prototyping**
 Wang, Y.;
Software Engineering, IEEE Transactions on
 Volume 14, Issue 8, Aug. 1988 Page(s):1090 - 1097
 Digital Object Identifier 10.1109/32.7619
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **105. Some additions to "solution of switching equations based on a tabular a**
 Unger, S.H.;
Computers, IEEE Transactions on

Volume 43, Issue 3, March 1994 Page(s):365 - 367
Digital Object Identifier 10.1109/12.272437

[AbstractPlus](#) | [Full Text: PDF\(256 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **106. Comments on "Some additions to solution of switching equations based algebra"**
Gihyan Jung;
[Computers, IEEE Transactions on](#)
Volume 44, Issue 11, Nov. 1995 Page(s):1357 - 1358
Digital Object Identifier 10.1109/12.475135
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(124 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **107. On synthesis of easily testable (k, K) circuits**
Naidu, S.R.; Vijay Chandru;
[Computers, IEEE Transactions on](#)
Volume 52, Issue 11, Nov. 2003 Page(s):1490 - 1494
Digital Object Identifier 10.1109/TC.2003.1244946
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(402 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **108. Modeling and verification of IPSec and VPN security policies**
Hamed, H.; Al-Shaer, E.; Marrero, W.;
[Network Protocols, 2005. ICNP 2005. 13th IEEE International Conference on](#)
6-9 Nov. 2005 Page(s):10 pp.
Digital Object Identifier 10.1109/ICNP.2005.25
[AbstractPlus](#) | [Full Text: PDF\(360 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **109. Bitwise optimised CAM for network intrusion detection systems**
Yusuf, S.; Luk, W.;
[Field Programmable Logic and Applications, 2005. International Conference on](#)
24-26 Aug. 2005 Page(s):444 - 449
Digital Object Identifier 10.1109/FPL.2005.1515762
[AbstractPlus](#) | [Full Text: PDF\(195 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **110. On the average path length in decision diagrams of multiple-valued functions**
Butler, J.T.; Sasao, T.;
[Multiple-Valued Logic, 2003. Proceedings. 33rd International Symposium on](#)
16-19 May 2003 Page(s):383 - 390
Digital Object Identifier 10.1109/ISMVL.2003.1201432
[AbstractPlus](#) | [Full Text: PDF\(847 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **111. Local search for Boolean relations on the basis of unit propagation**
Novikov, Y.;
[Design, Automation and Test in Europe Conference and Exhibition, 2003](#)
2003 Page(s):810 - 815
Digital Object Identifier 10.1109/DATE.2003.1253706
[AbstractPlus](#) | [Full Text: PDF\(287 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **112. Extensions of Lagrange programming neural network for satisfiability problem several variations**
Nagamatsu, M.; Nakano, T.; Hamada, N.; Kido, T.; Akahoshi, T.;
[Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th International Conference on](#)

Volume 4, 18-22 Nov. 2002 Page(s):1781 - 1785 vol.4

[AbstractPlus](#) | [Full Text: PDF\(327 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **113. Incremental learning of decision rules based on rough set theory**
 Tong Lingyun; An Liping;
[Intelligent Control and Automation, 2002. Proceedings of the 4th World Congr](#)
 Volume 1, 10-14 June 2002 Page(s):420 - 425 vol.1
 Digital Object Identifier 10.1109/WCICA.2002.1022143
[AbstractPlus](#) | [Full Text: PDF\(404 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **114. A practical approach to modified condition/decision coverage**
 Hayhurst, K.J.; Veerhusen, D.S.;
[Digital Avionics Systems, 2001. DASC. The 20th Conference](#)
 Volume 1, 14-18 Oct. 2001 Page(s):1B2/1 - 1B2/10 vol.1
 Digital Object Identifier 10.1109/DASC.2001.963305
[AbstractPlus](#) | [Full Text: PDF\(653 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **115. Automatic determination of transition matrices in optimal disassembly s generation**
 Lambert, A.J.D.;
[Assembly and Task Planning, 2001. Proceedings of the IEEE International Sy](#)
 28-29 May 2001 Page(s):220 - 225
 Digital Object Identifier 10.1109/ISATP.2001.928993
[AbstractPlus](#) | [Full Text: PDF\(460 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **116. Construction of a multilayer perceptron for a piecewise linearly separabl problem**
 von Schmidt, B.; Klawonn, F.;
[IFSA World Congress and 20th NAFIPS International Conference, 2001. Joint](#)
 Volume 3, 25-28 July 2001 Page(s):1770 - 1775 vol.3
 Digital Object Identifier 10.1109/NAFIPS.2001.943820
[AbstractPlus](#) | [Full Text: PDF\(372 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **117. Code converter synthesis and simulation by Electronics Workbench pro**
 Petrova, P.D.; Karapenev, B.D.;
[Telecommunications in Modern Satellite, Cable and Broadcasting Service, 20](#)
[2001. 5th International Conference on](#)
 Volume 2, 19-21 Sept. 2001 Page(s):786 - 789 vol.2
 Digital Object Identifier 10.1109/TELSKS.2001.955889
[AbstractPlus](#) | [Full Text: PDF\(448 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **118. A low-power logic optimization methodology based on a fast power-driv**
 Roy, S.; Arts, H.; Banerjee, P.;
[Computer Design: VLSI in Computers and Processors, 1998. ICCD '98. Proce](#)
[International Conference on](#)
 5-7 Oct. 1998 Page(s):175 - 181
 Digital Object Identifier 10.1109/ICCD.1998.727039
[AbstractPlus](#) | [Full Text: PDF\(128 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **119. Two test data selection strategies towards testing of Boolean specificati**
 Chen, T.Y.; Lau, M.F.;
[Computer Software and Applications Conference, 1997. COMPSAC '97. Proc](#)

Twenty-First Annual International
13-15 Aug. 1997 Page(s):608 - 611
Digital Object Identifier 10.1109/CMPSAC.1997.625080
[AbstractPlus](#) | Full Text: [PDF\(384 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **120. Generalised Reed-Muller ASIC converter**
Almaini, A.E.A.; Burnside, K.;
ASIC, 1996. 2nd International Conference on
21-24 Oct. 1996 Page(s):73 - 76
Digital Object Identifier 10.1109/ICASIC.1996.562754
[AbstractPlus](#) | Full Text: [PDF\(440 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **121. Automatic test generation for predicates**
Paradkar, A.; Tai, K.C.; Vouk, M.A.;
Software Reliability Engineering, 1996. Proceedings., Seventh International S
30 Oct.-2 Nov. 1996 Page(s):66 - 75
Digital Object Identifier 10.1109/ISSRE.1996.558700
[AbstractPlus](#) | Full Text: [PDF\(968 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **122. An evaluation the uncertainty of textual data with logic and statistics**
Larouk, O.; Batache, M.;
Proceedings of ISUMA - NAFIPS '95 The Third International Symposium on U
Modeling and Analysis and Annual Conference of the North American Fuzzy I
Processing Society
17-20 Sept. 1995 Page(s):739 - 744
Digital Object Identifier 10.1109/ISUMA.1995.527787
[AbstractPlus](#) | Full Text: [PDF\(396 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **123. On CMOS bridge fault modeling and test pattern evaluation**
chennian Di; Jess, J.A.G.;
VLSI Test Symposium, 1993. Digest of Papers., Eleventh Annual 1993 IEEE
6-8 April 1993 Page(s):116 - 119
Digital Object Identifier 10.1109/VTEST.1993.313297
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **124. Optimizing CMOS combinatorial circuits using multiple attribute decision techniques**
Kechichian, K.; Al-Khalili, A.J.; Al-Khalili, D.;
Electrical and Computer Engineering, 1994. Conference Proceedings. 1994 C
Conference on
25-28 Sept. 1994 Page(s):549 - 552 vol.2
Digital Object Identifier 10.1109/CCECE.1994.405810
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Sign in](#)



[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

condition satisfied natural language associated

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 100 of about 735 for condition satisfied natural language associated responses text quer

Scholarly articles for condition satisfied natural language associated responses text query database stored "Boolean expressions"



Summarizing natural language database responses - Kalita - Cited by 7
Retrieval activities in a database consisting of ... - Burkowski - Cited by 37
Design of an integrated information retrieval/database ... - Saxton - Cited by 11

[PDF] A Foundation for an MSDL Query Language: A Survey of Relevant ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

rdfDB Query Language rdfDB [34] is a database intended to be a simple, ... classification, and association). The rest of the details are stored in the ...

poseidon.risc.uni-linz.ac.at:8080/results/papers/query_report.pdf - [Similar pages](#)

[PDF] Next issue (February 2005): "XML"

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Temporal Event Matching Approach-based Natural Language Query Processing in ... until the condition is satisfied. Boolean expressions are also available in ...

www.ati.es/novatica/UPGRADE/issues/2004/6/up5-6Mosaic.pdf - [Similar pages](#)

[PDF] A Graphical User Interface For Boolean Query Specification

File Format: PDF/Adobe Acrobat

To the bottom left is the natural language query view—a text panel ... Presentation of Boolean Expressions in a Database Query Language: Design Notes and an ...

www.cs.waikato.ac.nz/~stevej/Research/PAPERS/ijodlvquery.pdf - [Similar pages](#)

The GuideLine Interchange Format

Reminders are stored in the electronic patient record so that the clinician can ... *The encoding of a guideline from natural language text to GLIF is a ...

www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=9670133 -

[Similar pages](#)

[PDF] Information Gathering in the World Wide Web: The W3QL Query ...

File Format: PDF/Adobe Acrobat

offer query languages involving Boolean conditions, string matching, and, even a natural language flavor. Some services allow querying more than ...

portal.acm.org/ft_gateway.cfm?id=277639&

type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKEN... - [Similar pages](#)

[PDF] 123 (Chosen by G. Salton from recent issues of journals in the ...

File Format: PDF/Adobe Acrobat

Conceptual graphs are stored in a database, and accessed by a natural-language query/answering module. The system analyzes a text supplied by a ...

portal.acm.org/ft_gateway.cfm?id=1096800&

type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKE... - [Similar pages](#)

Iterative technique for phrase query formation and an information ...

A typical information access scenario involves a corpus of natural language text documents, and a user with an information need (or interest). ...

www.freepatentsonline.com/5278980.html - 83k - [Cached](#) - [Similar pages](#)

stored
is not
related
to
"Boolean
expression"

Direct manipulation interface for Boolean information retrieval ...

A method and apparatus that translates a **natural language query** into a Boolean expression to be used to search a **database**. The Boolean expression is ...
www.freepatentsonline.com/5175814.html - 104k - [Cached](#) - [Similar pages](#)
[More results from www.freepatentsonline.com]

[PDF] Query Optimization in Database Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to minimize the **response** time for a given. **query language** and mix of **query** types in a ...
tabase systems and the actual data **stored** in the **database**. ...
www.cs.cornell.edu/courses/cs632/2003sp/jarke.pdf - [Similar pages](#)

[PDF] Original

File Format: PDF/Adobe Acrobat

data **stored** in a **database**, such as a situation in which ... *The encoding of a guideline
from **natural language text** to GLIF ...
www.jamia.org/cgi/reprint/5/4/357.pdf - [Similar pages](#)

[PDF] |||||

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Boolean expressions [6]. For retrieval, a **query** network is ... tions based on **natural language** pro-
cessing techniques have yet to be ...
www.cs.brandeis.edu/~pddm/pdfs/twosides_of_coin.pdf - [Similar pages](#)

[PDF] Abstract of "Building Query Optimizers with Combinators" by Mitch ...

File Format: PDF/Adobe Acrobat

terms are **conditions** that must be **satisfied** to infer the head **condition**. ... objects (which
can be **stored** in an ObjectStore **database**) and KOLA objects ...
www.cs.brandeis.edu/~mfc/thesis.pdf - [Similar pages](#)

[doc] Table of Contents

File Format: Microsoft Word 97 - [View as HTML](#)

These explanations could be presented in **natural language** and graphical form to the
user ... The **conditions** are formulated as arbitrary **boolean expressions**. ...
www.cis.upenn.edu/~cerignac/research/papers/finalreport2.doc - [Similar pages](#)

[PDF] Searching

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The objective of searching is that of **database query**. languages, ie to select and
transform ... **natural language text stored** in digital form. Users ...
www.csi.forth.gr/~tzitzik/publications/Searching2003.pdf - [Similar pages](#)

Chapter 5

They could also enter a one-word **query** by clicking on a word in the **text**. ... bitmap image
of figure and **associated** page of **text** from the CORE **database**. ...
telecaster.lboro.ac.uk/HaPP/chapter5.html - 194k - [Cached](#) - [Similar pages](#)

[PDF] INFOFILTER: COMPLEX PATTERN SPECIFICATION AND DETECTION OVER TEXT ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

text, **natural language**, pattern matching and structural queries, ... identifier and the
associated weight (TD-IDF) of the term in the **query**. Therefore, when ...
itlab.uta.edu/ITLABWEB/Students/sharma/theses/Laali.pdf - [Similar pages](#)

[PDF] Information filtering and information retrieval: Two sides of the ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

probability of relevance of a **text** to a **query**. The most. typical source of such evidence is
the ... analyze these descriptions using simple **natural language** ...

www.ischool.utexas.edu/~i385d/readings/Belkin_Information_92.pdf - [Similar pages](#)

EP0439937

A user inputs a **natural language query**, which the system uses to select items from the **database**. Because the user is unaware of the method used to convert ...
swpat.ffii.org/pikta/txt/ep/0439/937/ - 89k - [Cached](#) - [Similar pages](#)

EP0530993

When **satisfied** with the **query**, the operator buttons the "Query" box to start ... It **Natural Language Workshop**, Cape Cod, MA, pages might be a chapter in a ...
swpat.ffii.org/pikta/txt/ep/0530/993/ - 154k - [Cached](#) - [Similar pages](#)
[[More results from swpat.ffii.org](#)]

[PDF] The GuideLine Interchange Format: A Model for Representing ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The encoding of a guideline from **natural language text** to GLIF is a cognitive task, ... supports **Boolean expressions** as well as simple temporal **conditions**. ...
smi-web.stanford.edu/pubs/SMI_Reports/SMI-97-0668.pdf - [Similar pages](#)

Articles

Dynamic **query** interfaces are a recently developed form of **database** access that ... interface compared to both a **natural language** system and paper printouts. ...
www.cs.umd.edu/hcil/members/bshneiderman/umlpapers/articles.html - 226k - [Cached](#) - [Similar pages](#)

University of Maryland Computer Science Technical Reports

Users **query** their relational **database** and load results into desired visualizations. ... compared to both a **natural language** system and paper printouts. ...
www.cs.umd.edu/TRs/authors/Ben_Shneiderman.html - 126k - [Cached](#) - [Similar pages](#)
[[More results from www.cs.umd.edu](#)]

[PDF] Visual queries for a student information system

File Format: PDF/Adobe Acrobat - [View as HTML](#)

database and a **natural language** explanation **text** for each integer. ... Although, if complex **conditions** are required, a separate **query** is still necessary. ...
www.cs.hut.fi/Research/SVG/SEEQ/downloads/mrontu-thesis.pdf - [Similar pages](#)

3. Macrotext

Queries can be posed as **natural language** and the system will extract ... contains several blocks of **text** with the term x, in **response** to a **query** for x the ...
research.umbc.edu/~rada/cv/pubs/hypertextbook/chapter3.html - 132k - [Cached](#) - [Similar pages](#)

[PS] A Survey of Information Retrieval Vendors

File Format: Adobe PostScript - [View as Text](#)

retrieval time, the profile **database** is **stored** in RAM. ... regarding IR is **natural language** processing (NLP), where **text** is viewed as having linguistic ...
research.sun.com/techrep/1996/smli_tr-96-56.ps - [Similar pages](#)

WINISIS MANUAL SYSTEM OVERVIEW

instead of a question mark, the **text** typed in **response** to the prompt will not be ... the **conditions** are **satisfied**, a free **text** search may be time consuming, ...
www.cds-isis.org.na/MANUAL1.htm - 265k - [Cached](#) - [Similar pages](#)

[doc] CDS/ISIS for Windows Manual (version 1.3)

File Format: Microsoft Word - [View as HTML](#)

In **response** to a free **text** search, CDS/ISIS will compute the Boolean expression ... the **conditions** are **satisfied**, a free **text** search may be time consuming, ...

www.cds-isis.org.na/Winisis.doc - [Similar pages](#)
[[More results from www.cds-isis.org.na](#)]

[PS] [Extending Java for High-Level Web Service Construction Aske Simon ...](#)

File Format: Adobe PostScript - [View as HTML](#)

The local state **associated** with the thread is **stored** as attributes in an ... operation simply by inspecting that the following **condition** is **satisfied**: ...

www.jwig.org/jwig.ps - [Similar pages](#)

[PDF] [Bulletin of the Technical Committee on December1996 Vol. 19No. 4 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Query Processing in a Parallel Object-Relational **Database** System. ... is an atomic filter **condition** that is **satisfied** by all objects whose color histogram ...

sites.computer.org/debull/96DEC-CD.pdf - [Similar pages](#)

[PS] [Bulletin of the Technical Committee onData Engineering December ...](#)

File Format: Adobe PostScript - [View as HTML](#)

Managing **text** is an increasingly important use of relational **database** management ... Most commonly it converts a **natural language query** into two parts, ...

sites.computer.org/debull/DecA05-a4final.ps - [Similar pages](#)

[[More results from sites.computer.org](#)]

[doc] [Introduction to Databases & Relational DM](#)

File Format: Microsoft Word - [View as HTML](#)

Now that data values are **stored** in the **database**, we shall look at how users can ... The source of ambiguity is not unlike that for **natural language** ...

coronet.iicm.edu/is/scripts/lesson02.doc - [Similar pages](#)

[PDF] [Introduction to Databases & Relational DM](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Now that data values are **stored** in the **database**, we shall look at how users can ... simultaneously **satisfied**. In other words, the **condition** for this **query** ...

coronet.iicm.edu/is/scripts/lesson02.pdf - [Similar pages](#)

[PDF] [Chapter 3](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

constrained by search system limitations (eg, in a **database query language**). The conscious and formalized levels correspond to the task in the framework ...

ils.unc.edu/~march/isee_book/Chapter_3.pdf - [Similar pages](#)

[A review of robot based internet search services](#)

Natural language: no; Word list (no Boolean operators **associated**): no; Boolean **query**:

yes ... **Response** time: Very fast, under 1 second per **query**; Time outs: ...

www.ub2.lu.se/desire/radar/reports/D3.11v0.3/tot.html - 418k - Aug 14, 2006 -

[Cached](#) - [Similar pages](#)

[CS4 Project Report Summaries](#)

One way of representing a **natural language** sentence is in terms of its ... on matching a user's textual **query** to the **text associated** with images we can ...

https://www.cis.strath.ac.uk/teaching/ug/cs4notboard/projects/03_proj_offerings.html - 197k

- [Cached](#) - [Similar pages](#)

[PDF] [A Database of Groups of Prime-power Order](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

It includes a **natural** set-theoretic **query language**. ... (a) **Text** string. The equivalent **query** together with the new **condition** is created. Table XIII. ...

www.cs.ubc.ca/rr/proceedings/spe91-95/spe/vol24/issue10/spe914.pdf - [Similar pages](#)

Object Management Group First Needham Place 250 First Avenue ...

These rules are interpreted as: if the **Boolean expressions** that are defined ... The **conditions** of these rules can be **satisfied** by direct inspection of the ...
www.omg.org/docs/br/03-09-03.txt - 111k - [Cached](#) - [Similar pages](#)

[DOC] Object Management Group First Needham Place 250 First Avenue ...

File Format: Microsoft Word - [View as HTML](#)

3. require the rule **conditions** to be **satisfied** (evaluate to true) before executing. ...
expressed in **natural language**, but the **language** needs to be precise. ...
www.omg.org/docs/br/03-09-03.doc - [Similar pages](#)

[PDF] Selective Dissemination of Information in P2P Systems: Data Models ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(with **associated language**) for each of these: Knowledge **Query** and Manipula- ... The
usual laws for equivalent **Boolean expressions** with connectives \neg, \wedge and ...
www.intelligence.tuc.gr/~trifon/papers/pdf/tr-isi-02-2003-TK.pdf - [Similar pages](#)

[DOC] svcrmono-e

File Format: Microsoft Word - [View as HTML](#)

Much of the work in the **database** area has been in extending **query** languages to ... It used
sophisticated, **natural-language** semantic and syntactic processing ...
www.bisc.cs.berkeley.edu/~nikraves/Book/FLINT3/ORIGINALS/choibook2_revisedJune2004.doc - [Similar pages](#)

[PDF] Stimulus Response Requirements Specification Notation: An ...

File Format: PDF/Adobe Acrobat

more like **natural language** and describing complex **conditions** in the tabular ...
associated internal **responses** are paired with every stimulus with source Y. ...
www.utdallas.edu/~kcooper/research/thesis.pdf - [Similar pages](#)

[PDF] Ontology-based Information Selection

File Format: PDF/Adobe Acrobat - [View as HTML](#)

natural language. This mechanism generates **database** queries with appropriate and ...
conditions, the **query response** time may be reduced. ...
www.utdallas.edu/research/esc/publications/lkhan_def.pdf - [Similar pages](#)

comp.lang.c Answers to Frequently Asked Questions (FAQ List)

Boolean Expressions and Variables 10. C Preprocessor 11. ... Therefore, **natural-language** comments and pseudocode should always be written between the ...
www.faqs.org/faqs/C-faq/faq/ - 273k - [Cached](#) - [Similar pages](#)

TELESOPHY

This includes: **text** (alphabetic or numeric), voice (**stored** sequences or canned ... Note that
database services typically support the same **query language** for ...
www.canis.uiuc.edu/projects/telesophy/telesophy001.html - 282k - [Cached](#) - [Similar pages](#)

[PDF] ACQTSAC

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In the **database**, information from the TEI-header is **stored** independently. from the **text**. 2.
The **query language** used to retrieve data is based on the **query** ...
www.ifi.unizh.ch/cl/study/lizarbeiten/lizcharlottesmerz.pdf - [Similar pages](#)

[PDF] An Adaptable Approach for Integrity Control in Federated Database ...

File Format: PDF/Adobe Acrobat

the data model, **query language**, transaction model and data model. ... C (**condition**)
specifies the Boolean predicate that has to be **satisfied** by either a ...
www.ifi.unizh.ch/archive/diss/Jahr_2003/thesis_yuan.pdf - [Similar pages](#)

[PDF] IBM Tivoli Policy Management for Autonomic Computing, Version 1.2

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Query** operation will be supported in a subsequent PMAC. version. ... single point of failure: the back-end **database** where policies are **stored**, and the ...

dl.alphaworks.ibm.com/technologies/pmac/PMAC12_sdd.pdf - [Similar pages](#)

[PS] (Pane Thesis)

File Format: Adobe PostScript - [View as Text](#)

knowledge of **natural language** to the programming task. ... "Graphical Presentation of **Boolean Expressions** in a **Database Query Language**: Design Notes and an ...

web.cs.cmu.edu/~pane/ftp/PaneThesis.ps - [Similar pages](#)

GELLO: A Common Expression Language

XQL is a **query language** designed specifically for XML documents. ... they return a value of type **Boolean**. **Expressions** like these can be used to build ...

dsg.bwh.harvard.edu/~msordo/GELLO/GELLO-073105short.htm - 342k -

[Cached](#) - [Similar pages](#)

[PDF] Extending Java for High-Level Web Service Construction

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The Java **language** is a **natural** choice for developing modern Web services. Its ... The local state **associated** with the thread is **stored** as attributes in an ...

www.brics.dk/JWIG/jwig.pdf - [Similar pages](#)

[PDF] Hypermedia Presentation Generation for Semantic Web Information ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PM that have the **associated conditions** not **satisfied** are removed from the specifica- ... **Natural Language** Processing and Information Systems (NLDB 2000), ...

alexandria.tue.nl/extra2/200511530.pdf - [Similar pages](#)

[PDF] Notation Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

flow and the guard remains **satisfied**). Therefore the guard **condition** represents a synchro- ... The action may be described by **natural language**, pseudocode, ...

www.jeckle.de/files/uml1.0/Notation.pdf - [Similar pages](#)

[doc] Doc. No.: X3H7-93-007v12b Doc. Date: May 25, 1997 Reply to: Frank ...

File Format: Microsoft Word - [View as HTML](#)

Instances of ADTs can be persistently **stored** in the **database** only by ... "Preconditions" and "postconditions" are **Boolean expressions associated** with an ...

www.objs.com/x3h7/omfm12b.doc - [Similar pages](#)

Empress SQL Reference: 4. Data Definition Commands

These **conditions** are summarized below, and discussed at length in the Empress SQL: User's Guide under **Query Language** Topics

www2.empress.com/web-bin/ehsql/secure_users/v862man/prodoc/a4/a4_4.htm - 166k -

[Cached](#) - [Similar pages](#)

[PDF] eXtensible Access Control Markup Language (XACML)

File Format: PDF/Adobe Acrobat

Policy statements may be **stored** in a **database**, whose data-model is congruent ...

<**Response**> element is an abstraction layer used by the policy **language**. ...

www.oasis-open.org/committees/download.php/2406/oasis-xacml-1.0.pdf - [Similar pages](#)

[PDF] eXtensible Access Control Markup Language (XACML)

File Format: PDF/Adobe Acrobat

Policy statements may be **stored** in a **database**, whose data-model is congruent ... either of

the following two **conditions** is **satisfied**: (1) Any XML node from ...
www.oasis-open.org/committees/xacml/repository/cs-xacml-specification-1.1.pdf -
[Similar pages](#)
[[More results from www.oasis-open.org](#)]

[PDF] [Logrind 2 --- A program trace infrastructure](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Stop the program when particular **conditions** are **satisfied** ... SQL [sql92] is a **database query language** based on relational algebra. ...
www.doc.ic.ac.uk/teaching/projects/Distinguished04/ChrisJanuary.pdf - [Similar pages](#)

[PDF] [Chapter 5](#)

File Format: PDF/Adobe Acrobat

Structured **Query Language** (SQL) is the most widely used commercial ... The **NATURAL** keyword specifies that the join **condition** is equality on all common at- ...
soleil.ifi.fh-aargau.ch/~csillag/teaching/book/Chapt05.pdf - [Similar pages](#)

[PDF] [SCHOOL OF ENGINEERING AND COMPUTER SCIENCE](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

natural language understanding; and game playing and other searching problems. ...
query optimization for **database** systems; distributed **database** ...
www2.oakland.edu/grad/grad2/catalog/SECS.pdf - [Similar pages](#)

[PDF] [OMEGA OMEGA](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of OCL make it closer to a **query language** like SQL and OQL [10, 35]. ... The pre-
condition states that we have to have at least one value **stored** in the ...
www-omega.imag.fr/doc/d1000119_1/D1.2.1-OCL-Report-5.0.pdf - [Similar pages](#)

[PDF] [Data, Schema, Ontology and Logic Integration](#)

File Format: PDF/Adobe Acrobat

standard **database query language** such as SQL or XQuery, and then running it over a ...
Set comprehension over **Boolean expressions** is especially important; ...
jigpal.oxfordjournals.org/cgi/reprint/13/6/685.pdf - [Similar pages](#)

[A P3P - based privacy architecture for a context - aware services ...](#)

natural language policy is an important aspect of P3P: while a P3P XML ... **association**
record should still be **stored**. It is not the scope of a P3P based ...
https://doc.freeband.nl/dscgi/ds.py/GetRepr/File-39296/html - 340k - [Cached](#) - [Similar pages](#)
[[More results from https://doc.freeband.nl](#)]

[FIELD: A Friendly Integrated Environment for Learning and Development](#)

The **conditions** can then be defined as **Boolean expressions** over these variables ... The
database offers a relational **query language** but little in the way of ...
www.cs.brown.edu/~spr/fieldbook/fieldbook.html - 850k - [Cached](#) - [Similar pages](#)

[PDF] [Search Optimization Using the Personalised Web Monitor](#)

File Format: PDF/Adobe Acrobat

Eg in **Natural Language** Processing searching for the topic Relevance Feedback, the ...
particular **query** are **stored** after he/she has given feedback. ...
www.dcs.shef.ac.uk/~ajay/reports/Dissertation.pdf - [Similar pages](#)

[PDF] [I2-D1 Rule-based Policy Specification: State of the Art and Future ...](#)

File Format: PDF/Adobe Acrobat

From REVERSE's point of view, the **query language** is not powerful enough. ... system is
in state S0 and if **condition** C1 is **satisfied**, just like the ...
reverse.net/deliverables/i2-d1.pdf - [Similar pages](#)

[PDF] 1 THE NAGAS; AN EXPERIMENT IN MULTIMEDIA [An article written in c ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

may be closely **associated** with a textual **database**, thus changing the system into a ...
users often require an expert to compose **boolean expressions** of any ...
www.alanmacfarlane.com/TEXTS/NAGADISC.pdf - [Similar pages](#)

[PDF] 1 THE CAMBRIDGE DATABASE SYSTEM Dr Alan Macfarlane in ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

so common in the **database** that to include it in the **query** would. give too many answers. If
you are **satisfied** with the **query**, it can then be run by ...
www.alanmacfarlane.com/TEXTS/CDS_manual.pdf - [Similar pages](#)

Data processing: database and file management or data structures ...

20050187964 - Method and apparatus for retrieving **natural language text**: A ... Such
expressions include **Boolean expressions**, which must be **satisfied** by a ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200508ntc707.php - 179k - [Cached](#) - [Similar pages](#)

Graphical condition builder for facilitating database queries ...

[0035] In graphical **condition** builder 200, the search **query** is ... Similar to parentheses in
the **text**-based representation of **Boolean expressions**, ...
www.freshpatents.com/Graphical-condition-builder-for-facilitating-database-queries-dt20050106ptan20050004... - 167k - [Cached](#) - [Similar pages](#)

STILTS - Starlink Tables Infrastructure Library Tool Set

and here are some examples of **boolean expressions** that could be used for row ... Makes
an SQL **query** on a PostgreSQL **database** and writes the results to a ...
www.star.bris.ac.uk/~mbt/stilts/sun256/sun256.html - 267k - [Cached](#) - [Similar pages](#)

[PDF] Using language models for information retrieval

File Format: PDF/Adobe Acrobat

text, ignoring as many of the irregularities of **natural language** as possible. A. typical
approach to indexing and **query** formulation selects the **query** terms ...
wwwhome.cs.utwente.nl/~hiemstra/papers/thesis.pdf - [Similar pages](#)

[PDF] CASCADED REFACTORING FOR FRAMEWORK DEVELOPMENT AND EVOLUTION

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and its constituents for **query language**, **query** optimizing, indexing, and storage have ...
specified event occurs and specified **conditions** are **satisfied**. ...
www.cs.concordia.ca/~gregb/home/PS/lxu-phd-thesis.pdf - [Similar pages](#)

[PDF] I2-D1 Rule-based Policy Specification: State of the Art and Future ...

File Format: PDF/Adobe Acrobat

system is in state S0 and if **condition** C1 is **satisfied**, just like the ... controlled **natural language**. A rule triggered by the non-derivability of an ...
www.kbs.uni-hannover.de/Arbeiten/Publikationen/2004/rewersel2-D1.pdf - [Similar pages](#)

[PDF] Dr. Jones: A Software Design Explorer's Crystal Ball Mark A. Foltz

File Format: PDF/Adobe Acrobat - [View as HTML](#)

taxonomy is based on the metaphor of a refactoring as a **natural language** command
that ... A must-guard represents a **condition** that must be **satisfied** for ...
rationale.csail.mit.edu/publications/Foltz2003DrJones.pdf - [Similar pages](#)

[PDF] A Trading Service for COTS Components

File Format: PDF/Adobe Acrobat

service can **query** a matchmaking agent (the trader) for. references to available
components ... **Boolean expressions** consisting of service property values, ...

www.lcc.uma.es/~av/Publicaciones/04/CJ-trader.pdf - [Similar pages](#)

[PDF] [Federated search](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in **response** to a **query**, even when the system must consult multiple ... each **database** is created and **stored** in a new **database** (centralised sample **database**). ...

www.informatik.gu.se/~dixi/reports/federated.pdf - [Similar pages](#)

[PDF] [I2-D1 Rule-based Policy Specification: State of the Art and Future ...](#)

File Format: PDF/Adobe Acrobat

friendly languages such as controlled **natural language**. Rules are more concise and easier to ... the **Conditions** and the Licensees fields must be **satisfied**. ...

www.di.unito.it/~argo/papers/i2-d1.pdf - [Similar pages](#)

[PDF] [Reference Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ASCII File (ANSI) The output will be **stored** as a **text** file in ASCII format using the ... particularly useful for **natural language** searching. ...

infolac.ucol.mx/microisis/pdf3.pdf - [Similar pages](#)

[PDF] [Interaction in information retrieval: Trends over time](#)

File Format: PDF/Adobe Acrobat

The use of **Boolean expressions** during **query** formula- tion has historically been a difficult ... Years, direct manipulation and **natural-language** interaction ...

[doi.wiley.com/10.1002/\(SICI\)1097-4571\(1999\)50:12%3C1067::AID-ASI6%3E3.3.CO;2-W](http://doi.wiley.com/10.1002/(SICI)1097-4571(1999)50:12%3C1067::AID-ASI6%3E3.3.CO;2-W) -

[Similar pages](#)

[PDF] [Declarative generation of synthetic XML data](#)

File Format: PDF/Adobe Acrobat

associated PDF. A content gene for **natural language text**, such as paragraphs ... a relational **database** in a straightforward way.) We ran the **query** workloads ...

doi.wiley.com/10.1002/spe.724 - [Similar pages](#)

[PDF] [I STILL HAVEN'T FOUND WHAT I'M LOOKING FOR: WEB SEARCHING AS QUERY ...](#)

File Format: PDF/Adobe Acrobat

This **text** is. **associated** with the page to which it is linked. ... and a Nonprocedural **Query Language**. ACM Transactions on **Database Systems**,6(4),. 626-649. ...

www.cs.indiana.edu/~mchui/Michael_Chui_PhD.pdf - [Similar pages](#)

[PDF] [Information Retrieval and Structured Documents](#)

File Format: PDF/Adobe Acrobat

the index **language** which describes the content of the **stored** documents, ... do not understand why certain documents appear in **query responses**: the users ...

www.springerlink.com/index/YX9N79WBRK3D9ADT.pdf - [Similar pages](#)

[Migrating to the .NET Framework](#)

Each data item to be **stored** is **associated** with a key, eg, the name of a person. ... a series of elements in a collection until some **condition** is **satisfied**. ...

www.watchit.com/PGDSCR.cfm?c_acronym=MINF&programPageDisplay=Glossary - 605k

- [Cached](#) - [Similar pages](#)

[PDF] [Database Access Tools](#)

File Format: PDF/Adobe Acrobat

for the new name or new macro **text**, depending upon the **response** of the ... **query language** that supports the interrogation of any TITANIUM **database** on an ad ...

www.savitar.com/manuals/titanium/access%20tools.pdf - [Similar pages](#)

[Programming languages: lecture notes](#)

A value, currently **associated** with the variable and **stored** in the noted memory ... is also **satisfied**, and a **response** of Yes can be generated to the **query**. ...
malun1.mala.bc.ca:8080/~wesselsd/csci330/notes.html - 296k - [Cached](#) - [Similar pages](#)

START-INFO-DIR-ENTRY * Gettext: (gettext). GNU gettext utilities ...
This can be done in any **text** editor; if Emacs is used and it switched to PO mode ... **Natural Language Support**: See ``I18n, L10n, and Such''. newlines in PO ...
www.gnu.org/software/gettext/manual/text/gettext.txt - 376k - [Cached](#) - [Similar pages](#)

[PDF] Specification for the Extensible Configuration Checklist ...
File Format: PDF/Adobe Acrobat - [View as HTML](#)
systems use a **database query** operation model, while others use a ... pass – the target system or system component **satisfied** all the **conditions** of the ...
checklists.nist.gov/docs/xccdf-spec-1.1.pdf - [Similar pages](#)

ICEIS 2006 International Conference on Enterprise Information ...
We extend traditional **natural language** interfaces in data exploration domain in two ... free-**text** narratives for patients with a certain medical **condition**, ...
www.iceis.org/iceis2006/abstracts_2006.htm - 800k - [Cached](#) - [Similar pages](#)

[PDF] Effective Clone Detection Without Language Barriers
File Format: PDF/Adobe Acrobat
on the problem of copying program source code, not **natural language text**, ... Documents. matching. **Query**. Judging Relevance. Information. **Database** ...
www.iam.unibe.ch/~scg/Archive/PhD/rieger-phd.pdf - [Similar pages](#)

[PDF] The nature of programming is changing. Most of the software engi ...
File Format: PDF/Adobe Acrobat - [View as HTML](#)
boolean expressions, with a few extensions. Purely ap- ... reasonable **query language** will. make it possible to use a **query** pair. of the form ...
se.ethz.ch/~meyer/publications/acm/library.pdf - [Similar pages](#)

[PDF] dtSearch Desktop dtSearch Network
File Format: PDF/Adobe Acrobat - [View as HTML](#)
entire original file can be **stored**, or (2) just the **text** of the file can be **stored**. ... or "plain English" **query**. In a **natural language** search request, ...
support.dtsearch.com/ftp_pub/dtSearchManual.pdf - [Similar pages](#)

[PDF] Synthesising Web Search Queries from Example Text Documents
File Format: PDF/Adobe Acrobat - [View as HTML](#)
The weight **associated** with a **query** term is. used to predict the probability that the information need is **satisfied** given that a. document has that term. ...
eprints.comp.utas.edu.au:81/archive/00000258/01/Sunanda_thesis_24_Jan_2006.pdf - [Similar pages](#)

[PDF] Semantic Analysis and Consistency Checking of UML Sequence Diagrams
File Format: PDF/Adobe Acrobat - [View as HTML](#)
specified event occurs provided that a certain **condition** is **satisfied**. ... describe constraint expressions as **text** strings but not only in **natural language**. ...
www.informatik.uni-bremen.de/~tsio/papers/AlikiTsiolakisTR2001-06.pdf - [Similar pages](#)

[PDF] Active Database Management Systems for Monitoring and Control
File Format: PDF/Adobe Acrobat
this data through a **query language**. In active **database** systems the rules are pri- ... that are **stored** in action-sets **associated** with each active rule. ...
user.it.uu.se/~udbl/Theses/MartinSkoldPhD.pdf - [Similar pages](#)

[PDF] OBJECT-ORIENTED DESIGN

File Format: PDF/Adobe Acrobat - [View as HTML](#)

provided that certain specified **conditions** are **satisfied**. ... popular **database language** is SQL (Structure **Query Language**) to access relational. databases. ...
www.sci.usq.edu.au/courses/CSC8418/66415StudyBk.pdf - [Similar pages](#)

[PDF] [Seamless Object-Oriented Software Architecture: Analysis and ...](#)

File Format: PDF/Adobe Acrobat

natural language text in the scenario boxes provides the freedom to express ... When a persistent object structure is **stored** in the **database**, ...
www.bon-method.com/book_print_a4.pdf - [Similar pages](#)

[PDF] [Encoding the ANSI Z39.50 Search and Retrieval Protocol using LOOPN](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

natural language is a permissible index term. ... **database** searches, but all attributes within a **query** must be from a. single attribute set, which seriously ...
lamp.infosys.deakin.edu.au/pubs/BCthesis.pdf - [Similar pages](#)

[PDF] [A Framework for Software Component Interface Specification and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In Eiffel, assertions are specified as **Boolean expressions**. Functions can be used ... operations to enable a **query** form closer to '**natural language**'. ...
etd.uwaterloo.ca/etd/mlhoyt2001.pdf - [Similar pages](#)

[TECHNICAL REPORT ABSTRACTS DATABASE # # Original design: Markus ...](#)

Transition **conditions** are **Boolean expressions** derived from the same signature. ... Considering the application of **natural language query** processing, ...
www.cl.cam.ac.uk/TechReports/tr-abstracts.txt - 430k - [Cached](#) - [Similar pages](#)


[Oracle WebServer User's Guide](#)

SQL (Structured **Query Language**) is the **language** you use to issue ... OWA User Password: The Oracle7 password for the **associated** OWA **Database** User. ...
www.helsinki.fi/~atkk_klp/oradoc/DOC/nwwsu.html - 363k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)


Go_{oooooooo}gle ►
Result Page: 1 2 3 4 5 6 7 [Next](#)

See all your photos right in your Sidebar.
Free! [Download Google Desktop](#).



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Sign in](#)



Web Results 101 - 200 of about 735 for **condition satisfied natural language associated responses text qu**

Oracle WebServer User's Guide

SQL (Structured **Query Language**) is the **language** you use to issue ... OWA User Password: The Oracle7 password for the **associated** OWA Database User. ...
www.helsinki.fi/~atkk_klp/oradoc/DOC/nwwsu.html - 363k - [Cached](#) - [Similar pages](#)

Unit Net Portal

... be returned in **query** result(-s). - WHERE clause determines **conditions**, which should be **satisfied**. ... The **query** in the **natural language** is as follows: ...
www.unit-net.org.ua/Default.aspx?page=9&lng=1&doc=2 - 420k - [Cached](#) - [Similar pages](#)

[doc] Module

File Format: Microsoft Word
Use a **query language** editor to select and insert data to the **database**. ... Recent advances in **text** mining and **associated** application areas. ...
www.comp.dit.ie/coleary/courses/dt2282/dt228.doc - [Similar pages](#)

Results of Search

Text output of the Tool Kit can be used as input into an Ada compiler, ... RELATE/DB provides an Ada relational **database**, 4th-generation **language**, ...
archive.adaic.com/tools/pt.html - 738k - [Cached](#) - [Similar pages](#)

[PDF] DIP FP6 – 507483 D4.12 Goal-oriented SWS composition specification

File Format: PDF/Adobe Acrobat - [View as HTML](#)
A flexible **query language** allows to express complex matching re- lations between a given service request and the service advertisements **stored** in the ...
dip.semanticweb.org/documents/D4a12.pdf - [Similar pages](#)

XForms Essentials

In XForms, a DTD will never be **associated** with instance data. ... actual data values are **stored** in a **text** node child of the element node, except that an ...
xformsinstitute.com/essentials/browse/book.php - 634k - [Cached](#) - [Similar pages](#)

Aspects of the P-Norm Model of Information Retrieval: Syntactic ...

The 30 **natural language** queries **associated** with this collection were ... the Boolean **query associated** with a search combines the **Boolean expressions** ...
historical.ncstrl.org/tr/temp/ocr/cs-tr.cs.cornell.edu/TR90-1128 - 200k - [Cached](#) - [Similar pages](#)

[PS] A HIGH LEVEL LANGUAGE FOR SPECIFYING GRAPH-BASED LANGUAGES AND ...

File Format: Adobe PostScript - [View as HTML](#)
The **query** definition **associated** with a view is the means by which the ... rules test the state of a PIN and then change it if their **condition** is **satisfied**. ...
historical.ncstrl.org/litesite-data/utexas_cs/tr95-34.ps.Z - [Similar pages](#)

[PDF] Visualisation Islands

File Format: PDF/Adobe Acrobat - [View as HTML](#)
attributes and **stored** in a **database** structure that enables fast and precise searching in **response** to a user **query**. The process of crawling through the Web, ...

www.know-center.tugraz.at/content/download/577/3506/file/2004_Dip_VSabol.pdf - [Similar pages](#)

BibTeX bibliography todos.bib

These properties should be **satisfied** by all relations in a **database** if ... Finally, an experimental **database query** system with a **natural language** front end, ...
www.math.utah.edu/pub/tex/bib/todos.html - [Similar pages](#)

[PDF] User Interfaces for Accessing Information in Digital Repositories

File Format: PDF/Adobe Acrobat

In order to make use of data **stored** in a **database**, it is important to ... of a **query** system based on **natural language**. It is a World Wide Web- ...
www.idi.ntnu.no/grupper/su/publ/phd/hauglid-thesis.pdf - [Similar pages](#)

[PDF] Evolving Sequence Rules

File Format: PDF/Adobe Acrobat

words in a **text database** are returned [Navarro 2001a]. ... Svingen, Halaas, Hetland: "The Interagon **Query Language**" (manuscript in preparation) ...
www.idi.ntnu.no/grupper/su/publ/phd/hetland-thesis.pdf - [Similar pages](#)

[PDF] Automated E-business Negotiation: Model, Life Cycle and System ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

then bidders submit their bids in **response** to the initial offer or bids from ... and termination can be specified by **Boolean expressions** in the **condition** ...
www.cise.ufl.edu/tech_reports/tr01/tr01-005.pdf - [Similar pages](#)

[doc] svcrmno-e

File Format: Microsoft Word - [View as HTML](#)

2.1 Measure of **Association** and Fuzzy Similarity. As in crisp **query** and ranking, ... These values are **stored** in the **database** according to the slider value ...
www-bisc.cs.berkeley.edu/~nikraves/Book/FLINT3/ORIGINALS/NikraveshBISCDSSFinalExpandedGAJune1_2.doc - [Similar pages](#)

[PDF] MOMPES'05

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The intruder uses one of the ciphers **stored** in the **database**, or constructs a ... a specification document of the system in **natural language**. After ...
www.tucs.fi/publications/attachment.php?fname=G39.pdf - [Similar pages](#)

[PDF] Safe Language Mechanisms for Modularization and Concurrency

File Format: PDF/Adobe Acrobat

Customers with their name and date of birth can be **stored** in the system. ... of the operation is only captured by its name and the **natural language** ...
www.tucs.fi/publications/phdthesis/D28.pdf - [Similar pages](#)
[More results from www.tucs.fi]

[PDF] OMG Unified Modeling Language Specification (draft)

File Format: PDF/Adobe Acrobat

constraints in precise **natural language** plus Object Constraint **Language** expressions. UML ... The **condition** must be **satisfied** if the extension is to ...
www.digilife.be/quickreferences/Books/OMG%20UML%20Specification%201.4.pdf - [Similar pages](#)

[PDF] STILTS - Starlink Tables Infrastructure Library Tool Set Version ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

what is the **condition** that must be **satisfied** for two rows to be ... Makes an SQL **query** on a PostgreSQL **database** and writes the results to a FITS file. The ...
www.star.bris.ac.uk/~mbt/stilts/sun256.pdf - [Similar pages](#)

[PDF] Unified Modeling Language (UML) Specification v1.2

File Format: PDF/Adobe Acrobat

a UML class diagram and a supporting **natural language** description. ... Its value denotes if the **stored** value should be an instance of the **associated** ...

www.jeckle.de/files/UML1_2/uml_v1_2.pdf - [Similar pages](#)

[PDF] A Database Service Discovery Model for Mobile Agents

File Format: PDF/Adobe Acrobat

Some related information such as **text** also. is saved into the **database** for user retrieval. ... **condition** which, if **satisfied** during the life ...

www.igi-online.com/downloads/pdf/itj3158_51ule4079c.pdf - [Similar pages](#)

[PDF] Proceedings of the 2nd International Workshop on Knowledge ...

File Format: PDF/Adobe Acrobat

of which is **associated** to a node in the tree. SQL queries are **stored** XML format ... **query** Q on **database** D. Here L is the **language** in which the patterns or ...

www-ai.ijs.si/SasoDzeroski/files/2003_BD_ProceedingsKDID.pdf - [Similar pages](#)

General Introduction ***** This file documents `awk ...

In this case, the **text** of the line is **stored** in 'lines[count]'. ... If the **condition** is **satisfied**, the pattern is said to "match" the input record. ...

www.gnu.org/software/gawk/manual/gawk.txt - 937k - [Cached](#) - [Similar pages](#)

[PDF] Analysis of Intent Specification and System Upgrade Traceability

File Format: PDF/Adobe Acrobat - [View as HTML](#)

needs are often documented in **natural language** in the requirement. document. ... macros represents **boolean expressions** by AND/OR-tables. They are ...

www.ida.liu.se/~jonel/publications/2003/exjobb.pdf - [Similar pages](#)

Software engineering course notes

Informal **text**: **natural language** description. All of these are usually used in the design for a single system. Design strategies ...

ftp.engr.uark.edu/~wessels/softw/spring00/printednotes.html - 323k -

[Cached](#) - [Similar pages](#)

[PDF] Proceedings of the Fifth AOSD Workshop on

File Format: PDF/Adobe Acrobat - [View as HTML](#)

text (such as the **query** name in the user configura- tion aspect) may be different in the ... that define the **condition** tests as Java **boolean expressions**. ...

aosd.net/workshops/acp4is/2006/papers/acp4is06.pdf - [Similar pages](#)

EP530993 Xerox european software patent - An iterative technique ...

A typical information access scenario involves a corpus of **natural language text** documents, and a user with an information need. The task is to satisfy that ...

gauss.ffii.org/PatentView/EP530993 - 76k - [Cached](#) - [Similar pages](#)

[PDF] Managing the Consistency of Distributed Documents Christian Nentwich

File Format: PDF/Adobe Acrobat

an SQL **query** that selects table data from the **database**, ... a higher-level representation of our constraint **language**, perhaps one closer to **natural** ...

www.cs.ucl.ac.uk/staff/c.nentwich/publications/thesis/nentwich-thesis-final.pdf -

[Similar pages](#)

[PDF] AH2003: Workshop on Adaptive Hypermedia and Adaptive Web-Based Systems

File Format: PDF/Adobe Acrobat

manager which is independent of the client user interface and of the **query database language**. at the host. The **database** is assumed to be a **text** collection ...

alexandria.tue.nl/extra1/wskrap/publichtml/200304.pdf - [Similar pages](#)

[PDF] [XG Working Group](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

elements in the **condition** are **satisfied** then the expression in the action is executed. ...

KQML: Knowledge **Query** and Manipulation **Language** ...

www.ir.bbn.com/projects/xmac/rfc/rfc-policylang-1.0.pdf - [Similar pages](#)

[PDF] [ECML/PKDD 2004](#)

File Format: PDF/Adobe Acrobat

CGHGate is a **database** and **text**-mining tool to visualize data on a genomic region of ...

Proc. of EACL 03 Workshop: **Natural Language** Processing ...

www2.informatik.hu-berlin.de/Forschung/Lehre/wm/ws04/ws-2004.pdf - [Similar pages](#)

[PDF] [Chapter 4 Behavior Models — Object Types and Operations](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The states in the chart represent **boolean expressions**, and transitions ... can assume the **pre-condition** is **satisfied**, and must then guarantee the ...

www.ccs.neu.edu/home/lieber/com3362/sp99/readings/catalysis/C04.pdf - [Similar pages](#)

[PDF] [Business Process Definition Metamodel](#)

File Format: PDF/Adobe Acrobat

This document provides a more detailed **response** to the Business Process Definition ...

language or a primary key in a **database** table, it is the logical ...

www.bpmn.org/Documents/BPDM%20Response%20Revised%20Submission%2004-08-03.pdf - [Similar pages](#)

[PDF] [University of Jyvaskyla Summer School The Evolution of Programming ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

associated with the **language**, we should be able to prove a theorem of the ... The second of these subgoals is **satisfied** by P = pat from the **database**. ...

www.ulb.ac.be/di/rwuyts/INFO020_2003/grogono-evolution.pdf - [Similar pages](#)

[PDF] [XPath Inverted File for Information Retrieval](#)

File Format: PDF/Adobe Acrobat

logical **query conditions** (the elements that belong to the an- ... ing knowledge about the words used in **natural language** and. relations between them. ...

inex.is.informatik.uni-duisburg.de/2003/PrePreceeding.pdf - [Similar pages](#)

[PDF] [Ontology-Based Information Sharing in Weakly Structured Environments](#)

File Format: PDF/Adobe Acrobat

of the conceptual structure of the **database** and encode it in a **language** that ... in a **text** explicit [Basili et al., 2001]. Further, the same **natural** ...

www.cs.vu.nl/~heiner/public/PhD.pdf - [Similar pages](#)

[PDF] [Requirements Specification Language \(RSL\) and Supporting Tools](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

will read from some **stored database**. file or other. external. storage. structure. ... solely on **natural language**. to specify. critical. properties. ...

ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19930003157_1993003157.pdf -

[Similar pages](#)

[PDF] [NASA Contractor Report 191461 • bu/ " TOOLS REFERENCE MANUAL FOR ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

will read from some **stored database**. file or other. external. storage. structure. ... solely on **natural language**. to specify. critical. properties. ...

ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19940018652_1994018652.pdf -

Similar pages

[PDF] Submission to the UML 2.0 RfP for OCL

File Format: PDF/Adobe Acrobat

We want to enable full use of OCL as a **query language**. ... **condition»** stereotypes of Constraint **associated** with an Operation or Method. ...

www.dcs.kcl.ac.uk/staff/tony/docs/OCL2InitialSubmission.pdf - [Similar pages](#)

comp.lang.c Answers to Frequently Asked Questions (FAQ List)

location into which the **response** should be **stored**, has not been ... **natural-language** comments and pseudocode should always be written between the "official" ...

www.velocityreviews.com/forums/t313930-complangc-answers-to-frequently-asked-questions-faq-list.html - 334k - [Cached](#) - [Similar pages](#)

[PDF] Oracle® Database

File Format: PDF/Adobe Acrobat

It is not required for retrieval or **query** of data already **stored** in the ... The error **text associated** with the compilation of a procedure is updated when ...

www.oracle-10g.de/oracle_10g_documentation/appdev.101/b10795.pdf - [Similar pages](#)

[PDF] AquaLogic Service Bus

File Format: PDF/Adobe Acrobat - [View as HTML](#)

branch **condition** is **satisfied**, then the default branch which is always present is ...

AquaLogic Service Bus includes built-in roles that are **associated** with ...

e-docs.bea.com/alsb/docs20/pdf/userguide.pdf - [Similar pages](#)

[PDF] AquaLogic Service Bus

File Format: PDF/Adobe Acrobat

Whichever **condition**. is **satisfied** first determines which branch is followed. ... request being XML with a Schema and the **response** being a **text** message. ...

e-docs.bea.com/alsb/docs21/pdf/userguide.pdf - [Similar pages](#)

Software Carpentry (Version 1135)

A **stored** procedure is a piece of compiled code **stored** in the **database** itself ... of writing computer programs using a mix of **natural language**, mathematics, ...

swc.scipy.org/lec/unified.html - 1020k - [Cached](#) - [Similar pages](#)

[PDF] List of technical reports

File Format: PDF/Adobe Acrobat

multaneously applying the **text** predictions **associated**. with more than one simple topic. ...

which are handled in a **database query language**. AI- ...

www.cl.cam.ac.uk/TechReports/tr-index.pdf - [Similar pages](#)

EJB 3.0 and JDO 2.0: Views from both sides

Why not let JDO 2.0 have a **text**-based declarative **query language** too ... more than 10 relations) we have **stored** procedures for every **database** we support. ...

www.theserverside.com/news/thread.tss?thread_id=25804 - [Similar pages](#)

Software Carpentry: (Draft Version)

Note: it's common to forget that **text** and attributes are **stored** in nodes of ... **Database** manager runs the inner **query** first, then applies the outer **query** to ...

osl.iu.edu/~lums/swc/www/swc.html - 864k - [Cached](#) - [Similar pages](#)

[PDF] Software Carpentry: (Draft Version)

File Format: PDF/Adobe Acrobat

If the **condition** isn't **satisfied**, Python raises an AssertionError exception ... Note: it's common to forget that **text** and attributes are **stored** in nodes of ...

osl.iu.edu/~lums/swc/swc.pdf - [Similar pages](#)

[PDF] FORSCHUNGSZENTRUM JÜLICH GmbH Draft Proceedings of the Workshop on ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The first **condition** in the example **query** will actually be evaluated by send- ... runs, every call to the interpreted **language** is given in its **text** ...

www.fz-juelich.de/zam/files/docs/ib/ib-03/ib-2003-11.pdf - [Similar pages](#)

[PDF] A Formal Approach to A Formal Approach to A Formal Approach to A ...

File Format: PDF/Adobe Acrobat

elaborate them informally, simply decomposing one **natural language** description into ...

Boolean expressions can be **satisfied**. To this end, the framework ...

www.doc.ic.ac.uk/~bandara/research/Thesis_Bandara.pdf - [Similar pages](#)

[More results from www.doc.ic.ac.uk]

[PDF] MICROSOFT WORD 97 FOR WINDOWS SAMPLE DISSERTATION:

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The buyer is not **satisfied** with the **conditions**, so the buyer sends a ... Repository are posted in the SQL-like **query language** supported by POM. The ...

purl.fcla.edu/fcla/etd/UFE0000327 - [Similar pages](#)

[PDF] QSSCW by AJSC (Under the Direction of AS) A Workflow management ...

File Format: PDF/Adobe Acrobat

and a sequence **stored** in a **database** occurred by chance. For close matches, this

number ... Service descriptions contain comments in **natural language** ...

dme.uma.pt/jcardoso/Research/Papers/Silva-Cardoso_Antonio_J_200208_PhD.pdf -

[Similar pages](#)

[PDF] Information Retrieval Interaction

File Format: PDF/Adobe Acrobat

utility existing between a **text** or document and a **query** or information ... 2. problems

associated with **natural language**, meaning and information in IR; ...

www.db.dk/pi/iri/files/Ingwersen_IRI.pdf - [Similar pages](#)

[PDF] Foreword

File Format: PDF/Adobe Acrobat

A translation of the formal definition to **natural language**. ... certain **conditions** are

satisfied. These exceptions may be evaluated in different ways, ...

www.sfb501.uni-kl.de/news/IntColloquium_SFB501_March_2003.pdf - [Similar pages](#)

[PDF] Querying Multimedia Presentations Based on Content

File Format: PDF/Adobe Acrobat

are created and **stored** in the form of multimedia presenta- tion graphs, which can be

viewed as ... **conditions** in the **query** are **satisfied**. Note that VISUAL ...

ieeexplore.ieee.org/iel5/69/16796/00774099.pdf?arnumber=774099 - [Similar pages](#)

[PDF] <MAPFORCE> Online Help

File Format: PDF/Adobe Acrobat

The Update if... **condition** is **satisfied** when a corresponding key (or any other field) ... are executed and the results are **stored** in the **database**. ...

www.altova.com/download/2005/mapforce2005.pdf - [Similar pages](#)

GeoScope Requirements Document

It would not work well to have a user issue a **query** specifying **conditions** to be **satisfied** by images of interest, and have the system automatically return to ...

www.argreenhouse.com/geolens/geo.reqs.html - 147k - [Cached](#) - [Similar pages](#)

[PDF] Cisco Application Velocity System User Guide

File Format: PDF/Adobe Acrobat

response by more than the URL and its **query** parameters. ... <SCRIPT
LANGUAGE="JavaScript"> ... match **conditions** are **satisfied**, or false if they are not. ...
www.cisco.com/application/pdf/en/us/guest/
products/ps6492/c1626/ccmigration_09186a00805538da.pdf - [Similar pages](#)

[PDF] [Cisco Application Velocity System User Guide](#)

File Format: PDF/Adobe Acrobat

Can differentiate a **response** by more than the URL and its **query** ... is a Boolean
expression that evaluates to true if the match **conditions** are **satisfied**, ...
www.cisco.com/application/pdf/en/us/guest/
products/ps6492/c2001/ccmigration_09186a008059be7f.pdf - [Similar pages](#)

[PDF] [On the Quality-Based Evaluation and Selection of Grid Services \(Ph ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In particular, we propose XMatch, a high-level **query language** that natively ... **boolean**
expressions involving constants or ClassAd attributes of the ...
www.cs.unibo.it/pub/TR/UBLCS/2006/2006-02.pdf - [Similar pages](#)

[PDF] [Safety Assessment Techniques Database_0.4](#)

File Format: PDF/Adobe Acrobat

associated with any failure **condition** related to cable ... Powerful yet **natural** formal.
specification **language** for both. large- and small-scale systems ...
www.nlr.nl/documents/flyers/SATdb.pdf - [Similar pages](#)

[Linux Dictionary Version 0.12 Author: Binh Nguyen <linuxfilesystem ...](#)

The Linux Dictionary online **database** may be accessed from its home page at ... From
Jargon Dictionary awk An interpreted **language** for massaging **text** data ...
ldp.azc.uam.mx/LDP/Linux-Dictionary/Linux-Dictionary.txt - [Similar pages](#)

[PDF] [The Zope Book \(2.6 Edition\)](#)

File Format: PDF/Adobe Acrobat

understanding of HTML (Hyper **Text** Markup **Language**) and URLs (Uniform Resource ...
associated with a **Database** Connection. Z SQL Methods can both **query** and ...
www.zope.org/Documentation/Books/ZopeBook/2_6Edition/ZopeBook-2_6.pdf -
[Similar pages](#)

From tdelaney at avaya.com Fri Jul 1 00:10:42 2005 From: tdelaney ...

I've gone back to Timothy> my **text** editor. I'm a hell of a lot more Have you ... 3. can set
conditional breakpoints (ie break when some **condition satisfied**). ...
mail.python.org/pipermail/python-list/2005-July.txt - [Similar pages](#)

[PDF] [Development and Specification of Virtual Environments](#)

File Format: PDF/Adobe Acrobat

a map with typed **text**. It includes a full **natural language** engine, which understands ...
storing incoming **database query** results from the engine. ...
wwwhome.cs.utwente.nl/~schooten/proefschrift.pdf - [Similar pages](#)

[PDF] [Using Coloured Petri Nets in Penetration Testing](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Coloured Petri net **satisfied** the requirements of a non-hierarchical ... credentials are
stored in a SQL **database**. The passwords are **stored** using a MD5 hash ...
www.hig.no/imt/file.php?id=1044 - [Similar pages](#)

[PDF] [Developer's Guide Version 4.8](#)

File Format: PDF/Adobe Acrobat

data to be **stored** in a PointBase **database**. Functions may only return a single value ... A
complex search **condition** can contain multiple **boolean expressions**, ...
192.18.109.11/817-7464/817-7464.pdf - [Similar pages](#)

User Interface Development SEI Curriculum Module SEI-CM-17-1.1 ...

Command, **query**, and **natural language** parsers may be used to simplify and standardize ... When **text** and design decisions are **stored** in a central location, ...
www.acm.org/~perlman/sei-module.txt - 149k - [Cached](#) - [Similar pages](#)

SICStus Prolog

If the goal(s) specified in a **query** can be **satisfied**, and if there are no variables as in ...
This is analogous to the use of a pronoun in **natural language**. ...
www.sics.se/sicstus/docs/3.9.0/html/sicstus.html - [Similar pages](#)

[PDF] DeVry Institute of Technology

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Students use various applications to construct databases. and are introduced to structured **query language** (SQL). as a powerful **database** management tool. ...
www.devry.edu/locations/pdfs/Calgary_Calendar.pdf - [Similar pages](#)

[PDF] DeVry Institute of Technology

File Format: PDF/Adobe Acrobat - [View as HTML](#)

database access, embedded structured **query language**. (SQL) and retrieval optimization.
... The operation of basic logic gates, **Boolean expressions**, ...
www.devry.edu/calgary/about_accreditation.html - [Similar pages](#)

[PDF] c Copyright by Michael Ortega-Binderberger, 2002

File Format: PDF/Adobe Acrobat

4 **Query** types. **Natural language**. Structured. 5 Results criteria ... Objects are values **stored** and managed in the **database** server and are logically arranged ...
www-db.ics.uci.edu/pages/publications/2003/thesis_phd_miki.pdf - [Similar pages](#)

United States Patent: 4914590

RB Loatman article, **Natural Language Text** Understanding, at pp. ... **conditions** for particular roles with certain **Boolean expressions** allowed as follows: ...
patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HITOFF&p=1&u=%2Fnetahtml%25%2FPTO%25%2Fs... - 254k - [Cached](#) - [Similar pages](#)

[PDF] A GH-Based Ontology to Support Applications for Automating ...

File Format: PDF/Adobe Acrobat

them in **natural language**. 6. The Partial Order Ontology ... This atomic formula is usually sent in **response** to a **query** or an action request, and ...
colab.cim3.net/file/work/SICoP/2006-08-15/ATT00164.pdf - [Similar pages](#)

[PDF] Using GoldMine 6.0

File Format: PDF/Adobe Acrobat

dBASE **database**. Using an SQL **query** for your search has. advantages over using dBASE filters, ... to **natural language** than dBASE filter expressions. Users ...
support.frontrange.com/attachments/manuals/goldmine/6/Using%20GoldMine.pdf - [Similar pages](#)

[PDF] TEAMFLY

File Format: PDF/Adobe Acrobat

query and answer are in a **language** understood by the users and by the ... dition is **satisfied**. For example, the **condition** might be □the temperature is ...
www.elib.hbi.ir/.../0890063958.Artech%20House.Advanced%20Database%20Technology%20and%20DesignEbook-FLY.pdf - [Similar pages](#)

[PDF] Inconsistency Management in Model-Driven Engineering

File Format: PDF/Adobe Acrobat

is a **condition** or restriction specified in **natural language** or in a ... requirements must be

satisfied by a DL query language to be suitable for our needs. ...
ssel.vub.ac.be/Members/RagnhildVDS/PhDThesis/thesis.pdf - [Similar pages](#)

[PDF] [A Negotiation-Based Approach to Finding Satisficing Solutions of ...](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
equality constraints that are **associated** with the problem above. The terms h ... all clauses
in **boolean expressions are satisfied**. ...
www.eracar.com/Documents/proposal.pdf - [Similar pages](#)

ASP

If one of the cases (**conditions**) is **satisfied**, then the code **associated** with that ... When
using the And to compare **Boolean expressions**, the order of the ...
www.mansano.com/AspFunctions.htm - 231k - [Cached](#) - [Similar pages](#)

[XLS] Sheet1

File Format: Microsoft Excel
However, the most available information is **stored in text database**, ... The experiments
were conducted on the real set of **natural language sentences**. ...
www.wseas.org/2003.xls - [Similar pages](#)

[PDF] OMG Unified Modeling Language Specification

File Format: PDF/Adobe Acrobat
constraints in precise **natural language** plus Object Constraint **Language** expressions.
UML ... The **condition** must be **satisfied** if the extension is to take ...
www.informatik.uni-kiel.de/~wg/Lehre/Vorlesung-WS2001-02/UML/UML-Spezifikation.pdf -
[Similar pages](#)

[PDF] Ontology-based Information Selection

File Format: PDF/Adobe Acrobat - [View as HTML](#)
note that the information does not appear as **natural language text** but is only in the
form ... **conditions**, the **query response** time may be reduced. ...
esc.utdallas.edu/publications/lkhan_def.pdf - [Similar pages](#)

[PDF] COMP 348 Principles of Programming Languages

File Format: PDF/Adobe Acrobat - [View as HTML](#)
The second of these subgoals is **satisfied** by P = pat from the **database**. The goal is now ...
We can write an informal description in **natural language** ...
www.cs.concordia.ca/~grogono/CourseNotes/COMP-348-Notes.pdf - [Similar pages](#)

Dipartimento di Informatica Universit` a di L'Aquila Via Vetoio, I ...

File Format: Unrecognized
On the other side, subscriptions are **boolean expressions**, defined as ... In other words,
there is a substantial gap between **natural language** and the LTL ...
www.di.univaq.it/caporusc/publications/download.php?fileID=16 - [Similar pages](#)

[PDF] BRL-CAD Tutorial Series: Volume II – Introduction to MGED

File Format: PDF/Adobe Acrobat
interpreter of MGED uses the Tcl/Tk **language**. This gives us access to ... local model units
to the base units (mm) **stored in the database**, ...
ftp.arl.mil/brlcad/preGPL/Volumell-Introduction_to_MGED.pdf - [Similar pages](#)

[PDF] INFORMATION RETRIEVAL I INTERACTION

File Format: PDF/Adobe Acrobat
representation in **association** with user request variations and **query** reformulations. ... lary,
or use of **natural language** inherent in the document **text**, ...
202.114.64.60/jpkc2005/xxglxjc/jpkcsb/bdzy/Ingwersen_IRI.pdf - [Similar pages](#)

[PDF] Programming for Business Undergraduates

File Format: PDF/Adobe Acrobat

People who grow up speaking a **natural language**—everyone—often have a ... infinite loop: A loop in which the terminating **condition** is never **satisfied**. ...

www.samoore.com/pythonbook/top2003.pdf - [Similar pages](#)

[PDF] [Inheritance of SOFA Components](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

plus object **language** features are involved. Let's examine the two items: If the former **condition** is **satisfied** only, it is still better for larger systems ...

nenya.ms.mff.cuni.cz/~oplustil/oplustil-msthesis-inh.pdf - [Similar pages](#)

[PDF] [Lehrstuhl für Datenbanksysteme Institut für Informatik Friedrich ...](#)

File Format: PDF/Adobe Acrobat

cal 'request/**response**' **query** paradigm where the user is issuing a **query** and retrieving ... If the delivery **condition** is **satisfied**, the subscription body is ...

www.db.inf.tu-dresden.de/research/subscribe/papers/PubSubReport.pdf - [Similar pages](#)

[PDF] [A METRICS-BASED APPROACH TO THE AUTOMATED IDENTIFICATION OF OBJECT ...](#)

File Format: PDF/Adobe Acrobat

natural language generation, reusability metrics and software metrics. ... since the input **conditions** of the rule will not be **satisfied**. ...

www.cs.uah.edu/~letzko/disserta.pdf - [Similar pages](#)

[PDF] [Ingres 2006 QUEL Reference Guide](#)

File Format: PDF/Adobe Acrobat

This guide identifies QUEL as the Ingres proprietary **query language** and ... Returns the collating sequence defined for the **database associated** with the ...

downloads.ingres.com/download/quel.pdf - [Similar pages](#)

[PDF] [Applied Metamodelling](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

can be **stored** and manipulated in the same way, or related by mappings. ... In a **natural language**, semantics is a correlation or mapping between concepts in ...

[www.uio.no/studier/emner/matnat/ifi/INF5120/](http://www.uio.no/studier/emner/matnat/ifi/INF5120/v06/undervisningsmateriale/AppliedMetamodelling.pdf)

v06/undervisningsmateriale/AppliedMetamodelling.pdf - [Similar pages](#)

[PDF] [Dynamic Information Filtering](#)

File Format: PDF/Adobe Acrobat

commonly called a **query** in information retrieval and **database** systems ... sion on the quantification of hedges in **natural language** using fuzzy set theory). ...

[www.patrickbaudisch.com/publications/2001-Baudisch-Dissertation-](http://www.patrickbaudisch.com/publications/2001-Baudisch-Dissertation-DynamicInformationFiltering.pdf)

[DynamicInformationFiltering.pdf](http://www.patrickbaudisch.com/publications/2001-Baudisch-Dissertation-DynamicInformationFiltering.pdf) - [Similar pages](#)

[PDF] [Adequate System-Level Testing of Distributed Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Assertions within the simulation ensure that the **response** to each **query** is ... software is released when objective stopping **conditions** are **satisfied**. ...

www-serl.cs.colorado.edu/~carzanig/papers/rutherford_phd.pdf - [Similar pages](#)

[PDF] [Out of the Tar Pit](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ifies a set of integrity constraints — **boolean expressions** which must hold at ... 2. a state manipulation **language** which allows the **stored** relvars to be ...

ben.moseley.name/frp/paper-v1_01.pdf - [Similar pages](#)

[PDF] [STRONGMAN: A SCALABLE SOLUTION TO TRUST MANAGEMENT IN NETWORKS ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

issuing **conditions** are no longer **satisfied**, thus revoking access to services that ...
database, and produces policy statements in the common **language** of the ...
www1.cs.columbia.edu/~angelos/Papers/diss.pdf - [Similar pages](#)

SICStus Prolog

A **query** is written as a goal followed by a full-stop in **response** to the Prolog system ... This is analogous to the use of a pronoun in **natural language**. ...
www.iro.umontreal.ca/~nie/IFT3330/sicstus_manual.html - [Similar pages](#)

[PDF] SAVCBS 2004 Specification and Verification of Component-Based Systems

File Format: PDF/Adobe Acrobat

the system satisfies the requirement iff the **condition** is **satisfied** by the component. ... words may be **stored** in a **database** so that the application ...
www.cs.iastate.edu/~leavens/SAVCBS/2004/savcbs04.pdf - [Similar pages](#)

[PDF] mvEnterprise 5.0 BASIC Language Reference Manual

File Format: PDF/Adobe Acrobat

associated replacement-text is added to the symbol table. Every ... Logical expressions (also called **Boolean expressions**) are the result ...
www.rainingdata.com/products/beta/docs/mve/50/ReferenceManual/Basic.pdf - [Similar pages](#)

[PDF] Giggle:

File Format: PDF/Adobe Acrobat

Furthermore, allowing **natural-language** as a **query** ... and is **stored** in the **database** for feedback over retrieval results to the user. All other ...
www.niii.ru.nl/onderwijs/afstudereninformatiescripties/2005/RenskeJolandaScriptie.pdf - [Similar pages](#)

[PDF] Hierarchical Modeling and Analysis of Timed Systems

File Format: PDF/Adobe Acrobat

tions over **boolean expressions** of variables V and simple **conditions** of B(C) ... **natural** to use as a modeling **language** and it improves model-checking per- ...
www.cs.aau.dk/~adavid/publications/20-phd.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google™ [Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 201 - 300 of about 735 for **condition satisfied natural language associated responses text qu**

[PDF] GoldMine 6.7 Users Guide

File Format: PDF/Adobe Acrobat

closer to **natural language** than dBASE filter. expressions. Users who are not familiar with ... **database** for records that match the filter **conditions**. ...

support.frontrange.com/support/GoldMine/pdf/6.7/gm67_users_guide.pdf - [Similar pages](#)

@TECHREPORT{MSU-CPS-88-01, AUTHOR = {Patrick J. Flynn and Anil K ...

We demonstrate the **query** technique on a large **database** of widely varying ... we prove that if only one of these **conditions** is **satisfied**, the addition of ...

www.cse.msu.edu/publications/tech/tech_reports.bib - 942k - [Cached](#) - [Similar pages](#)

[PDF] c 2005 by Apu Chandrasen Kapadia. All rights reserved.

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Composing events as arbitrary **boolean expressions** is common in Fault Tree ... If the access permissions for a **database** record **associated** with a flow for ...

www.cs.dartmouth.edu/~akapadia/papers/apu_kapadia_dissertation.pdf - [Similar pages](#)

-*-BibTeX ...

Finally, an experimental **database query** system with a **natural language** front ... Vertical partitioning is applied in three contexts: a **database stored** on ...

elib.cs.sfu.ca/Collections/CMPT/MajorBibs/beebe-bib/tods.bib - 1005k -

[Cached](#) - [Similar pages](#)

[PDF] Efficient provisioning and adaptation of Web-based services

File Format: PDF/Adobe Acrobat - [View as HTML](#)

likely, the **response** time of **query**-based protocols augment because of the ... path through the various Megs allowing complex **boolean expressions**. Fi- ...

weblab.ing.unimo.it/papers/tesi_PhD_framazz.pdf - [Similar pages](#)

[PDF] Contract Title: Architecture V1 Author: WP14.2 Editor: Dieter ...

File Format: PDF/Adobe Acrobat

personal data of a **natural** person **stored** at the user side, ... **conditions** are **boolean expressions** of generic **conditions** applied to an access request. ...

www.prime-project.eu.org/public/prime_products/deliverables/arch/pub_del_D14.2.b_ec_WP14.2_v2_final.pdf - [Similar pages](#)

[PDF] Making reliable distributed systems in the presence of software errors

File Format: PDF/Adobe Acrobat

these **language** requirements, and show how they are **satisfied** by Erlang. ... **response** to a particular **query**, and the next state of the server (if it is ...

www.sics.se/~joe/thesis/armstrong_thesis_2003.pdf - [Similar pages](#)

[More results from www.sics.se]

[PDF] THESE Docteur en Sciences Jury:

File Format: PDF/Adobe Acrobat

set of **boolean expressions**, ranged over by b, with similar properties. ... not **satisfied** for the given system. If the **language** is nonempty, ...

www-sop.inria.fr/dias/Theses/phd-40.pdf - [Similar pages](#)

[PDF] PostgreSQL 7.3.2 User's Guide

File Format: PDF/Adobe Acrobat

The **query language** PostQUEL was replaced with SQL (implemented in the server). ... **database**, the raw data is **stored** in tables, so the majority of this ...

www.postgresql.org/files/documentation/pdf/7.3/user-7.3.2-A4.pdf - [Similar pages](#)

[PDF] Proceedings of the First Workshop of the INitiative for the ...

File Format: PDF/Adobe Acrobat

The topic description is a one- or two-sentence **natural language** definition of the ... The second set of **conditions** results from the **query** terms in the ...

qmir.dcs.qmul.ac.uk/inex/inex02_proceedings/INEX2002_ERCIM_proceedings.pdf -

[Similar pages](#)

[PDF] Publication Series of the John von Neumann Institute for Computing ...

File Format: PDF/Adobe Acrobat

The first **condition** in the example **query** will actually be evaluated by sending ... no matter whether the data is in-memory or remotely **stored** in a **database**. ...

www.kfa-juelich.de/nic-series/volume27/nic-series-band27.pdf - [Similar pages](#)

[PDF] TOUCH OF CLASS

File Format: PDF/Adobe Acrobat

Natural language. Nesting Node. Nonterminal. Object. Operator. **Query ... condition** — a boolean expression. As usual, our **boolean expressions** in ...

se.ethz.ch/~meyer/down/touch/TOUCH.pdf - [Similar pages](#)

[PDF] Context and Structured in Automated Full-Text Information Access

File Format: PDF/Adobe Acrobat

and display of full-text documents, using robust **natural language** processing ... Graphical presentation of **Boolean expressions** in a **database query** ...

www.eecs.berkeley.edu/Pubs/TechRpts/1994/CSD-94-836.pdf - [Similar pages](#)

[PDF] Red Hat Enterprise Linux 4 Red Hat SELinux Guide

File Format: PDF/Adobe Acrobat

screen (such as **text associated** with a checkbox or field). ... are in the form of **Boolean expressions**. The expression must be **satisfied** for the given ...

www.redhat.com/docs/manuals/enterprise/RHEL-4-Manual/pdf/rhel-selg-en.pdf -

[Similar pages](#)

[PDF] W01: ISAW-4

File Format: PDF/Adobe Acrobat

that architectural views are synthesized in **response** to ... Heterogeneous **database query** optimization in DB2 Universal DataJoiner. In. A. Gupta, O. Shmueli, ...

www.cs.huji.ac.il/~wyaron/papers/ISAW_page136.pdf - [Similar pages](#)

[PDF] Second International Workshop on Dynamic Analysis (WODA 2004)

File Format: PDF/Adobe Acrobat

All potential leaks are **stored** in a hash table, with the hash based on the recorded call stacks ... expressed in **natural language**. However, we can formally ...

www.cs.virginia.edu/woda2004/proceedings.pdf - [Similar pages](#)

[PDF] Second International Workshop on Dynamic Analysis (WODA 2004)

File Format: PDF/Adobe Acrobat

ity check of output against **stored** output. The phrase "test. oracle" is usually reserved for ... expressed in **natural language**. However, we can formally ...

www.cs.virginia.edu/woda/proceedings.pdf - [Similar pages](#)

[PDF] Distributed Transaction Processing in the Escada Protocol

File Format: PDF/Adobe Acrobat

42], point out that a replicated **database** with n copies **stored** over n sites can have a ...
ture **Query Language**), which is based on the relational calculus. ...
gsd di uminho pt/members/alfranio/papers/thesis-final.pdf - [Similar pages](#)

[PDF] [by of the of of](#)

File Format: PDF/Adobe Acrobat

a **database query language** to naive users. Second, ... in **Boolean expressions**.
Ehrenreich ... **responses** across. all. **conditions** for the sample was ...
www.collectionscanada.ca/obj/s4/f2/dsk3/ftp04/nq24732.pdf - [Similar pages](#)

[PDF] [NOTE USERS](#)

File Format: PDF/Adobe Acrobat

type which is **stored**. in. the. **database**. The **condition** in. the. **query** is specified only ...
natural. language communication in. al1. these QLs is still ...
www.collectionscanada.ca/obj/s4/f2/dsk2/tape16/PQDD_0005/MQ40236.pdf - [Similar pages](#)

[PDF] [PRE-PROCEEDINGS](#)

File Format: PDF/Adobe Acrobat

linguistic approach to the **natural language** requirements. quality; In Proceedings of the
26th ... are identified by asking what **conditions** must be **satisfied** ...
crinfo.univ-paris1.fr/REFSQ/03/papers/REFSQ03-PreProceedings.pdf - [Similar pages](#)

[PDF] [DL Tutorial - Advanced](#)

File Format: PDF/Adobe Acrobat

boolean expressions. The InfoBus has a **query** translation ... The **database** in which
descriptions of collections are **stored**. Concept Space ...
ei.cs.vt.edu/~dlib/adv200006.pdf - [Similar pages](#)

[PDF] [GemStone Facets Programming Guide](#)

File Format: PDF/Adobe Acrobat

The **query language** provides the basic set of clauses, expressions, and. operators that
allow you to retrieve elements from collections **stored** in the ...
www.facetsodb.com/downloads/facets/Programming.pdf - [Similar pages](#)

[From bvan de at po-box.mcgill.ca Sun Aug 1 00:15:07 2004 From ...](#)

This concept of short-circuit evaluation of **boolean expressions** is explained in some detail
on ... The **responses** would have to be either in **text** or **html**. ...
mail.python.org/pipermail/tutor/2004-August.txt - [Similar pages](#)

[PDF] [The art of software testing](#)

File Format: PDF/Adobe Acrobat

A cause-effect graph is a formal **language** into which a **natural-** ... a person not **associated**
with the administration of the **database** ...
community.hf-mstc.org/download/xunchen/xunchen/
John.Wiley.and.Sons.The.Art.of.Software.Testing.Second.Edi... - [Similar pages](#)

[PDF] [Dec Octal Hex Extended ASCII 0 000 00 NUL 1 001 01 SOH 2 002 02 ...](#)

File Format: PDF/Adobe Acrobat

Describes the c-tree **database** API for the C programming **language** to allow effortless ... It
is always possible to add a trivially **satisfied condition** to the ...
www.faircom.com/support/ctreeDocs/pdf/quickref.pdf - [Similar pages](#)

[PDF] [eXtensible Access Control Markup Language \(XACML\) Version 2.0 ...](#)

File Format: PDF/Adobe Acrobat

Policy statements may be **stored** in a **database**, ... one of the following two **conditions** is
satisfied: (1) Any of the XML nodes in the node-set ...
docs.oasis-open.org/xacml/access_control-xacml-2_0-core-spec-cd-04.pdf - [Similar pages](#)

[PDF] Interpretation of simulation for model-based design analysis of ...

File Format: PDF/Adobe Acrobat

Such a **condition** might well be. **associated** with some specific state in the component's ...
tation **Language** might be useful for modelling **natural** systems. ...

cadair.aber.ac.uk/dspace/bitstream/2160/177/1/Thesis3-5-06.pdf - [Similar pages](#)

BibTeX bibliography jacm.bib

Retrieval in **response** to **Boolean expressions** is also considered, ... "Compendex
database", abstract = "In a full-**text natural-language** retrieval system, ...

www.math.utah.edu/pub/tex/bib/jacm.html - [Similar pages](#)

[PDF] Architectures Enabling Scalable Internet Search

File Format: PDF/Adobe Acrobat

nested **boolean expressions**, powerful **text** operators such as proximity and regular
expres- sions, **natural-language** queries, OQL-like queries on data ...

sylvester.bth.rwth-aachen.de/dissertationen/2003/257/03_257.pdf - [Similar pages](#)

[PDF] SICStus Prolog User's Manual

File Format: PDF/Adobe Acrobat

If the goal(s) specified in a **query** can be **satisfied**, and if there are no variables as in this ...
is analogous to the use of a pronoun in **natural language**. ...

www.mcs.vuw.ac.nz/technical/software/sicstus/pdf/sicstus.pdf - [Similar pages](#)

[PDF] Information Retrieval: A Survey 30 November 2000 by Ed Greengrass ...

File Format: PDF/Adobe Acrobat

data, especially textual documents, in **response** to a **query** or topic statement, which ...
retrieval of **natural language text**, a reasonable emphasis given the ...

www.nlp.org.cn/docs/docredirect.php?doc_id=170 - [Similar pages](#)

[PDF] A Developers' Guide to the CGDI: Developing and publishing ...

File Format: PDF/Adobe Acrobat

the **query** to your **database** over the intranet, and then receive the result over the ... forms:
as numbers or **text** on paper, as bits and bytes **stored** in ...

www.geoconnections.org/publications/

Technical_Manual/CGDI_Technical_Manual_0204_e.pdf - [Similar pages](#)

[PDF] An architecture for the Behavioural Animation of Virtual Humans

File Format: PDF/Adobe Acrobat

liefs or to the general knowledge **stored** in the World **database** (see section ... sentation of
beliefs to **natural language**, transmit the **text** in English and ...

vrllab.epfl.ch/~jmonzani/Papers/These_2611_Monzani-print.pdf - [Similar pages](#)

[PDF] Submission to the UML 2.0 RfP for OCL

File Format: PDF/Adobe Acrobat

We want to enable full use of OCL as a **query language**. ... **condition**» stereotypes of
Constraint **associated** with an Operation or other behavioral feature. ...

www.uni-koblenz.de/~beckert/Lehre/Spezifikation-Verifikation/ocl-specification-v1-5.pdf -

[Similar pages](#)

[PDF] Introduction

File Format: PDF/Adobe Acrobat

very complicated utilities, such as **text** editors or **language** processors, which typically ...
associated with each **condition**. The format shall be: ...

anubis.dkuug.dk/jtc1/sc22/open/n3161/xcutext.pdf - [Similar pages](#)

[PDF] Project no.: IST-507102 Project full title: My Personal Adaptive ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

type of scan is PSM scanning: usually clients **query** the SDP **database** to ... (a **text** file with suffix .spl that stands for Security Protocol **Language**) must ...
www.ist-magnet.org/GetAsset.action?contentId=942902&assetId=943013 - [Similar pages](#)

[PDF] [eXtensible Access Control Markup Language \(XACML\) Version 2.0 ...](#)

File Format: PDF/Adobe Acrobat

<**Response**> element is an abstraction layer used by the policy **language**. ... one of the following two **conditions** is **satisfied**: (1) Any of the XML nodes in ...
xml.coverpages.org/XACMLv20CD-CoreSpec.pdf - [Similar pages](#)

[From owner-ietf-medfree Wed Feb 18 12:49:07 1998 Received: \(from ...](#)

Thus, expressions which define feature sets are **Boolean expressions** of feature ... And it will cite [perhaps indirectly] in **natural language** the **natural** ...
www.imc.org/ietf-medfree/entire-arch.txt - [Similar pages](#)

[DOC] [Specification and Enforcement of Usage Constraints for Commercial ...](#)

File Format: Microsoft Word - [View as HTML](#)

The lips specification **language** provides a clear, simple, yet powerful way to ... Approaches that only rely on **boolean expressions** (ie pre-**conditions**, ...
fp1.cc.lehigh.edu/abq2/ws/dissertation.doc - [Similar pages](#)

[PDF] [Information Retrieval](#)

File Format: PDF/Adobe Acrobat

aspects of **natural language**, both as **query** and characterization **language**. ... Each fragment has **associated** a particular medium (such as **text**, video and ...
osiris.cs.kun.nl/~erikp/davinci/modules/ir.pdf - [Similar pages](#)

[PDF] [www.oreilly.com -- Welcome to O'Reilly & Associates -- computer ...](#)

File Format: PDF/Adobe Acrobat

Metadata (data about the **database**) must be **stored** in the **database** just as ... data from the **query**; the remaining search **conditions** are **satisfied** by the ...
www.triviasecurity.net/library.php?F=1505 - [Similar pages](#)

[PDF] [Autonomous Agents and the Concept of Concepts](#)

File Format: PDF/Adobe Acrobat

which use the Knowledge **Query** and Manipulation **Language** (K ... Rather than trying to state a number of **conditions** that should be **satisfied** for hav- ...
www.cs.lth.se/Research/AI/Papers/PhD.pdf - [Similar pages](#)

[DOC] [ECA Part 1](#)

File Format: Microsoft Word

Query: A two-way, request, **response**, with the **response** being the **query** result set. ...
Natural language prose that informally defines the semantics of the ...
www.enterprise-component.com/docs/EDOC%20Part%20I%20v0.29.doc - [Similar pages](#)

[PDF] [Formal Methods applied to Object-Oriented Programming](#)

File Format: PDF/Adobe Acrobat

The peppered **text**. is given to a Verification **Condition** Generator, which generates a verification ... **natural language** for the belief that a theorem holds. ...
www.trireme.u-net.com/catalysis/fresco.pdf - [Similar pages](#)

[PDF] [Module 13 – Understanding Computer Basics](#)

File Format: PDF/Adobe Acrobat

A Fifth-Generation is a **natural language** version of the same **query**: "TELL ME ... Control Statements - The most useful place for **Boolean expressions** ...
www.nwcet.org/downloads/PrepProgMod13_20.pdf - [Similar pages](#)

[PDF] [Operational Rationality through Compilation of Anytime Algorithms](#)

File Format: PDF/Adobe Acrobat

The algorithm assumes that the information **stored** in the **database** is complete and that the input data is. precise. An incomplete answer to a **query** is ...
anytime.cs.umass.edu/shlomo/papers/short.pdf - [Similar pages](#)

[PDF] [Context Awareness in Information Logistics](#)

File Format: PDF/Adobe Acrobat

algebras to the features of a **database** system's **query language**. This also includes extensions ... two **conditions** are **stored** in relation to each other. ...
edocs.tu-berlin.de/diss/2005/haseloff_sandra.pdf - [Similar pages](#)

[4. Undergraduate units of study - Engineering handbook - The ...](#)

This unit of study will provide a comprehensive introduction to **database** management, SQL **query language**, and application development using databases. ...
www.usyd.edu.au/handbooks/engineering/04_ugunits.shtml - 450k - [Cached](#) - [Similar pages](#)

[Browse the Categories](#)

A powerful full-**text query language** provides access to documents **stored** in ... These symptoms often result from common vision **conditions associated** with ...
www.iversonsoftware.com/tabularium/index.asp?area=p&cats=1 - [Similar pages](#)

[PDF] [Sun Microsystems Laboratories The First Ten Years 1991-2001](#)

File Format: PDF/Adobe Acrobat

specification written in ADL into an equivalent **natural language** representation. This prob- ... is that code is not **stored** in an ObjectStore **database**; ...
research.sun.com/techrep/Perspectives/PS-01-5.pdf - [Similar pages](#)

[PDF] [Fault Tolerant Knowledge Level Inter-Agent Communication in Open ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

language called PROLOG and the ontology assumed by the **query** is NYSE-TICS. ... handler function is **associated** with a **condition** of the guarded program which ...
www.cs.unibo.it/pub/TR/UBLCS/2006/2006-05.pdf - [Similar pages](#)
[More results from [www.cs.unibo.it](#)]

[PDF] [German Glossary](#)

File Format: PDF/Adobe Acrobat

The selected data is read once from the **database** and **stored** in a sequential file for ... In any Indo-European **language**. • In **natural language** (colloquial) ...
help.sap.com/printdocu/core/Print46c/en/Data/pdf/Glossar/glossary_r.pdf - [Similar pages](#)

[PDF] [NOTICE OF THIRD PARTY SOFTWARE RIGHTS TurboLinux Server 6.0](#)

File Format: PDF/Adobe Acrobat

(Structured **Query Language**) is the most popular and standardized **database** ... map is **stored** in a **database** format and accessed through a single key, without ...
www.linuxpowered.com/archive/installguides/turbolinux/TurboLinux_Server_6.0_user_guide/tls60ug.pdf - [Similar pages](#)

[PDF] [Laboratory Diagnosis and Quality Control Technologies in Assessing ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The combination of **text** fields with multiple numeric **responses** ... subsetting operator where distance is used as a **query condition**. Distance can ...
www.aciar.gov.au/web.nsf/att/JFRN-6BN9B3/\$file/mn58-chapters7-13.pdf - [Similar pages](#)

[PDF] [Altova MapForce User Manual](#)

File Format: PDF/Adobe Acrobat

are executed and the on-trues are **stored** in the **database**. ... When the **condition** is **satisfied**, a user-defined message appears and the ...
www.altova.com/documents/MapForcePro.pdf - [Similar pages](#)

[PDF] Lightweight Structure in Text

File Format: PDF/Adobe Acrobat

natural language phrase structure, and programming **language** syntax are all ... tree compares a different dimension of a **query** point with its **stored** point. ...
www.cs.cmu.edu/~rcm/papers/thesis/thesis.pdf - [Similar pages](#)

[PDF] Developer's Guide and Reference

File Format: PDF/Adobe Acrobat

When using a relational **database**, policies are **stored** in a single **database** table, ... Policy **conditions** are **Boolean expressions**. The toolkit ...
dl.alphaworks.ibm.com/technologies/pmac/PMDevGuide121.pdf - [Similar pages](#)

Technology: September 2005

Each **Database** has its own **stored** procedure **language**, ... If any of the above **conditions** are not **satisfied**, the JSP engine may throw a translation error. ...
tech-torch.blogspot.com/2005_09_01_tech-torch_archive.html - 581k -
[Cached](#) - [Similar pages](#)

[PDF] Examiners Report, 2002 1

File Format: PDF/Adobe Acrobat - [View as HTML](#)

CHECK constraint checks that certain **conditions** are **satisfied** prior to input to ... problems **associated** with the rearing of animals and a loss of **natural** ...
www.cityandguilds.com.hk/ec/exam_report-part2-2002.pdf - [Similar pages](#)

[PDF] How to Test Software

File Format: PDF/Adobe Acrobat

Language/Structured Query Language) to define your test sets. ... **stored** in a relational **database**, which makes the maintenance and management of the test ...
www.plugin.fi/julkaisut/docs/Toroi-ym-2002.pdf - [Similar pages](#)

[PDF] RIACS FY2001 Annual Report

File Format: PDF/Adobe Acrobat

establishing an Ames thrust in spoken dialogue **natural language** interfaces. ... consist of atomic propositions, defined as **Boolean expressions**, ...
www.riacs.edu/about/docs/RIACS_AR_FY01.pdf - [Similar pages](#)

[PDF] Semantics and Verification of UML Activity Diagrams for Workflow ...

File Format: PDF/Adobe Acrobat

work items, are usually **stored** in a **database** system; see Sections 2.2 and 2.3. ... **Conditions** are **boolean expressions**. They can only refer to the ...
se2c.uni.lu/tiki/se2c-bib_download.php?id=899 - [Similar pages](#)

%0 Journal Article %A Abel, DJ %A Smith, JL %D 1984 %TA Data ...

File Format: Unrecognized - [View as HTML](#)

%K: conceptual schema, **query language**, **natural language** H.2.3, H.2.4 ... %K non-first normal form **database**, implicit joins, **text** databases. H.2.1, H.2.3. ...
www.acs.org.au/jrpt/ACJIssuesRefer.dat - [Similar pages](#)

[PDF] Proceedings of the ESSLLI-2000 Student Session

File Format: PDF/Adobe Acrobat

natural language processing: an empirical study of multimodal proof. styles. ... enough to model geometric objects, but their **associated query** languages ...
events.cs.bham.ac.uk/esslli/notes/student-session/proc.pdf - [Similar pages](#)

[PDF] C# CESOCLV 2.0

File Format: PDF/Adobe Acrobat

a constraint **language** and a **query language**[1, 45]. ... ment consists of all the **condition's**

boolean expressions "and"ed together. Each of the **conditions** ...

www.scs.carleton.ca/~jeanpier/techReports/OCL-CSharp.pdf - [Similar pages](#)

[PDF] [ProLog Tutorial](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

overview of how Prolog can be used to parse English (**natural language**) sentences. ... 3)

some base goal or **condition** is **satisfied**, or some simple action is ...

skole.pboxen.com/sites/progs/filer/prolog.pdf - [Similar pages](#)

[PDF] [Proceedings](#)

File Format: PDF/Adobe Acrobat

Only if all these **conditions** are **satisfied**, will the ... This repository supplies a functional

query- ing **language** that allows for accessing the graph at ...

www.lcc.uma.es/~av/mdwe2005/MDWE2005-Proceedings.pdf - [Similar pages](#)

[PDF] [Technology: Databases, Internet and Multimedia](#)

File Format: PDF/Adobe Acrobat

split up into fragments hierarchically and **stored** into a **text. database.** ... oriented **query**

language can be applied to the data and this ...

csrc.lse.ac.uk/Support/ECIS2000/03.pdf - [Similar pages](#)

[PDF] [Oracle8](#)

File Format: PDF/Adobe Acrobat

Loading the PL/SQL Server Page into the **Database** as a **Stored Procedure.** ... non-

procedural data access power of Structured **Query Language** (SQL) with the ...

www.mid.main.vsu.ru/docs/oracle/appdev.816/a76939.pdf - [Similar pages](#)

[PDF] [Informix Guide to SQL: Tutorial](#)

File Format: PDF/Adobe Acrobat

nents of a **database**; what **language** is used to create, **query**, and ... To connect two or

more comparison **conditions**, or **Boolean expressions**, by ...

www.cs.uoi.gr/~pitoura/informix-doc/Informix_Guide_to_SQL-Tutorial.pdf - [Similar pages](#)

[PDF] [Ingres 2006 Character-based Querying and Reporting Tools User Guide](#)

File Format: PDF/Adobe Acrobat

Know how to use the **database query language** (SQL or QUEL) used at ... Specifications

for several reports can be **stored** in one **text** file by using several ...

downloads.ingres.com/download/qry.pdf - [Similar pages](#)

[PDF] [PLATINUM](#)

File Format: PDF/Adobe Acrobat

condition. is a Boolean expression. s. stmts. are Aion **language** statements. Remarks ...

The StoredProcedure class is not a **database stored** procedure. ...

www.ai.rug.nl/vakinformatie/pract-kentech/documentatie/Refgde.pdf - [Similar pages](#)

[PDF] [JADE Developer's Reference](#)

File Format: PDF/Adobe Acrobat

conditions are **satisfied**. Only automatic references can have a constraint. ... time,

overriding the canned **query associated** with the collection. ...

www.jadeworld.com/downloads/jade/manuals/DevRef.pdf - [Similar pages](#)

[PDF] [Advantage Ingres 2.6, QUEL Reference Guide](#)

File Format: PDF/Adobe Acrobat

The industry standard **query language**, SQL, is used as the standard **query** ... Returns the

collating sequence defined for the **database associated** with ...

www.cc.utu.fi/static/ingres/QUELREF.PDF - [Similar pages](#)

[PDF] [Maple 9 Advanced Programming Guide](#)

File Format: PDF/Adobe Acrobat

(**natural language**) word or phrase. The purpose of a search is to identify, ... see 6.3 Maple Online Help **Database**. MAPLE_TEXT_QUIT **Response** to a Maple quit, ...
www.cse.iitb.ac.in/~sohoni/m9AdvancedProgrammingGuide.pdf - [Similar pages](#)

[PDF] [Maple 9 Introductory Programming Guide](#)

File Format: PDF/Adobe Acrobat

a **condition** is **satisfied**. The while loop is a for loop with all of its clauses ... Maple **language** files can be created by using a **text** editor, or by ...
www.cse.iitb.ac.in/~sohoni/m9IntroductoryProgrammingGuid.pdf - [Similar pages](#)

[GAWK: Effective AWK Programming A User's Guide for GNU Awk Edition ...](#)

In this case, the **text** of the line is **stored** in lines[count]. ... If the **condition** is **satisfied**, the pattern is said to match the input record. ...
bs2000.fujitsu-siemens.com/download/Goodies/SMAWPlus/SMAWPgawk/text/gawk.txt - 898k - [Cached](#) - [Similar pages](#)

[PDF] [Oracle Database Application Developers Guide - Fundamentals](#)

File Format: PDF/Adobe Acrobat

text of the **query** represented by the cursor using the V\$SQL catalog view. Because ... A signature is **associated** with each compiled **stored** program unit. ...
www.stanford.edu/dept/itss/docs/oracle/10g/appdev.101/b10795.pdf - [Similar pages](#)

[PDF] [Spatial Context Management for Augmented Reality Applications ...](#)

File Format: PDF/Adobe Acrobat

stored in exchangeable spatial **database** management systems which provide an ... to specify certain **conditions** that have to be **satisfied** in order to re- ...
campar.in.tum.de/twiki/pub/Students/MaFischer/fischer2004master.pdf - [Similar pages](#)

[The GNU Awk User's Guide](#)

While Statement: Loop until some **condition** is **satisfied**. ... the **language** used to read **responses**, and information related to how numerical and monetary ...
gnu.paracoda.com/software/gawk/manual/gawk.html - 977k - [Cached](#) - [Similar pages](#)

[SLIB:](#)

SLIB is a portable library for the programming **language** Scheme. ... Transparent execution of **database** commands **stored** in *commands* table in **database**. ...
www.fifi.org/doc/slib/slib.html - 930k - [Cached](#) - [Similar pages](#)

[PDF] [Proceedings of the 1st DIKU-IST Joint Workshop on Foundations of ...](#)

File Format: PDF/Adobe Acrobat

binary trees, if either of the following **conditions** is fulfilled. ... We have not specified a particular **language** of **Boolean expressions**; we only require ...
www.diku.dk/publikationer/tekniske.rapporter/rapporter/05-07.pdf - [Similar pages](#)

[PDF] [Software Composition](#)

File Format: PDF/Adobe Acrobat

outputs requested by the **query** can be **satisfied** by all its children collectively ... put/output parameters **stored** in L. The type **associated** with a parameter ...
www.infosys.tuwien.ac.at/SC2005/sc2005-preliminary-proceedings.pdf - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

does **text**-based writing (writing in **response** to questions or tasks based on ... all tables in the Oracle **Database**, Creating a Table by Using a Sub-Query; ...
www.cbse.nic.in/sscurri2008.pdf - [Similar pages](#)

[PDF] [Programmer's Guide Volume 2](#)

File Format: PDF/Adobe Acrobat

database from information **associated** with the **query**. For example, you must ... interfaces are **stored** in standard CORBA interface definition **language** (IDL). ...
download.sybase.com/pdfdocs/pjg0400e/pjguide2.pdf - [Similar pages](#)

[PDF] [Quartus II Version 6.0 Handbook, Volume 2, Section I. Scripting ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

All assignments made in the Quartus II software are **stored** as Tcl. commands in the Quartus II Settings File. The Quartus II Settings File is a. **text** based ...
www.altera.com/literature/hb/qts/qts_qii5v2_01.pdf - [Similar pages](#)

[PDF] [Collected Work](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

making sure that a set of correctness **conditions** is. **satisfied** in all cases. ... **language** **associated** to an automaton, in contrast with the EXPSPACE-complete ...
theory.stanford.edu/~iliano/papers/muri98.pdf - [Similar pages](#)

[PDF] [Declaration and Enforcement of Access Restrictions for Distributed ...](#)

File Format: PDF/Adobe Acrobat

Xpath supports the declaration of **Boolean expressions** to test particular circumstances ...
The **condition** is **satisfied** if the **language** defined by SM ...
tumb1.biblio.tu-muenchen.de/publ/diss/in/2005/matheus.pdf - [Similar pages](#)

[PDF] [User Interfaces for Mobile Augmented Reality Systems](#)

File Format: PDF/Adobe Acrobat

is also used as the default **text** to display when a label is created. If there is no name. **stored** with an object in the persistent **database**, a unique name is ...
www.cs.ucsb.edu/~holl/pubs/hollerer-2004-diss.pdf - [Similar pages](#)

[PDF] [State of the art survey on trust, security and contract management ...](#)

File Format: PDF/Adobe Acrobat

These take the form "if certain **conditions** on a policy are **satisfied** (eg if ...
FindServiceData operation requires a simple "by name" **query language**, and is ...
epubs.cclrc.ac.uk/bitstream/908/RAL-TR-2006-009.pdf - [Similar pages](#)

[DOC] [THE HANDBOOK OF RESEARCH IMPACT ASSESSMENT TABLE OF CONTENTS I ...](#)

File Format: Microsoft Word

natural language expressions from the **database** for Query Expansion ... **Boolean expressions** derived from a multi-word phrase (eg, ...
www.onr.navy.mil/sci_tech/33/332/docs/handweb.doc - [Similar pages](#)

[PDF] [Proceedings of the sixth Dutch-Belgian Workshop on Information ...](#)

File Format: PDF/Adobe Acrobat

tion of XML elements, specified in the NEXI **query language**. [19] and can reason about textual ... tics are also **stored** in the **database** and retrieved by ViPF ...
hmi.ewi.utwente.nl/dir2006/dir2006.pdf - [Similar pages](#)

[PDF] [DB Tools for Oracle User's Guide](#)

File Format: PDF/Adobe Acrobat

Importing **text** of an existing **database** **stored** procedure, ... When both **conditions** evaluate to Yes DB Tools knows how to update the table if any changes will ...
www.softtreotech.com/dbtools/db_tools.pdf - [Similar pages](#)

[PDF] [BIBLIOGRAPHY 129 Y , D . 1992. Word sense disambiguation using ...](#)

File Format: PDF/Adobe Acrobat

Graphical presentation of **Boolean expressions** in a **database query** ... and display of full-**text** documents, using robust **natural language** processing ...
www.sims.berkeley.edu/~hears/papers/phdthesis.pdf - [Similar pages](#)

[PDF] [SECURITY ASSURANCE FOR A RESOURCE-BASED RBAC/DAC/MAC SECURITY ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tion sharing that is required in **response** to a crisis, eg, **natural** disaster (earth- ... ate **Boolean Expressions** which must be **satisfied** at runtime. ...

www.engr.uconn.edu/~steve/Cse298300/phillipsdissdraft.pdf - [Similar pages](#)

[PS] [Physics Analysis Workstation User's guide](#)

File Format: Adobe PostScript

associated with the CERN experimental program or with whom CERN has concluded ... ZEBRA data structure and **stored** in a HIGZ **database** for later reference (eg ...

wwwinfo.cern.ch/asdoc/psdir/paw.ps.gz - [Similar pages](#)

[Dictionary of Computer Terms](#)

Structured **Query Language** (SQL) common code file [34] .SQL. Generally used by **database** products as an extension for SQL queries (scripts, **text**, ...

computerdictionary.tsf.org.za/dictionary/terms/computerdictionary-all.html - [Similar pages](#)

[zd_readg: Reader's Guide](#)

The product model will be **satisfied** if we can make the "linear" assumption that there is a time **associated** with each **language** construction, and the total ...

www.adaic.org/compiler/aces/html/zd_readg.html - 603k - [Cached](#) - [Similar pages](#)

[PDF] [A Decentralized Adaptive Architecture for Ubiquitous Augmented ...](#)

File Format: PDF/Adobe Acrobat

is **stored** in a normal form in the **database**. For. example, each user has a unique numeric identifier. All other information (name, picture) are. **associated** ...

www.macwilliams.de/asa/Dissertation-Asa-MacWilliams.pdf - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)


[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 301 - 400 of about 735 for condition satisfied natural language associated responses text qu

[PDF] INTEGRATING INFORMAL AND FORMAL TECHNIQUES TO REVERSE ENGINEER ...

File Format: PDF/Adobe Acrobat

The **text** before a slash defines a guarding **condition** that must be true in ... must be provided in order to describe the abstractions using **natural language**. ...

www.public.asu.edu/~gannod/pubs/diss.pdf - [Similar pages](#)

[PDF] Concepts for Automating Systems Integration

File Format: PDF/Adobe Acrobat - [View as HTML](#)

large body of **natural language** concepts with conventional interpretation. ... [5] propose a **query** or **database** view-like approach for mapping between ...

www.nist.gov/msidlibrary/doc/AMIS-Concepts.pdf - [Similar pages](#)

[PDF] Domain Specific Languages for Interactive Web Services

File Format: PDF/Adobe Acrobat

among all session threads is **stored** naturally in a **database**, data local to ... Thus, they can have **associated** formats and be tested in **boolean expressions**. ...

brics.dk/DS/03/1/BRICS-DS-03-1.pdf - [Similar pages](#)

JOS Statistics - Recent Comments

(no, I am not **associated** with either Google or O'Reilly, just a **satisfied** ... See return value from **Stored Proc** in **Query Anal** | Tue 22 Jul | Ted Graham ...

www.usabilitymustdie.com/jos/WWW_Weekly_Comments_27_Jul_2003.html - 867k -

[Cached](#) - [Similar pages](#)

[PDF] Exploiting Functional Dependence in Query Optimization

File Format: PDF/Adobe Acrobat

block are expanded from their definition **stored** in the **database** catalog. ... since the uniqueness **condition** is **satisfied** for the outer **query** block (VendorID ...

www.cs.uwaterloo.ca/research/tr/2000/11/CS-2000-11.thesis.pdf - [Similar pages](#)

[PDF] Real-Time and Embedded Guide

File Format: PDF/Adobe Acrobat

"buddy" in RTAI **language**. This companion task executes kernel space ... with using composite **boolean expressions**, such that **condition** variables are required ...

people.mech.kuleuven.be/~bruyningc/rthowto/rthOWTO.pdf - [Similar pages](#)

[PDF] Formal Methods for Real-Time Requirements Engineering

File Format: PDF/Adobe Acrobat

describing large and complex artifacts in **natural language**, but others may be due ... the **condition** leak to non leak (see Figure 6.10) is **satisfied**. ...

scidok.sulb.uni-saarland.de/volltexte/2004/261/pdf/Rock_ProfDrJoergSiekmann.pdf -

[Similar pages](#)

EP1116148 Universe european software patent - Method and apparatus ...

The relevance **language** describes precise **conditions** under which a given ... a user to remotely **query** the pharmacy **database** for information about himself. ...

gauss.ffii.org/PatentView/EP1116148 - 380k - [Cached](#) - [Similar pages](#)

[PDF] AQA : T -BA

File Format: PDF/Adobe Acrobat

pieces of **natural language text associated** with a conceptual model). Further, we ...

Database query template, name of the **stored** procedure: ...

www.diva-portal.org/diva/getDocument?urn_nbn_se_kth_diva-3300-2__fulltext.pdf -

[Similar pages](#)

[PDF] [On the Relative Utility of 3D Interfaces](#)

File Format: PDF/Adobe Acrobat

Graphical presentation of **Boolean expressions** in a **database. query language**: design notes and an ergonomic evaluation. Behavior and In- ...

www.diva-portal.org/diva/getDocument?urn_nbn_se_uu_diva-4681-1__fulltext.pdf -

[Similar pages](#)

[PDF] [UNI LEX](#)

File Format: PDF/Adobe Acrobat

d) Uniplex displays the first record matching this **condition** as. follows: ... Use files are **stored sequences of Database Query** statements that ...

www.uniplex.com/doco/IIPlus-3V900-V.pdf - [Similar pages](#)

[PDF] [CS_113 From Languages To Hardware](#)

File Format: PDF/Adobe Acrobat

"And" corresponds to **natural language** "and".. Assume the sentence ... Wait until

condition (clock or I/O) is **satisfied**. • No.

www.cs.swan.ac.uk/~csetzer/lectures/langhardware/02/langdrafhref.pdf - [Similar pages](#)

[PDF] [BOSTON UNIVERSITY GRADUATE SCHOOL OF ARTS AND SCIENCES ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

at v , search for all **stored** pairs with $v \leq x \leq p$ and with $y \leq v$. The **condition** on x and v

en- sures that the result interval ends after the **query** point, ...

cs-people.bu.edu/dgd/dgdDiss.pdf - [Similar pages](#)

[Index \(Jena Framework\)](#)

It is no longer legal to have a **language** tag on a well-formed XMLLiteral. ... ModelRDB: List the names of all models **stored** in the **database** ...

jena.sourceforge.net/javadoc/index-all.html - [Similar pages](#)

[RCRS](#)

Combining Matlab's built in matrix **language** with Ruby's networking and **database** access capabilities would make it even a better data analysis **language**. ...

www.rcrchive.net/rejected.html - 419k - [Cached](#) - [Similar pages](#)

[doc] [Digitalk License Statement This book and the accompanying software ...](#)

File Format: Microsoft Word

You **query** the **database** by supplying a collection of word strings, ... shows the error **condition**, and the **text** pane shows the most recently sent messages, ...

www.iam.unibe.ch/~ducasse/FreeBooks/SmalltalkVTutorial/SmalltalkVTutorial.doc -

[Similar pages](#)

[More results from www.iam.unibe.ch]

[PS] [Dynamically Discovering Likely Program Invariants Michael D. Ernst ...](#)

File Format: Adobe PostScript - [View as HTML](#)

A **query** on the trace **database** at the exit of makepat returned several cases in ... program **text**. Each boolean **condition** used in the program (for instance, ...

www.ai.mit.edu/projects/ntt/projects/MIT2001-01/documents/invariants-thesis.ps -

[Similar pages](#)

[PDF] [Chem Draw Users Guide v.8.0.01](#)

File Format: PDF/Adobe Acrobat

stored in a **database**, indexed by both structure. and **text** for Document ... pursue their ideas and communicate with colleagues using the **natural language** of ...
www.cambridgesoft.com/services/documentation/ChemOfficeEnterprise2005.pdf - Similar pages

[PS] LCO -OMCP & I

File Format: Adobe PostScript
storing tuples in a **database** that can be queried through the TQL **query language** [Conforti. et al., 2002]. More elaborated techniques, such as those based on ...
music.dsi.unifi.it/thesis/phdthesis-lore.ps.gz - Similar pages

[PDF] Context-Aware Methods Course on Context-Aware Computing 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)
of the tree contains a **condition associated** with some of the measurement ... sentence in **natural language text** is usually composed of nouns, pro- ...
www.cs.helsinki.fi/hiit_bru/courses/582446/PerEd2004/UHEL_CAC_methods_2003.pdf - Similar pages

[PDF] ET HANDBOOK NO. 400 BENEFITS QUALITY CONTROL ADP USER GUIDE Table ...

File Format: PDF/Adobe Acrobat
database system is a collection of data **stored** on the. system in a logical and consistant manner. ... C, and more closely approximate **natural language**. Once ...
www.workforcesecurity.doleta.gov/dmstree/handbooks/400/hb_400_2.pdf - Similar pages

[PDF] Communications Electronic Engineering.doc

File Format: PDF/Adobe Acrobat
operational and tactical levels, but less predictable at strategic level (use of **natural language, query**-based systems). Role of **database** systems: facility ...
www.edexcel.org.uk/VirtualContent/75900/Btec_Nationals_Comm_Electro_Eng_Specification.pdf - Similar pages

gawk - Online Manual Page Of Unix/Linux

While Statement:: Loop until some **condition** is **satisfied**. ... the **language** used to read **responses**, and information related to how numerical and monetary ...
www.phpman.info/index.php/info/gawk - 960k - [Cached](#) - Similar pages

File CKERMIT2.TXT, Supplement to "Using C-Kermit", Second Edition ...

Boolean Expressions (The IF/WHILE **Condition**) Prior to C-Kermit 7.0, the IF and WHILE ... is used to **query** the terminfo/termcap **database**; if the **query** fails, ...
www.mirrorservice.org/sites/kermit.columbia.edu/kermit/k95/ckermi2.txt - 669k - [Cached](#) - Similar pages

Cover Pages: XML Articles and Papers July 2003

A new **query language** developed by SQL veterans is promising to smooth things ... with the data in the **database**, and have to be **stored** somewhere, as well. ...
xml.coverpages.org/xmlPapers200307.html - 371k - [Cached](#) - Similar pages
[[More results from xml.coverpages.org](#)]

[PDF] Proceedings of the Fourth International Cognitive Robotics Workshop

File Format: PDF/Adobe Acrobat
relevant to just one state using **Boolean expressions** (in ... whose **conditions** are **satisfied**, one is chosen for execution. Eventu- ...
www.ida.liu.se/~patdo/cogrob04/final_papers/%20cr04_proceedings.pdf - Similar pages

[PDF] Real-Time and Embedded Guide

File Format: PDF/Adobe Acrobat
concrete example given in the **text**. Moreover, this Guide is not meant to be ... with using composite **boolean expressions**, such that **condition** variables are ...

download.gna.org/wisirc/WizIx/doc/rtHowTo.pdf - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

and gender, the **natural conditions** of the landscape (instability for the landslide ... These data were **stored** in a **database** in Microsoft Access format. ...
gisweb.ciat.cgiar.org/SIG/download/Annual_Report_2003.pdf - [Similar pages](#)

[PDF] [Design Oriented Verification and Evaluation: The DOVE Project](#)

File Format: PDF/Adobe Acrobat

the use of **natural language** can lead to considerable confusion due to di ... The logical theory **associated** with the state machine is **stored** in two files. ...
www.dsto.defence.gov.au/publications/2487/DSTO-TR-1349.pdf - [Similar pages](#)

[PDF] [Automated Security Manager Help](#)

File Format: PDF/Adobe Acrobat

response. 1. Define the action to be taken when these **conditions** match the ... file **stored**. If the server is remote, the **database** will be saved to the ...
www.enterasys.com/support/manuals/SecMgr_2.0-web/AutoSecMgr.pdf - [Similar pages](#)

[PDF] [NetSight Atlas Console and Automated Security Manager Help](#)

File Format: PDF/Adobe Acrobat

This **database** gives Console the ability to **query** and set (as appropriate) MIB objects ... This causes the **text** field to display the **natural** network mask. ...
www.enterasys.com/support/manuals/Atlas_Console_1.5-web/AtlasConsole.pdf - [Similar pages](#)

[PDF] [PostgreSQL User's Guide](#)

File Format: PDF/Adobe Acrobat

The **query language** Postquel was replaced with SQL (implemented in the server). ... These are specified and **stored** in the **database** as fields of type **text** ...
www.dcs.ed.ac.uk/teaching/cs2/prac6/userguide_postgres7.pdf - [Similar pages](#)

[PDF] [PostgreSQL Documentation](#)

File Format: PDF/Adobe Acrobat

This action physically removes all files **associated** with the **database** and cannot ... **NATURAL**. The join. **condition** determines which rows from the two source ...
www2.davidashen.net/postgres.pdf - [Similar pages](#)

[PDF] [UMLProfilefor EnterpriseDistributed Object Computing Specification](#)

File Format: PDF/Adobe Acrobat

the **condition** expression, then the EventCondition has been **satisfied**. ... **Query**: A two-way, request, **response**, with the **response** being the **query** result set. ...
se2c.uni.lu/tiki/se2c-bib_download.php?id=388 - [Similar pages](#)

[PDF] [EJB 3RD EDITION - Richard Monson-Haefel](#)

File Format: PDF/Adobe Acrobat

This chapter addresses the Enterprise JavaBeans **Query Language** (EJB QL), ... or place whose description is **stored** in a **database**. ...
mirrors.cn99.com/books/OReilly%20-%20Enterprise%20Javabeans%203rd%20Edition.pdf - [Similar pages](#)

[PDF] [Refactoring: Improving the Design of Existing Code](#)

File Format: PDF/Adobe Acrobat

more **natural** for C programmers). Let's test it. My **text** editor tells me there ... any other method in which there is a sensible general **response** to a **query**. ...
mirrors.cn99.com/books/Refactoring.pdf - [Similar pages](#)
[[More results from mirrors.cn99.com](#)]

7. Science units of study - Education handbook - The University of ...

This unit of study will explore the **responses** of cells to changes in their ... a comprehensive introduction to **database** management, **SQL query language**, ...
www.usyd.edu.au/handbooks/education_social_work/07_sciunits.shtml - 871k -
Cached - Similar pages

[PDF] Untitled

File Format: PDF/Adobe Acrobat
planning, and **natural language** interfaces. These folks also used Lisp and ... **query** the **database**. You might like, for instance, to be able to write ...
cognition.iig.uni-freiburg.de/~ws05/lisp/Practical%20Common%20Lisp%20-%20Peter%20Seibel.pdf - Similar pages

[PDF] Information Systems Architecture a practical and mathematical approach

File Format: PDF/Adobe Acrobat
using **natural language** only. (All concepts we introduce are in italics. ... company the objects are **stored** in a **database**. So the **database** consists of ...
www.wis.win.tue.nl/2M310/diktaat.pdf - Similar pages

[PDF] Informix Guide to SQL: Tutorial

File Format: PDF/Adobe Acrobat
What **language** is used to create, **query**, and modify a **database**? ... To connect two or more comparison **conditions**, or **Boolean expressions**, use ...
dupond.nada.kth.se:8080/webbvaruhuset/informixhelp/sql-tutorial.pdf - Similar pages

[PDF] LIMITATIONS IN THE UNDERSTANDING OF MATHEMATICAL LOGIC BY NOVICE ...

File Format: PDF/Adobe Acrobat
was formed and **stored** for later use in the register or memory, the. result of the test of a **condition** was used immediately (as in an ...
www.cs.utexas.edu/ftp/pub/techreports/tr94-33.pdf - Similar pages

[PDF] OAKLAND UNIVERSITY

File Format: PDF/Adobe Acrobat
natural language and a survey of the techniques for computer. parsing. ... **query** optimization for **database** systems; distributed **database** ...
www2.oakland.edu/grad/grad2/catalog/Catalog2003.pdf - Similar pages
[[More results from www2.oakland.edu](#)]

PeachSeed Software Alpha Listing - Your Internet Shareware Source

AI Friend process **natural language** (English) and will talk to you. ... **Text** replies are **stored** in a **database** for easy re-use so you can add them to emails ...
www.peachseed.com/alpha.html?alpha_idx=A - Similar pages

[doc] OASIS eXtensible Access Control Markup Language (XACML) Committee ...

File Format: Microsoft Word - [View as HTML](#)
Sometimes the XACML rule is **satisfied** if any one of the attribute values meets the ...
Policy statements may be **stored** in a **database**, whose data-model is ...
lists.oasis-open.org/archives/xacml/200211/doc00001.doc - Similar pages

[doc] OASIS eXtensible Access Control Markup Language (XACML) Committee ...

File Format: Microsoft Word - [View as HTML](#)
Policy statements may be **stored** in a **database**, whose data-model is ... These elements represent **boolean expressions** over attributes of the subject, ...
lists.oasis-open.org/archives/xacml/200212/doc00001.doc - Similar pages

[doc] OASIS eXtensible Access Control Markup Language (XACML) Committee ...

File Format: Microsoft Word - [View as HTML](#)

Policy statements may be **stored** in a **database**, whose data-model is congruent ... These elements represent **boolean expressions** such that their syntax SHALL ...
kavi.oasis-open.org/archives/xacml/200210/doc00006.doc - [Similar pages](#)

[PDF] [Proceedings of the 22nd Information Systems Research Seminar in ...](#)

File Format: PDF/Adobe Acrobat

The data for the checklists were **stored** in a FoxPro **database**, where the data was ... NL denotes **natural language**, F stands for formal and SF is semi- ...
www.cs.jyu.fi/~timokk/Iris22/IRIS22_Volume3.pdf - [Similar pages](#)

[PDF] [Computer Science Aalborg University](#)

File Format: PDF/Adobe Acrobat

Such tuples are already **stored**. in the **database** if tuples are not ... The **associated** algebraic. **query language** allows expressing queries for partial ...
www.cs.aau.dk/~kleist/ResEval05/reseval05.pdf - [Similar pages](#)

[PDF] [Dynamically Discovering Likely Program Invariants](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

program **text**. Each boolean **condition** used in the program (for instance, ... **stored** unordered in a **database**; it requires online processing or storing samples ...
pag.csail.mit.edu/~mernst/pubs/invariants-ernst-phdthesis.pdf - [Similar pages](#)

[The GNU Awk User's Guide](#)

In this case, the **text** of the line is **stored** in lines[count] If the **condition** is **satisfied**, the pattern is said to match the input record. ...
bs2000.fujitsu-siemens.com/download/Goodies/SMAWPlus/SMAWPGawk/html/gawk.html - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

history as the "go to" **text** on how to use the PL/SQL **language**. ... **stored** function that executes a **query** against the **database**. If condition2 is evaluated in ...
www.oraasp.net/book/book.aspx?ID=10 - [Similar pages](#)

[PDF] [Microsoft PowerPoint - cwd33_11_v1.0_sie_cwd introduction.ppt](#)

File Format: PDF/Adobe Acrobat

As a rather **natural** choice, we selected the MSC **language** and the equivalent ... between configurations and **Boolean expressions** over variant names is ...
www.esi.es/Projects/Families/docum/results/Evolution,%20Adaptation%20&%20Maintenance%20Qualities.pdf - [Similar pages](#)

[PDF] [Advantage Ingres 2.6, Using Character-Based Querying and Reporting ...](#)

File Format: PDF/Adobe Acrobat

Know how to use the **database query language** (SQL or QUEL) used at your ... Specifications for several reports can be **stored** in one **text** file by using ...
www.cc.utu.fi/static/ingres/QRTOOLS.PDF - [Similar pages](#)

[PDF] [Data View Builder](#)

File Format: PDF/Adobe Acrobat

Boolean expressions test true or false. You can specify that the ... particular schema you have **associated** with the **stored query**, any changes made to these ...
edocs.bea.com/liquiddata/docs81/pdf/querybld.pdf - [Similar pages](#)

[PDF] [IDOL server 5.book](#)

File Format: PDF/Adobe Acrobat

Note: you can **query** all **stored** fields using field specifiers in field **text** ... comprises), IDOL server conceptually matches **natural language text** content in ...
edocs.bea.com/wlp/docs92/autonomy/pdf/IDOL%20server%205%20rev4.pdf -

Similar pages

[[More results from edocs.bea.com](#)]

[PDF] [IEO -ODDOMP](#)

File Format: PDF/Adobe Acrobat

stored in a **database** should be translated to the CORBA **language-neutral** Interface ...

Query strings typically contain **boolean expressions** ...

[hss.ulb.uni-bonn.de/diss_online/math_nat_fak/2003/shumilov_sergey/0266.pdf](#) -

[Similar pages](#)

[PDF] [Physics Analysis Workstation User's guide](#)

File Format: PDF/Adobe Acrobat

ZEBRA data structure and **stored** in a HIGZ **database** for later reference (eg ... **Boolean**

expressions can only be used in the macro statements IF, WHILE, ...

[www.pv.infn.it/sc/cern/paw.pdf](#) - [Similar pages](#)

[sarahintampa: Web/Tech](#)

The patent-pending **natural language** processing (NLP) engine that powers the ... You can use **Boolean expressions** and quotes, but it didn't seem to help. ...

[hyperculture.typepad.com/sarah/webtech/index.html](#) - 684k - [Cached](#) - [Similar pages](#)

[PDF] [A LOGICAL APPROACH TO COMPUTATIONAL CORPUS LINGUISTICS](#)

File Format: PDF/Adobe Acrobat

as a translation of the **natural language text**, expressed by a logical lan- ... iff all context

conditions are **satisfied**, all other readings are discarded" ...

[www.ling.gu.se/~lager/Thesis.pdf](#) - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

1. has **satisfied** all **conditions** of admission;. 2. has maintained a concentration/ ...

interfaces to **database** systems. Web data models, web **query** ...

[www.algomau.ca/pdf/AUC_2006_Calendar.pdf](#) - [Similar pages](#)

[RTF] [DOT/FAA/CT-91/1](#)

File Format: Rich Text Format - [View as HTML](#)

Counting the **conditions** was straightforward because the jumps each contain simple

conditions. If the **language** contains a compound conditional, ...

[www.faa.gov/aircraft/air_cert/design_approvals/air_software/research/media/CT-91-1-](#)

[SQM.rtf](#) - [Similar pages](#)

[The GNU Awk User's Guide](#)

While Statement: Loop until some **condition** is **satisfied**. ... In this case, the **text** of the line is **stored** in lines[count] . Each element of lines is a ...

[linux.math.tifr.res.in/manuals/html/gawk.html](#) - 977k - [Cached](#) - [Similar pages](#)

[PDF] [Enhancing Knowledge Acquisition with Constraint Technology](#)

File Format: PDF/Adobe Acrobat

dicting letter sequences in **natural language** texts, and learning the past tense ... **satisfied**

by its solution. For example, is the **condition** sufficient to ...

[www.csd.abdn.ac.uk/publications/theses/downloads/white/white.pdf](#) - [Similar pages](#)

[PDF] [Learning in Web Search Guest Editors: Stephan Bloehdorn Wray ...](#)

File Format: PDF/Adobe Acrobat

query in a **natural language**, followed by individual step. descriptions. **Natural language**

interface ... rule **condition** is **satisfied**, a binding structure is ...

[ai.ijs.si/informatica/PDF/Informatica_2006_2.pdf](#) - [Similar pages](#)

[PDF] [A Federated Approach to Enterprise Integration](#)

File Format: PDF/Adobe Acrobat

In the original AllBooks environment, a central **database stored** most of the business ... and that the **conditions** for their execution. have been **satisfied**. ...

adl.lib.swin.edu.au/uploads/approved/adl-VSWT20060502.113336/public/02whole.pdf - [Similar pages](#)

[PDF] [Interactive Drama, Art and Artificial Intelligence](#)

File Format: PDF/Adobe Acrobat

When the player enters **text** it is passed to the **natural language** processing ... and a priority test, the priority **associated** with a **satisfied** priority test ...

www-2.cs.cmu.edu/~michaelm/publications/CMU-CS-02-206.pdf - [Similar pages](#)

[PDF] [User's Guide](#)

File Format: PDF/Adobe Acrobat

matically at run time (if enable **conditions** are **satisfied**). ... eight states (**Boolean expressions**) which control the object's color properties at. runtime. ...

www.phoenixcon.com/products/interbus/Studio.pdf - [Similar pages](#)

[PDF] [TOUCH OF CLASS](#)

File Format: PDF/Adobe Acrobat

Natural language. Nesting. Node. Nonterminal. Object. Operator. **Query ... condition** — a boolean expression. As usual, our **boolean expressions** in ...

se.inf.ethz.ch/teaching/ws2003/37-001/book/TOUCH_current.pdf - [Similar pages](#)

[PDF] [Final Report](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

language is based on **Boolean expressions**, so it has a relatively limited expressive ... cution or in other words, if the predicate is **satisfied** at runtime. ...

ftp://ftp.informatik.uni-stuttgart.de/pub/library/ncstrl.ustuttgart_fi/TR-2004-02/TR-2004-02.pdf - [Similar pages](#)

[PS] [Summary of Awards Fiscal Year 1996 NSF 97-139 National Science ...](#)

File Format: Adobe PostScript - [View as HTML](#)

Current benchmarks show that the XSB system is significantly faster than more traditional approaches to deductive **database query** evaluation, ...

www.nsf.gov/pubs/1997/ccr97sum/ccr97sum.ps - [Similar pages](#)

[SLIB: Top](#)

Typical **responses** are to abort the program or to enter a read-eval-print loop. ...

Transparent execution of **database** commands **stored** in *commands* table in ...

www.polarhome.com:793/doc/slib-3a1/slib.html - [Similar pages](#)

[PDF] [CARNEGIE MELLON UNIVERSITY](#)

File Format: PDF/Adobe Acrobat

ants for the systems and a proof system to check the validity of the **associated** verification **conditions**. (VCs). The construction of the invariants is a ...

research.microsoft.com/~shuvendu/papers/phd_thesis.pdf - [Similar pages](#)

[PDF] [AN AUTOMATIC TRANSCRIPTION SYSTEM FOR ARABIC NUMERALS IN KOREAN](#)

File Format: PDF/Adobe Acrobat

allows **query** in **natural language**. With the power. gain from NLP and IR, ... and recording **conditions** that **associated** with the. speech are **stored** in a Bell ...

www.icl.pku.edu.cn/WebData_http-dir-listable/Proceedings/NL-PKE2003/pdf/A09-01.PDF - [Similar pages](#)

[PDF] [High Integrity Hardware-Software Codesign](#)

File Format: PDF/Adobe Acrobat

to the **text** matching that the **database** search required. ... SPARK **language** restrictions,

and produces proof **conditions** on program properties ...
www.suslik.org/Thesis/main_britlib.pdf - [Similar pages](#)

[PDF] [Solution guide for migrating Oracle on UNIX to SQL Server on Windows](#)

File Format: PDF/Adobe Acrobat

response time to online users on a Web site can drive more **satisfied** customers ... The mode for the Oracle **database** can be found using the following **query**: ...
www.willydev.net/descargas/WillyDev_Oracle2SQLServerGuide.pdf - [Similar pages](#)

[PDF] [UNSW@ADFA - Student Information - 2004 ADFA Handbook](#)

File Format: PDF/Adobe Acrobat

Natural response of RL and RC circuits; forced **response** of RL and RC circuits; complete **response** of ... normalization, **database query** languages (SQL and ...
www.unsw.adfa.edu.au/student/handbook/2004hbook.pdf - [Similar pages](#)

[PDF] [UNSW@ADFA - Student Information - 2002 ADFA Handbook](#)

File Format: PDF/Adobe Acrobat

the **database** schema is explored. The SQL **language** is introduced and used to illustrate flexible ... **Natural response** of RL and RC circuits; forced **response** ...
www.unsw.adfa.edu.au/student/handbook/2002hbook.pdf - [Similar pages](#)

[PDF] [GAWK: Effective AWK Programming](#)

File Format: PDF/Adobe Acrobat

printing error messages, the **language** used to read **responses**, ... If the **condition** is **satisfied**, the pattern is said to match the input record. A ...
www.uni-koeln.de/math-nat-fak/tcchem/mitarbeiter/weber/weber/gawk.pdf - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

that if the **condition** is **satisfied**, the indicated action should be taken. Be- ... **Text Database**. User. Interface. **Text**. Pre-Processor. **Query**. Operations ...
www.ctit.utwente.nl/library/phd/r_guizzardi.pdf - [Similar pages](#)

[PDF] [A Concept-Based Information Retrieval Approach for User-oriented ...](#)

File Format: PDF/Adobe Acrobat

Monothetic. Polythetic. **Query language**. Artificial. **Natural**. **Query** specification Complete. Incomplete. Items wanted. Matching. Relevant. Error **response** ...
www.iicm.edu/.../thesis_csafran.pdf - [Similar pages](#)

[PDF] [MultiNet for OpenVMS Installation/Introduction and Administrator's ...](#)

File Format: PDF/Adobe Acrobat

Documentation that has been translated into another **natural language** may be included ... loc is the device/directory where the installation kit is **stored**. ...
www.process.com/tcpip/mndocs51/multinet_admin_guide.pdf - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

feature with its **associated** test cases using code profilers and similar tools, ... saver because input can be **stored** in a file or a **database** to be used at a ...
www.wpi.edu/Pubs/ETD/Available/etd-1211102-163800/unrestricted/amehta.pdf - [Similar pages](#)

[PDF] [Adobe Acrobat Help](#)

File Format: PDF/Adobe Acrobat

A search **query** is an expression made up of **text** and other items to define the information you want to find. Opening a PDF document **associated** with an index ...
www.aces.edu/ctu/compref/acrobat/5.x/AcroHelp.pdf - [Similar pages](#)

[PDF] [Mathcad Users Guide.book](#)

File Format: PDF/Adobe Acrobat

the paragraph properties **associated** with the style for that **text** region. ... You can change the order in which the fields of your **database** are **stored** in the ...
www.abo.fi/fak/ktf/ank/Documents/datank/Mathcad%20User's%20Guide%20with%20Reference%20Manual.pdf - [Similar pages](#)

[PDF] [Oracle8 SQL Reference, Release 8.0](#)

File Format: PDF/Adobe Acrobat

Within expressions and **conditions**, Oracle treats **text** literals as though they ... the **database**, or written in a **language** like C and **stored** externally. ...
www.iaushab.ac.ir/DrKavyani/Home%20work/SQL%20Oracle.pdf - [Similar pages](#)

[PDF] [Third International Workshop on Distributed Event-Based Systems](#)

File Format: PDF/Adobe Acrobat

are **stored** as historical predicates and are **associated** with ... Event Monitoring **Language** for Distributed Systems. Dis- ...
www-serl.cs.colorado.edu/~carzanig/debs04/debs04proceedings.pdf - [Similar pages](#)

[PDF] [IBM Informix Guide to SQL: Reference](#)

File Format: PDF/Adobe Acrobat

industry standards for the Structured **Query Language** (SQL). IBM Informix ... You can use **TEXT** operands in **Boolean expressions** only when you are testing ...
publib.boulder.ibm.com/infocenter/idshelp/v10/topic/com.ibm.pdfs.doc/25122830.pdf - [Similar pages](#)

[PDF] [Submission to the UML 2.0 RfP for OCL](#)

File Format: PDF/Adobe Acrobat

Such constraints are often described in **natural language**. ... **condition**» stereotypes of Constraint **associated** with an Operation or other behavioral feature. ...
bdn1.borland.com/article/borcon/files/3292/paper/UML20_OCL03-01-07.pdf - [Similar pages](#)

[PDF] [Table of Contents](#)

File Format: PDF/Adobe Acrobat

language and display Web **text** and images. Not all Web browsers interpret HTML the same ... A **query** is used to retrieve a set of records from your **database**. ...
www.education.gov.lk/docs/git_book.pdf - [Similar pages](#)

[PDF] [User Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

represented by **boolean expressions** enclosed in square brackets before a process ... **condition** is not **satisfied**, Mobius will show the error dialog shown in ...
www.perform.csl.uiuc.edu/mobius/manual/MobiusManual.pdf - [Similar pages](#)

[PDF] [Imperial College of Science, Technology and Medicine](#)

File Format: PDF/Adobe Acrobat

automate the process of mapping **natural language** policy statements into ... either allow or deny a request if the **condition** of the policy rule is **satisfied**. ...
www-dse.doc.ic.ac.uk/Research/policies/ponder/thesis-ncd.pdf - [Similar pages](#)

[PDF] [Facilitating the Modelling and Automated Analysis of Cryptographic ...](#)

File Format: PDF/Adobe Acrobat

stored in the DesignController **associated** with the protocol. ... calls that can be used to **query** whether specific **conditions** are true so that the ...
www.cs.uct.ac.za/Research/DNA/SPEAR2/download/thesis.pdf - [Similar pages](#)

[PDF] [Maple 7 Programming Guide](#)

File Format: PDF/Adobe Acrobat

of the above code is that Maple will attempt to check the second **condition**. only when x = 0. **Boolean Expressions** In general, a Boolean context requires a ...
math.tkk.fi/teaching/v/maple/prguide.pdf - [Similar pages](#)

[PDF] [Delphi 3.0](#)

File Format: PDF/Adobe Acrobat

This manual is about the Object Pascal **language** as it is used in Delphi. ... **text** files, the file must be **associated** with an external file using AssignFile, ...
wall.riscom.net/books/delphi/objpaslg.pdf - [Similar pages](#)

[PDF] [bulletin](#)

File Format: PDF/Adobe Acrobat

Database Systems. (3). Review of the relational model; **query** ... models to problem solving in **natural language** processing, decision ...
academic.memphis.edu/gradcatalog0103/gradcatalog0103_pdf/catindex.pdf - [Similar pages](#)

[PDF] [Real-Time and Embedded Guide](#)

File Format: PDF/Adobe Acrobat

The four **conditions** that have to be **satisfied** in order to (potentially! ... with using composite **boolean expressions**, such that **condition** variables are ...
www.vmlinux.org/rtl/src/howto/rtHOWTO.pdf - [Similar pages](#)

[PDF] [The New C Standard](#)

File Format: PDF/Adobe Acrobat

Table 787.15: **Response** time (in milliseconds) to fail to match two letter sequences. ... to program understanding by **natural language** understand- ...
www.coding-guidelines.com/cbook/usefigtab.pdf - [Similar pages](#)

[Linux Dictionary Version 0.12 Author: Binh Nguyen Editor: Sam ...](#)

Key point: Modern UNIX systems allow for shadowed password files, **stored** in locations ...
[Unix techspeak] An interpreted **language** for massaging **text** data ...
www.hx4.com/files/LUGbits/LinuxTutorials/LinuxDictionary.txt - [Similar pages](#)

[DEC Rdb](#)

[Release Notes ...](#)

As 8 bytes of overhead are **associated** with each record **stored** on a page, ... of new rows that would have **satisfied** the **query** to read the item detail rows. ...
www.s-and-b.ru/syshlp/decrdb051.release_notes - 925k - [Cached](#) - [Similar pages](#)

[PDF] [Design Patterns CD](#)

File Format: PDF/Adobe Acrobat

In **response**, each observer will **query** the subject to synchronize its state with ... Both rely on **natural language** and lots of examples to describe patterns ...
www.inf.udec.cl/~eossesa/Design%20Patterns%20-%20Gamma,%20GOF.pdf - [Similar pages](#)

◀ **Google** ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

condition satisfied natural language :

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Sign in](#)



[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

condition satisfied natural language associated

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results **401 - 475** of about **735** for **condition satisfied natural language associated responses text qu**

[\[PDF\] Design Patterns : Elements of Reusable Object-Oriented Software](#)

File Format: PDF/Adobe Acrobat

In **response**, each observer will **query** the subject to synchronize ... **natural language** and lots of examples to describe patterns rather than formal ...

www.uml.org.cn/c++/pdf/DesignPatterns.pdf - [Similar pages](#)

[\[PDF\] PEP2005, held in conjunction with UM05](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

together with **associated** data to UMCs. In our product line architecture, UMCs are treated as variant components guarded by **Boolean expressions** which ...

www.isr.uci.edu/pep05/papers/w9-proceedings.pdf - [Similar pages](#)

[\[PDF\] Building Whole Applications Using Only Programming-by-Demonstration](#)

File Format: PDF/Adobe Acrobat

condition should be applied before or after the behavior's **response**. ... modifications are **stored** in the "changes that must be **satisfied**" data structure, ...

reports-archive.adm.cs.cmu.edu/anon/1999/CMU-CS-99-128.pdf - [Similar pages](#)

[\[PDF\] Physical One-Way Functions](#)

File Format: PDF/Adobe Acrobat

a way that the cloned version produces identical **responses** to all probe states. ... Gabor hash and those of all the tokens **stored** in the **database**. ...

islab.oregonstate.edu/koc/ece399/notes/pappu.pdf - [Similar pages](#)

[\[PDF\] Advanced Programming Guide](#)

File Format: PDF/Adobe Acrobat

Identifiers Commands that can specify or **query** whether a file is a **text** ... putation of the procedure is to be **stored** in a remember table **associated** ...

ls11-www.informatik.uni-dortmund.de/people/hermes/manuals/maple/unido-local/advpg.pdf - [Similar pages](#)

[\[PS\] \(Submission to the UML 2.0 RfP for OCL\)](#)

File Format: Adobe PostScript

Such constraints are often described in **natural language**. ... **condition**» stereotypes of Constraint **associated** with an Operation or Method. ...

www.db.informatik.uni-bremen.de/publications/Warmer_2001_OMGsub.ps - [Similar pages](#)

[From ???@??? Thu May 13 17:21:13 1999 Received: from mail.timestep ...](#)

Other working groups would develop domain-dependent **conditions** and actions ... Could you perhaps post the **text** to this mailing > list so it gets **stored** in ...

www.vpnc.org/ipsec-policy/entire-arch.txt - [Similar pages](#)

[ENGN UMR0132 RSD-TR-15-8 COORDINATED RESEAPRCH; IN ROBOTICS i ~AND ...](#)

The **query**, **response**, and order statements are used to allow one task to interrupt ...

Boolean expressions are created by selecting AND/OR options with the ...

deepblue.lib.umich.edu/bitstream/2027.42/3315/4/bab0498.0003.001.txt - 276k -

Cached - [Similar pages](#)

[\[PDF\] c 2005 by Geetanjali Sampemane. All rights reserved.](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

5.3 ACS **response** time with varying with number of clients to be **stored** securely, presented while requesting services, and **associated** by the ...
gaia.cs.uiuc.edu/papers/thesis-geta.pdf - [Similar pages](#)

[PDF] [Condor Version 6.2.0 Manual](#)

File Format: PDF/Adobe Acrobat

Fixed a race-**condition** in Condor's PVM support on SMP machines (introduced in version 6.1.16) that caused PVM tasks to be **associated** with the wrong daemon. ...
www.phys.utb.edu/griphyn/tools/condor/condor-V6_2-Manual.pdf - [Similar pages](#)

[PS] [Condor Version 6.2.0 Manual](#)

File Format: Adobe PostScript

Fixed a race-**condition** in Condor's PVM support on SMP machines (introduced in. version 6.1.16) that caused PVM tasks to be **associated** with the wrong daemon. ...
www.phys.utb.edu/griphyn/tools/condor/condor-V6_2-Manual.ps - [Similar pages](#)

[PDF] [AMOEBA](#)

File Format: PDF/Adobe Acrobat

The **text** is scanned for variable replacement before it is **associated** with the ... **Boolean expressions** can also be used to force control flow within a tool ...
www.cs.vu.nl/pub/amoeba/manuals/pro.pdf - [Similar pages](#)

[Index \(Jena Framework\)](#)

Translator that generates a DIG roleFillers **query** in **response** to a find queries: :a :r :b ...
ModelRDB: List the names of all models **stored** in the **database** ...
hermes.dblab.dankook.ac.kr/jena/javadoc/index-all.html - [Similar pages](#)

[PDF] [August/2004](#)

File Format: PDF/Adobe Acrobat

are waiting on a **condition** that cannot be **satisfied**. ... be a reference to a more complicated object, such as a **query** to a **database** or to a search engine. ...
www.cs.rit.edu/~hpb/Lectures/20041/Java_707/all.pdf - [Similar pages](#)

[PDF] [Deliverable 8.1 Definition of Service Provisioning Goals, Economic ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and **stored** in the accounting data base. To be able to identify the ... Consider a **query** to a balanced web site. A typical **response** could be as in ...
[libresource.inria.fr/projects/emanics/documents/deliverables/D8_1-v2_0_pdf?](http://libresource.inria.fr/projects/emanics/documents/deliverables/D8_1-v2_0_pdf?action=download&nodecorator)
[action=download&nodecorator](#) - [Similar pages](#)

[CKERMIT70.HTM - C-Kermit 7.0 Update Notes](#)

Boolean Expressions (The IF/WHILE **Condition**) 7.21. ... is used to **query** the terminfo/termcap **database**; if the **query** fails, ANSI/VT100 sequences are used. ...
www.columbia.edu/kermit/ckerm70.html - 744k - [Cached](#) - [Similar pages](#)

[PDF] [MineSet User's Guide](#)

File Format: PDF/Adobe Acrobat

The DataMover provides access to databases and data **stored** in flat files, and ... Choose **Query-language**, then choose the appropriate **database** from those ...
techpubs.sgi.com/library/manuals/3000/007-3214-004/pdf/007-3214-004.pdf - [Similar pages](#)

[Package: 2utf Version: 1.04 Priority: optional Section: text ...](#)

Sgrep implements a **query language** based on so called region expressions. . Like grep, sgrep can be used for any kind of **text** files. ...
archive.debian.org/dists/hamm/main/binary-m68k/Packages - 984k - [Cached](#) - [Similar pages](#)

[PDF] MusicKit and SndKit Concepts

File Format: PDF/Adobe Acrobat

ScoreFile is a simple **text**-based scripting **language** that allows musical data to be ...

ScoreFile supports simple loop constructs, **boolean expressions**, ...

www.musickit.org/MusicKitConcepts.pdf - [Similar pages](#)

[PDF] Proceedings 2006 International Workshop on Description Logics DL'06

File Format: PDF/Adobe Acrobat

means that all pre-**conditions** are **satisfied** in the states of the world considered ...

Generate **Natural Language Text**. Cambridge University Press, 1985. ...

ftp.informatik.rwth-aachen.de/Publications/CEUR-WS/Vol-189/DL2006.pdf - [Similar pages](#)

[PDF] Condor Version 6.4.7 Manual

File Format: PDF/Adobe Acrobat

Numeric values and **boolean expressions** can go in directly. For example, ... At the

moment these de-. tails are **stored** in. clear **text** under the key ...

www.clusters.arc.georgetown.edu/docs/condor/condor-V6_4-Manual.pdf - [Similar pages](#)

[PDF] Book of Abstracts

File Format: PDF/Adobe Acrobat

structure accurately represents clients' views of the alliance, client **responses** to an open-ended session. evaluation **query** were broken into thought units ...

www.psychotherapyresearch.org/events/downloads/montreal.boa_web.pdf - [Similar pages](#)

[PDF] Semantics and Verification of UML Activity Diagrams for Workflow ...

File Format: PDF/Adobe Acrobat

ie, both production and control data, are **stored** in the **database** (see Figure 2.2). ...

Conditions are **boolean expressions**. They can only refer to the ...

www.ctit.utwente.nl/library/phd/eshuis.pdf - [Similar pages](#)

[PDF] RESOURCE AND KNOWLEDGE DISCOVERY FROM THE INTERNET AND MULTIMEDIA ...

File Format: PDF/Adobe Acrobat

to be **stored**. **Database query** languages have been investigated for many years and ...

This can be reduced by adding new stopwords and/or use **natural language** ...

fas.sfu.ca/pub/cs/theses/1999/OsmaZaianePhD.pdf - [Similar pages](#)

[PDF] Educational Multimedia Databases

File Format: PDF/Adobe Acrobat

media data then consists of composing a **database query** on the metadata, retrieving ... for what purposes, what **natural language** is used by the item. ...

doc.utwente.nl/fid/1430 - [Similar pages](#)

[PDF] MPE/iX Commands Reference Manual

File Format: PDF/Adobe Acrobat

associated with the current spoolfile or the previous spoolfile. The setting. of the DIALOG option always determines the **conditions** under which the ...

docs.hp.com/en/32650-90877/32650-90877.pdf - [Similar pages](#)

JOS Statistics - Recent Comments

However, it does have a **query language** called "Recall" or often called "English". ... MS

SQL Server **database** containing functions and **stored** procedures. ...

www.usabilitymustdie.com/jos/WWW_Weekly_Comments_21_Sep_2003.html - 869k -

[Cached](#) - [Similar pages](#)

[[More results from www.usabilitymustdie.com](#)]

[PDF] Linux Dictionary

File Format: PDF/Adobe Acrobat

Readers may **query** the dictionary **database** by keyword, generate a complete listing of all terms and ... from a set of **natural language** dictionary databases. ...
ploug.eu.org/doc/linux-dictionary.pdf - [Similar pages](#)

[PDF] [Quartus II Version 6.0 Handbook, Volume 2: Design Implementation ...](#)

File Format: PDF/Adobe Acrobat

creating a **query** in the Pin Finder, add an Assignment **condition** set. to unassigned. ...
netlist is **stored** internally in the Quartus II software **database**. ...
www.altera.com/literature/hb/qts/qts_qii5v2.pdf - [Similar pages](#)

[PDF] [Collected Work](#)

File Format: PDF/Adobe Acrobat

Collected data are **stored** in a **database**. Since the instrumentation code performs **database** ... its **query language** with Boolean connectives and operators from ...
theory.stanford.edu/~iliano/papers/muri99.pdf - [Similar pages](#)

[PDF] [C:/Latex/2003 -Tesis/tesis.dvi](#)

File Format: PDF/Adobe Acrobat

Database query schema support a compact representation of resource re- ... when, how and why a **condition** has been **satisfied** and the way to treat them if ...
atc1.aut.uah.es/~mdolores/Docs/2003/MDR-Moreno-thesis.pdf - [Similar pages](#)

[PDF] [Kompedium nr. 51 til IN210 Dino Karabeg og Rune Djurhuus](#)

File Format: PDF/Adobe Acrobat

If two **conditions** need to be **satisfied** simultaneously then you have a two ... **language**, for example in the **database query** languages. In the **database query** ...
www.ifi.uio.no/in210/kompedium/in210_komp99.pdf - [Similar pages](#)

[PDF] [Continuous Business Process Management with HOLOSOFX BPM Suite and ...](#)

File Format: PDF/Adobe Acrobat

All of this modeling information is then **stored** in the **database** of ... Note that all **conditions** need **Boolean expressions** to define them. Therefore, we ...
www.redbooks.ibm.com/pubs/pdfs/redbooks/sg246590.pdf - [Similar pages](#)

[PDF] [MAXAda for RedHawk Linux Reference Manual](#)

File Format: PDF/Adobe Acrobat

Ada **language**. This document specifies all MAXAda-specific compiler-dependent ... Each MAXAda environment has an Environment Search Path **associated** with it. ...
ccur.com/isdmanuals/4Languages/0898537-110_MAXAda_for_RedHawk_Linux_Reference_Manual_(Version_3.4).pdf - [Similar pages](#)

[PDF] [Ebook banner rotater for General Internet](#)

File Format: PDF/Adobe Acrobat

Using the site **database**, Netfind tries to find up to three Internet domains that match your **query** and. that are worthy of further consideration. ...
www.dvara.net/HK/tricks%20of%20the%20internet%20gurus.pdf - [Similar pages](#)

[PDF] [Cactus 4.0 Thorn Guide](#)

File Format: PDF/Adobe Acrobat

conditions should **query** this thorn about the set of faces that have symmetry ... be used directly in Fortran **boolean expressions**, as in the examples in ...
www.cactuscode.org/old/Guides/Stable/ThornGuide/ThornGuideStable.pdf - [Similar pages](#)

[PDF] [Thinking in C++ 2nd ed Volume 2 rev 19](#)

File Format: PDF/Adobe Acrobat

as collections of **Boolean expressions** and have a test program report any failures ... The test_ () macro can extract the **text** of the Boolean **condition** that ...

www.tutok.sk/fastgl/download/books/Thinking%20in%20C++%202nd%20ed%20Volume%202%20rev%2020.pdf - [Similar pages](#)

[PDF] [WOA04 dagli Oggetti agli Agenti, Sistemi Complessi e Agenti Razionali](#)

File Format: PDF/Adobe Acrobat

connect to the **database** where the trust information is **stored**. in the corresponding tables.
... the **conditions** contained in the request. The **response** can be ...
woa04.unito.it/Pages/Articoli/Atti-WOA04.pdf - [Similar pages](#)

[PDF] [Dèbian GNU/Linux](#)

File Format: PDF/Adobe Acrobat

Figure 14.2: Here grip is configured to **query** the Free CD **database** server to ... the canvas,
have **text associated** with them and will grow in size depending ...
bebas.vism.org/v17/au/csiro/datamining/debianbook/survivor.pdf - [Similar pages](#)

[PDF] [APPROVAL SHEET](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

network can trigger a **response** using the pre-deployed **conditions**. ... **boolean expressions** to compute the logical state of the module. ...
ebiquity.umbc.edu/get/a/publication/180.pdf - [Similar pages](#)

[PDF] [Information Retrieval Skriptum zur Vorlesung im SS 05](#)

File Format: PDF/Adobe Acrobat

formation retrieval" im **Text** auch in der Form "information storage and retrieval" ... **query language** for both IR and **database** systems, and thus also for ...
www.is.informatik.uni-duisburg.de/courses/ir_ss05/folien/irskall.pdf - [Similar pages](#)

[PDF] [Information Retrieval Skriptum zur Vorlesung im SS 03](#)

File Format: PDF/Adobe Acrobat

query language for both IR and **database** systems, and thus also for integration of these two types ... Given these **Boolean expressions**, we can identify iden- ...
www.is.informatik.uni-duisburg.de/courses/ir_ss03/folien/irskall.pdf - [Similar pages](#)

[Thinking in C++ 2nd ed Volume 2](#)

It's better to formulate tests as collections of **Boolean expressions** and have a ... The test_ () macro can extract the **text** of the **Boolean condition** that ...
www.oopweb.com/CPP/Documents/ThinkingInCpp2/Volume/TicV2.html - [Similar pages](#)

[Thinking in C++ 2nd ed Volume 2 rev 19](#)

It's better to formulate tests as collections of **Boolean expressions** and have a ... The test_ () macro can extract the **text** of the **Boolean condition** that ...
www.briceg.com/ticpp/two/ - [Similar pages](#)

[PDF] [Mathcad Users Guide.book](#)

File Format: PDF/Adobe Acrobat

for selected **text** as described here override the properties **associated** with the ... Mathcad creates a picture region and puts into it the image **stored** on ...
www.che.metu.edu.tr/~itosun/data/thermo/MATHCAD.pdf - [Similar pages](#)

[PDF] [An Incremental Prototyping Methodology for Distributed Systems ...](#)

File Format: PDF/Adobe Acrobat

that the global **condition** is **satisfied**". In the conclusion of the rule ... The target **language** TL has respectively Expressions E, Meta-**Boolean expressions** B ...
lg1www.epfl.ch/Team/JH/thesis/Thesis.pdf.gz - [Similar pages](#)

[PDF] [ELISA workshop](#)

File Format: PDF/Adobe Acrobat

The Argument Ontology will be **stored** in a similar **database**. ... provides a sophisticated

query language (further extended in postgresQL ...

prog.vub.ac.be/FFSE/Workshops/ELISA-submissions/ELISAprceedings.pdf -

[Similar pages](#)

[PDF] [Proceedings of the 3rd German Workshop on Aspect-Oriented Software ...](#)

File Format: PDF/Adobe Acrobat

program **text** and creates a parse tree. In AspectJ, the aspect. **language** parser inherits ...

factored out to the level of **Boolean expressions**. An even more ...

dawis2.informatik.uni-essen.de:8080/site/events/GI_AOSD_2003/AOSD-

GI2003_Proceedings.pdf - [Similar pages](#)

[PDF] [An Introduction to Computer Programming with Java](#)

File Format: PDF/Adobe Acrobat

query processing, interpretation of a tiny programming **language**, etc.). ... Does it matter if

the images **stored** on the **database** are medical images, used for ...

www.it.usyd.edu.au/~comp5214/Textbooks/An%20Introduction%20to%20Programming%

20with%20Java.pdf - [Similar pages](#)

[PDF] [Mathcad Users Guide.book](#)

File Format: PDF/Adobe Acrobat

for selected **text** as described here override the properties **associated** with the style for ... It

is possible, by judicious use of **Boolean expressions**, ...

claymore.engineer.gvsu.edu/~jackh/eod/courses/egr345/media/mathcad.pdf - [Similar pages](#)

[PDF] [A FAULT-TOLERANCE LINGUISTIC STRUCTURE FOR DISTRIBUTED APPLICATIONS](#)

File Format: PDF/Adobe Acrobat

with coarse-grained entities of the application and pre-**conditions query** the current ...

language", ie, a specialised linguistic structure devoted to the ...

www.win.ua.ac.be/~vincenz/thesis.pdf - [Similar pages](#)

[PDF] [Pointe Controller User Guide](#)

File Format: PDF/Adobe Acrobat

When importing a **text database** file, if PointeControl detects an erroneous line or ... math

and **Boolean expressions** in the **Condition** field, but you must ...

www.optimize.com/docs/PTCUserGuide.pdf - [Similar pages](#)

[PDF] [INFORMIX-Universal Server Informix Guide to SQL: Tutorial](#)

File Format: PDF/Adobe Acrobat

nents of a **database**; and what **language** is used to create, **query**, and ... To connect two or

more comparison **conditions**, or **Boolean expressions**, by ...

www11.in.tum.de/lehrstuhl/rechenbetrieb/software/ius/pdf/3856.pdf - [Similar pages](#)

[Bibliography on Software Agents](#)

Intelligent Agents as a Basis for **Natural Language** Interaction. ... Helping conversational

agents to find informative **responses**: **query** expansion methods for ...

www.cs.helsinki.fi/u/hhelin/agents/agent-bib.html - [Similar pages](#)

[[More results from www.cs.helsinki.fi](#)]

[PDF] [Physical One-Way Functions](#)

File Format: PDF/Adobe Acrobat

way to set up the probe and obtain the **response** of the physical system. If this ... a

presented token to be one of many **stored** in the **database**. We are also ...

www.media.mit.edu/physics/publications/theses/01.03.pappuphd.powf.pdf - [Similar pages](#)

[PDF] [Building Product Populations with Software Components](#)

File Format: PDF/Adobe Acrobat

definitions are **stored**. Koala targets C as implementation **language**. A.2 Lexical Syntax.

The lexical syntax of the Koala component and interface definition ...

dissertations.ub.rug.nl/FILES/faculties/science/2004/r.c.van.ommering/thesis.pdf - [Similar pages](#)

[PDF] [Faculty of Science Handbook 2006](#)

File Format: PDF/Adobe Acrobat

This unit of study will explore the **responses** of cells to changes in ... logical and physical **database** design, **SQL query language**, Form- ...

www.science.usyd.edu.au/cstudent/ug/downloads/unit_study.pdf - [Similar pages](#)

[PDF] [Physics Analysis Workstation User's guide](#)

File Format: PDF/Adobe Acrobat

A **text** file containing PAW commands and flow control statements. ... ZEBRA data structure and **stored** in a **HIGZ database** for later reference (eg editing by ...

www.lns.cornell.edu/~bxin/document/paw.pdf - [Similar pages](#)

[PDF] [Compiling with Proofs](#)

File Format: PDF/Adobe Acrobat

der for the code receiver to be **satisfied** that a verification **condition** is ... and verifies the **associated** safety proof. The details of how the proofs are ...

www.cs.cmu.edu/~rwh/theses/necula.pdf - [Similar pages](#)

[PDF] [Maxima Manual](#)

File Format: PDF/Adobe Acrobat

function **associated** with it, it is ignored. save returns filename. save stores data in the form of Lisp expressions. The data **stored** by save may be ...

maxima.sourceforge.net/docs/manual/en/maxima.pdf - [Similar pages](#)

[PDF] [PhD Thesis: Virtual Reality in Assembly Simulation](#)

File Format: PDF/Adobe Acrobat

event handlers having a **response** defined for it), or they can be sent to a spe- ... **natural language** interfaces to VR systems. Virtual Reality, 4(2): ...

www.cg.cs.uni-bonn.de/docs/publications/2000/zachmann-2000-virtual.pdf - [Similar pages](#)

[PDF] [Notifications \(CA-NO\)](#)

File Format: PDF/Adobe Acrobat

displays a standard **text** that is **stored** as a long **text** under the ... The notifications are downloaded into the MS Accessâ **database**. ...

help.sap.com/printdocu/core/Print46c/en/data/pdf/CACAN/CACAN.pdf - [Similar pages](#)

[PDF] [MultiNet for OpenVMS Installation/Introduction and Administrator's ...](#)

File Format: PDF/Adobe Acrobat

Documentation that has been translated into another **natural language** may be included ... shows the information **stored** in the MultiNet host tables and how to ...

www.multinet.process.com/ftp/docs/pdf/multinet_admin_guide.pdf - [Similar pages](#)

[PDF] [REALWSN 2005](#)

File Format: PDF/Adobe Acrobat

(Figure 3), is **stored** in a **database**, and made accessible via ... Each role is **associated** with an identifier and a set of **conditions** or ...

eprints.sics.se/167/01/T2005_09.pdf - [Similar pages](#)

[PDF] [Version 1.0 Systems Development Lifecycle](#)

File Format: PDF/Adobe Acrobat

How do you know the sponsor and user is **satisfied** with our work? ... **conditions**. **Query** and report capabilities are exercised and validated. All ...

www.michigan.gov/documents/SOM_SDL_C_December2001_36309_7.pdf - [Similar pages](#)

[doc] [CDS/ISIS for Windows Manual \(version 1.5\)](#)

File Format: Microsoft Word - [View as HTML](#)

In **response** to a free **text** search, CDS/ISIS will compute the Boolean ... **Condition** is a boolean expression as defined under "**Boolean expressions**"; ...

www.unesco.org/isis/files/winisis/windows/doc/english/WINISIS15rev.doc - [Similar pages](#)

[PDF] [Reference Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In **response** to a free **text** search, CDS/ISIS will compute the Boolean ... read each Master file record to check whether the **conditions** are **satisfied**, a free ...

www.unesco.org/isis/files/winisis/windows/doc/english/WINISIS15rev.pdf - [Similar pages](#)

[PDF] [Building IDL Applications](#)

File Format: PDF/Adobe Acrobat

indicate the overflow **condition**. If w is zero, the "**natural**" width for the ... **Associated** Input/Output. Unformatted data **stored** in files often consists of ...

gradea.uci.edu/idl-docs/building.pdf - [Similar pages](#)

[Thinking in C++ 2nd ed Volume 2](#)

The test_() macro can extract the **text** of the Boolean **condition** that fails, ... Bjarne Stroustrup's The C++ Programming **Language**, Third Edition (Addison ...

web.mit.edu/merolish/ticpp/TicV2.html - [Similar pages](#)

[PDF] [MAXAda Reference Manual](#)

File Format: PDF/Adobe Acrobat

data and machine instructions (**text**) should reside in the local/global/remote hierarchy. NUMA policies are **associated** with a range of virtual addresses and ...

www.ccur.com/isdmanuals/4Languages/0890516-090_MAXAda_Reference_Manual_

(Version_3.3.1).pdf - [Similar pages](#)

[More results from www.ccur.com]

[Browse the Categories](#)

A powerful full-**text** **query** **language** provides access to documents **stored** in Adabas as ... which provides PC fast **response** even in memory overload **conditions**. ...

www.iversonsoftware.com/tabularium/index.asp?area=w&cats=1 - 541k -

[Cached](#) - [Similar pages](#)

[PDF] [Statistical Cryptanalysis of Block Ciphers](#)

File Format: PDF/Adobe Acrobat

of the **conditions** of Eq. (3.64) and of Eq. (3.65) are statisfied, then **query**. another sample. We repeated this experiment 1'000'000 times for 5 different ...

lasecwww.epfl.ch/pub/lasec/doc/Jun04.pdf - [Similar pages](#)

[PDF] [Final Report](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

data of mobile objects is **stored** by the Nexus location service, ... **language** is based on **Boolean expressions**, so it has a relatively limited expressive ...

elib.uni-stuttgart.de/opus/volltexte/2004/1860/pdf/TR-2004-02.pdf - [Similar pages](#)

[@INPROCEEDINGS{Gay01:Real, AUTHOR="Mark Gaynor and Scott Bradner ...](#)

Not only working in a **natural** work-conserving way, when the global schedulability **condition** fails, DC-EDF will also work in a "best-effort" way to allow ...

www.cs.columbia.edu/~hgs/bib/net01.bib - [Similar pages](#)

[PDF] [A FAULT-TOLERANCE LINGUISTIC STRUCTURE FOR DISTRIBUTED APPLICATIONS](#)

File Format: PDF/Adobe Acrobat

No part of this publication may be reproduced, **stored** in a retrieval system ... with coarse-grained entities of the application and pre-**conditions** **query** the ...

www.esat.kuleuven.be/electa/publications/fulltexts/pub_1365.pdf - [Similar pages](#)